```
CommonGLPIInterface
           __construct()
         CommonGLPI
+ $showdebug

    + $taborientation

+ $get_item_to_display_tab
+ static $rightname
# $type
# $displaylist
# static $showTitleInNavigation
  Header
# static $othertabs
  __construct()
+ can($ID, $right, array
   &$input=null)
+ defineTabs($options=[])
+ addStandardTab($itemtype,
   array &$ong, array $options)
+ addDefaultFormTab
  (array &$ong)

    getTabNameForItem

  CommonGLPI $item,
  $withtemplate=0)
+ isNewItem()
+ showTabsContent($options=[])
+ getHeaderName()
+ display($options=[])
+ getErrorMessage($error,
   $object=")

    static getTypeName

  ($nb=0)
+ static getFieldLabel()
+ static getType()
+ static canCreate()
+ static canView()
+ static canUpdate()
+ static canDelete()
+ static canPurge()
+ static registerStandardTab
  ($typeform, $typetab)

    static getOtherTabs

  ($typeform)
  et 17 de plus...
# getFormHeaderToolbar()
        CommonDBTM
+ $fields
+ $input
+ $updates
+ $oldvalues
+ $dohistory
+ $history_blacklist
+ $auto_message_on_action
+ $no_form_page
   additional
  _for_dictionnary
+ $taborientation
+ $get_item_to_display_tab
+ $deduplicate_queued
  _notifications
+ $right
+ static $undisclosedFields
# $fkfield
# $searchopt
# $usenotepad
# static $notable
# static $forward_entity_to
# static $plugins_forward
  _entity
# static $tables of
# static $foreign_key
   _fields_of
+ getFromResultSet($rs)
+ getID()
+ post_getFromDB()
+ showForm($ID, array
  $options=[])
+ getSNMPCredential()
+ getLockedFields()
+ post_getEmpty()
+ getLogTypeID()
+ post_deleteFromDB()
+ cleanDBonPurge()
  et 87 de plus...
+ static getTable($classname
  =null)
+ static forceTable(
  $table)
+ static getForeignKeyField()

    static getTableField

  ($field, $classname=null)
+ static getFromIter
  (DBmysqlIterator $iter)

    static unsetUndisclosedFields

  (&$fields)
+ static getIndexName()
+ static isNewID($ID)
+ static getNameField()
+ static getCompleteNameField()
  et 26 de plus...
# saveInput()
# clearSavedInput()
# restoreInput(array
  $default=[])
# restoreSavedValues
  (array $saved=[])
# cleanLockedsOnAdd()
# cleanLockeds()
# computeFriendlyName()
         RuleCollection
+ const MOVE_BEFORE
+ const MOVE_AFTER
+ $sub_type
+ $stop_on_first_match
+ $orderby
+ $use_output_rule_process
  _as_next_input
+ $can_replay_rules
+ $RuleList
+ $menu_type
+ $menu_option
+ $entity
+ $taborientation
+ static $rightname
+ setEntity($entity=0)
+ canList()
+ isEntityAssign()
+ getRuleListCriteria
  ($options=[])
+ getRuleClassName()
+ getRuleClass()

    warningBeforeReplayRules

  OnExistingDB($target)
+ replayRulesOnExistingDB
  ($offset=0, $maxtime=0,
   + getTitle()
+ isRuleEntityAssigned()
  et 18 de plus...
+ static getTable($classname
   =null)

    static exportRulesToXML

  ($items=[])

    static displayImportRules

  Form()

    static isCriteraADropdown

  ($available_criteria,
  $condition, $criterion)

    static displayTabContent

  ForItem(CommonGLPI $item
   $tabnum=1, $withtemplate=0)
+ static getDictionnaries()
```

RuleDictionnaryDropdownCollection

\$stop\_on\_first\_match \$can\_replay\_rules

static \$rightname

RuleDictionnaryMonitorModel
Collection
+ \$item\_table
+ \$menu\_option
+ getTitle()

\$menu\_type

\$item\_table

+

+

+