

+ static forceTable(

+ static getTableField (\$field, \$classname=null)

+ static getFromIter (DBmysqlIterator \$iter) + static unsetUndisclosedFields

+ static getIndexName() + static isNewID(\$ID) + static getNameField()

et 26 de plus... # saveInput()

clearSavedInput() # restoreInput(array \$default=[]) # restoreSavedValues (array \$saved=[]) # cleanLockedsOnAdd()

cleanLockeds()

computeFriendlyName()

+ static getCompleteNameField()

(&\$fields)

+ static getForeignKeyField()

\$table)

```
+ $can_be_translated
+ maybeTranslated()
```

CommonDropdown

+ \$dohistory

+ \$must_be_replace + \$first_level_menu + \$second_level_menu + \$third_level_menu + \$display_dropdowntitle

+ getAdditionalField

+ displayHeader()

- (string \$name) + defineTabs(\$options=[])
- + prepareInputForUpdate (\$input) + post_addItem()
- + post_updateItem(\$history =true)

+ cleanDBonPurge()

- + showForm(\$ID, array \$options=[])
- + displaySpecificTypeField (\$ID, \$field=[], array \$options=[])
- et 7 de plus... + static getTypeName (\$nb=0)
- + static getMenuShorcut() + static getMenuContent() + static displayCentralHeader
- (?string \$title=null, ?array \$menus=null) + static showMassiveActions

SubForm(MassiveAction \$ma)

+ static getIcon()

Fieldblacklist + \$can_be_translated + getAdditionalFields() + rawSearchOptions() + prepareInputForAdd (\$input) + prepareInputForUpdate (\$input)

- \$options=[])
- + displaySpecificTypeField (\$ID, \$field=[], array
- + selectValues(\$field=") + static getTypeName
- (\$nb=0)+ static canCreate()

+ static getSpecificValueTo

Select(\$field, \$name=", \$values=", array \$options=[])

+ static canPurge()

Display(\$field, \$values, array \$options=[]) + static getSpecificValueTo