```
CommonGLPIInterface
            _construct()
         CommonGLPI
+ $showdebug
+ $taborientation
+ $get_item_to_display_tab
+ static $rightname
# $type
# $displaylist
# static $showTitleInNavigation
  Header
# static $othertabs
+ __construct()
+ can($ID, $right, array
   &$input=null)
+ defineTabs($options=[])
+ addStandardTab($itemtype,
   array &$ong, array $options)
+ addDefaultFormTab
  (array &$ong)
+ getTabNameForItem
   (CommonGLPI $item,
  $withtemplate=0)
+ isNewItem()
+ showTabsContent($options=[])
+ getHeaderName()
+ display($options=[])
+ getErrorMessage($error,
   $object=")

    static getTypeName

  ($nb=0)
+ static getFieldLabel()
+ static getType()
+ static canCreate()
+ static canView()
+ static canUpdate()
+ static canDelete()
+ static canPurge()
+ static registerStandardTab
  ($typeform, $typetab)

    static getOtherTabs

  ($typeform)
  et 17 de plus...
# getFormHeaderToolbar()
        CommonDBTM
+ $fields
+ $input
+ $updates
+ $oldvalues
+ $dohistory
+ $history_blacklist
+ $auto_message_on_action
+ $no_form_page
+ $additional
  _for_dictionnary

    + $taborientation

+ $get_item_to_display_tab
+ $deduplicate_queued
  _notifications
+ $right
+ static $undisclosedFields
# $fkfield
# $searchopt
# $usenotepad
# static $notable
# static $forward_entity_to
# static $plugins_forward
  _entity
# static $tables_of
# static $foreign_key
   _fields_of
+ getFromResultSet($rs)
+ getID()
+ post_getFromDB()
+ showForm($ID, array
   $options=[])
+ getSNMPCredential()
+ getLockedFields()
+ post_getEmpty()
+ getLogTypeID()
+ post_deleteFromDB()
+ cleanDBonPurge()
  et 87 de plus...
+ static getTable($classname
  =null)
+ static forceTable(
  $table)
+ static getForeignKeyField()

    static getTableField

  ($field, $classname=null)

    static getFromIter

  (DBmysqlIterator $iter)

    static unsetUndisclosedFields

  (&$fields)
+ static getIndexName()
+ static isNewID($ID)
```

\$displaylist + isNewItem()

+ \$get_item_to_display_tab+ \$auto_message_on_action

+ static getNameField()

et 26 de plus... # saveInput()

cleanLockeds()

+ \$taborientation

+ const PERSONAL+ const GENERAL+ static \$rightname

computeFriendlyName()

DisplayPreference

+ static getCompleteNameField()

- + defineTabs(\$options=[]) + getTabNameForItem
 - (CommonGLPI \$item, \$withtemplate=0)
- + getRights(\$interface ='central')

+ static getTypeName

(\$nb=0)

+ static processMassiveActions ForOneItemtype(MassiveAction \$ma, CommonDBTM \$item, array \$ids)

+ static displayTabContent

ForItem(CommonGLPI \$item, \$tabnum=1, \$withtemplate=0)