```
CommonGLPIInterface
           __construct()
         CommonGLPI
+ $showdebug

    + $taborientation

+ $get_item_to_display_tab
+ static $rightname
# $type
# $displaylist
# static $showTitleInNavigation
  Header
# static $othertabs
+ __construct()
+ can($ID, $right, array
   &$input=null)
+ defineTabs($options=[])
+ addStandardTab($itemtype,
   array &$ong, array $options)
+ addDefaultFormTab
  (array &$ong)
+ getTabNameForItem
  (CommonGLPI $item,
  $withtemplate=0)
+ isNewItem()
+ showTabsContent($options=[])
+ getHeaderName()
+ display($options=[])
+ getErrorMessage($error,
   $object='')

    static getTypeName

  ($nb=0)
+ static getFieldLabel()
+ static getType()
+ static canCreate()
+ static canView()
+ static canUpdate()
+ static canDelete()
+ static canPurge()
+ static registerStandardTab
  ($typeform, $typetab)

    static getOtherTabs

  ($typeform)
  et 17 de plus...
# getFormHeaderToolbar()
        CommonDBTM
+ $fields
+ $input
+ $updates
+ $oldvalues
+ $dohistory
+ $history_blacklist
+ $auto_message_on_action
+ $no_form_page
  _for_dictionnary
+ $taborientation
+ $get_item_to_display_tab
+ $deduplicate_queued
  _notifications
+ $right
+ static $undisclosedFields
# $fkfield
# $searchopt
# $usenotepad
# static $notable
# static $forward_entity_to
# static $plugins_forward
  _entity
# static $tables_of
# static $foreign_key
   _fields__of
+ getFromResultSet($rs)
+ getID()
+ post_getFromDB()
+ showForm($ID, array
  $options=[])
+ getSNMPCredential()
+ getLockedFields()
+ post_getEmpty()
+ getLogTypeID()
+ post_deleteFromDB()
+ cleanDBonPurge()
  et 87 de plus...
+ static getTable($classname
  =null)
+ static forceTable(
  $table)
+ static getForeignKeyField()
+ static getTableField
  ($field, $classname=null)
+ static getFromIter
  (DBmysqlIterator $iter)
+ static unsetUndisclosedFields
  (&$fields)
+ static getIndexName()
+ static isNewID($ID)
+ static getNameField()
+ static getCompleteNameField()
  et 26 de plus...
# saveInput()
# clearSavedInput()
# restoreInput(array
  $default=[])
# restoreSavedValues
  (array $saved=[])
# cleanLockedsOnAdd()
# cleanLockeds()
# computeFriendlyName()
       CommonDropdown
+ $dohistory
+ $must_be_replace
+ $first_level_menu
  (string $name)
  ($input)
  post_addItem()
  =true)
   $options=[])
```

```
+ $second_level_menu
 + $third_level_menu
 + $display_dropdowntitle
 + $can_be_translated
 + static $rightname
 + maybeTranslated()
 + getAdditionalField
 + defineTabs($options=[])
 + displayHeader()

    prepareInputForUpdate

 + post_updateItem($history
 + cleanDBonPurge()
 + showForm($ID, array
 + displaySpecificTypeField
   ($ID, $field=[], array
    $options=[])
   et 7 de plus...
 + static getTypeName
   ($nb=0)
 + static getMenuShorcut()
 + static getMenuContent()

    static displayCentralHeader

   (?string $title=null, ?array
    $menus=null)
 + static showMassiveActions
   SubForm(MassiveAction $ma)
 + static getIcon()
         CommonDevice
+ $can_be_translated
+ $dohistory
+ $first_level_menu
+ $second_level_menu
+ $third_level_menu
+ static $rightname
+ displaySpecificTypeField
  ($ID, $field=[], array
   $options=[])
+ getAdditionalFields()
+ rawSearchOptions()
+ title()

    getHTMLTableCellForItem

  (HTMLTableRow $row=null,
   CommonDBTM $item=null,
   HTMLTableCell $father=null,
   array $options=[])
+ getImportCriteria()
+ defineTabs($options=[])
+ post_workOnItem()
+ post_addItem()
+ post_updateItem($history
  =true)

    static getTypeName

  ($nb=0)
+ static getItem_DeviceType
  ($devicetype=null)
+ static getMenuContent()
+ static getNameField()

    static getHTMLTableHeader

  ($itemtype, HTMLTableBase
   $base, HTMLTableSuperHeader
$super=null, HTMLTableHeader
$father=null, array $options=[])
```

+ static getIcon()

(\$nb=0) + static getIcon()

DeviceSimcard

static \$forward_entity_to

+ getAdditionalFields()

+ rawSearchOptions()

+ getImportCriteria()

+ static getTypeName