## BackendInterface

- + getCalendarsForUser (\$principalUri)
- + createCalendar(\$principal Uri, \$calendarUri, array
- \$properties) + updateCalendar(\$calendar Id, \Sabre\DAVPropPatch
- \$propPatch)
- + deleteCalendar(\$calendarId)
- + getCalendarObjects (\$calendarId)
- + getCalendarObject
- (\$calendarld, \$objectUri) + getMultipleCalendarObjects
- (\$calendarld, array \$uris)
- + createCalendarObject
- (\$calendarld, \$objectUri,
- \$calendarData)
- updateCalendarObject (\$calendarld, \$objectUri, \$calendarData)
- + deleteCalendarObject (\$calendarld, \$objectUri)
- + calendarQuery(\$calendar Id, array \$filters)
- + getCalendarObjectByUID (\$principalUri, \$uid)



## **SubscriptionSupport**

- + getSubscriptionsForUser (\$principalUri) createSubscription (\$principalUri, \$uri, array \$properties)
- + updateSubscription (\$subscriptionId, DAV
  - PropPatch \$propPatch) deleteSubscription (\$subscriptionId)



## **PDO**

- + const MAX\_DATE + \$calendarTableName
- + \$calendarInstancesTableName
- + \$calendarObjectTableName
- + \$calendarChangesTableName
- + \$schedulingObjectTableName
- + \$calendarSubscriptionsTableName
- + \$propertyMap
- + \$subscriptionPropertyMap
- # \$pdo
  - \_construct(\PDO \$pdo)
- + getCalendarsForUser (\$principalUri)
  - Uri, \$calendarUri, array
- \$properties) + updateCalendar(\$calendar
  - Id, PropPatch \$propPatch)
- + deleteCalendar(\$calendarId)

+ createCalendar(\$principal

- + getCalendarObjects

(\$calendarld) + getCalendarObject

- (\$calendarId, \$objectUri)
- + getMultipleCalendarObjects
- (\$calendarld, array \$uris)
- + createCalendarObject
- (\$calendarld, \$objectUri,
- \$calendarData) + updateCalendarObject
- (\$calendarld, \$objectUri, \$calendarData) et 15 de plus...
- (\$calendarData)

# getDenormalizedData

# addChange(\$calendarId, \$objectUri, \$operation)