CommonGLPIInterface

+ __construct()

CommonGLPI

+ $showdebug
+ $taborientation
+ $get_item_to_display_tab
+ static $rightname
# $type
# $displaylist
# static $showTitleInNavigation
  Header
static $othertabs

+ __construct()
+ can($ID, $right, array
  &$input=null)
+ defineTabs($options=[])
+ addStandardTab($itemtype,
  array &$ong, array $options)
+ addDefaultFormTab
  (array &$ong)
+ getTabNameForItem
  (CommonGLPI $item,
  $withtemplate=0)
+ isNewItem()
+ showTabsContent($options=[])
+ getHeaderName()
+ display($options=[])
+ getErrorMessage($error,
  $object='')
+ static getTypeName
  ($nb=0)
+ static getFieldLabel()
+ static getType()
+ static canCreate()
+ static canView()
+ static canUpdate()
+ static canDelete()
+ static canPurge()
+ static registerStandardTab
  ($typeform, $typetab)
+ static getOtherTabs
  ($typeform)
  et 17 de plus...
getFormHeaderToolbar()

CommonDBTM

+ $fields
+ $input
+ $updates
+ $oldvalues
+ $dohistory
+ $history_blacklist
+ $auto_message_on_action
+ $no_form_page
+ $additional_fields
  _for_dictionnary
+ $taborientation
+ $get_item_to_display_tab
+ $deduplicate_queued
  _notifications
+ $right
+ static $undisclosedFields
# $fkfield
# $searchopt
# $usenotepad
# static $notable
# static $forward_entity_to
# static $plugins_forward
  _entity
static $tables_of
static $foreign_key
  _fields_of

+ getFromResultSet($rs)
+ getID()
+ post_getFromDB()
+ showForm($ID, array
  $options=[])
+ getSNMPCredential()
+ getLockedFields()
+ post_getEmpty()
+ getLogTypeID()
+ post_deleteFromDB()
+ cleanDBonPurge()
  et 87 de plus...
+ static getTable($classname
  =null)
+ static forceTable(
  $table)
+ static getForeignKeyField()
+ static getTableField
  ($field, $classname=null)
+ static getFromIter
  (DBmysqlIterator $iter)
+ static unsetUndisclosedFields
  (&$fields)
+ static getIndexName()
+ static isNewID($ID)
+ static getNameField()
+ static getCompleteNameField()
  et 26 de plus...
saveInput()
clearSavedInput()
restoreInput(array
  $default=[])
restoreSavedValues
  (array $saved=[])
cleanLockedsOnAdd()
cleanLockeds()
computeFriendlyName()

MailCollector

+ $uid
+ $files
+ $altfiles
+ $tags
+ $addtobody
+ $fetch_emails
+ $maxfetch_emails
+ $messages_uid
+ $filesize_max
+ $dohistory
+ const REFUSED_FOLDER
+ const ACCEPTED_FOLDER
+ const REQUESTER_FIELD_FROM
+ const REQUESTER_FIELD
  _REPLY_TO
+ static $rightname
+ static $undisclosedFields

+ prepareInput(array
  $input, $mode='add')
+ prepareInputForUpdate
  ($input)
+ prepareInputForAdd
  ($input)
+ defineTabs($options=[])
+ getTabNameForItem
  (CommonGLPI $item,
  $withtemplate=0)
+ displayFoldersList
  ($input_id="")
+ showGetMessageForm($ID)
+ rawSearchOptions()
+ cleanSubject($text)
+ listEncodings()
  et 13 de plus...
+ static getTypeName
  ($nb=0)
+ static canCreate()
+ static canPurge()
+ static getAdditionalMenu
  Options()
+ static displayTabContent
  ForItem(CommonGLPI $item,
  $tabnum=1, $withtemplate=0)
+ static cronInfo($name)
+ static countActiveCollectors()
+ static showMaxFilesize
  ($name, $value=0, $rand=null)
+ static getIcon()