```
_construct()
                             CommonGLPI
                    + $showdebug
                    + $taborientation
                    + $get_item_to_display_tab
                    + static $rightname
                    # $type
                    # $displaylist
                    # static $showTitleInNavigation
                      Header
                    # static $othertabs
                    + __construct()
                    + can($ID, $right, array
                       &$input=null)
                    + defineTabs($options=[])
                    + addStandardTab($itemtype,
                       array &$ong, array $options)
                    + addDefaultFormTab
                       (array &$ong)
                    + getTabNameForItem
                       (CommonGLPI $item,
                       $withtemplate=0)
                    + isNewItem()
                    + showTabsContent($options=[])
                    + getHeaderName()
                    + display($options=[])
                    + getErrorMessage($error,
                       $object=")
                    + static getTypeName
                      ($nb=0)
                    + static getFieldLabel()
                    + static getType()
                    + static canCreate()
                    + static canView()
                    + static canUpdate()
                    + static canDelete()
                    + static canPurge()
                    + static registerStandardTab
                       ($typeform, $typetab)
                    + static getOtherTabs
                      ($typeform)
                       et 17 de plus...
                     # getFormHeaderToolbar()
                             CommonDBTM
                    + $fields
                    + $input
                    + $updates
                    + $oldvalues
                    + $dohistory
                    + $history_blacklist
                    + $auto_message_on_action
                    + $no_form_page
                    + $additional_fields
                      _for_dictionnary
                    + $taborientation
                    + $get_item_to_display_tab
                    + $deduplicate_queued
                      _notifications
                    + $right
                    + static $undisclosedFields
                    # $fkfield
                    # $searchopt
                    # $usenotepad
                    # static $notable
                    # static $forward_entity_to
                    # static $plugins_forward
                      _entity
                    # static $tables_of
                    # static $foreign_key
                       _fields_of
                    + getFromResultSet($rs)
                    + getID()
                    + post_getFromDB()
                    + showForm($ID, array
                       $options=[])
                    + getSNMPCredential()
                    + getLockedFields()
                    + post_getEmpty()
                    + getLogTypeID()
                    + post_deleteFromDB()
                    + cleanDBonPurge()
                      et 87 de plus...
                    + static getTable($classname
                      =null)
                    + static forceTable(
                      $table)
                    + static getForeignKeyField()
                    + static getTableField
                      ($field, $classname=null)
                    + static getFromIter
                      (DBmysqlIterator $iter)
                    + static unsetUndisclosedFields
                      (&$fields)
                    + static getIndexName()
                    + static isNewID($ID)
                    + static getNameField()
                    + static getCompleteNameField()
                      et 26 de plus...
                    # saveInput()
                    # clearSavedInput()
                    # restoreInput(array
                       $default=[])
                    # restoreSavedValues
                      (array $saved=[])
                    # cleanLockedsOnAdd()
                    # cleanLockeds()
                    # computeFriendlyName()
                         CommonDBConnexity
               + const DONT_CHECK_ITEM
                  _RIGHTS
               + const HAVE_VIEW_RIGHT
                  _ON_ITEM
               + const HAVE_SAME_RIGHT
                   _ON_ITEM
               + static $canDeleteOnItemClean
               + static $disableAutoEntity
                 Forwarding
               + getCloneRelations()
               + getConnexityItem(
                  $itemtype, $items_id,
                  $getFromDB=true, $getEmpty
                  =true, $getFromDBOrEmpty=false)
               + checkAttachedItemChanges
                  Allowed(array $input, array
                  $fields)
               + tryEntityForwarding()
               + canConnexityItem(
                  $methodItem, $methodNotItem,
                  $item_right, $itemtype
                  $items_id, CommonDBTM &$item=null)
               + getHistoryChangeWhenUpdate
                  Field($field)
               + getItemsForLog($itemtype,
                  $items_id)
               + static getSQLCriteriaToSearch
                  ForItem($itemtype, $items_id)
               + static getItemsAssociated
                  To ($itemtype, $items_id)
               + static getItemField
                  ($itemtype)

    static getItemFromArray

                  ( $itemtype, $items_id,
                  array $array, $getFromDB
                  =true, $getEmpty=true, $getFromDBOr
                  Empty=false)
               + static canConnexity
                  ($method, $item_right,
                  $itemtype, $items_id)
               + static getConnexityMassive
                  ActionsSpecificities()
               + static getMassiveActions
                 ForItemtype(array &$actions,
                  $itemtype, $is_deleted=false,
                  CommonDBTM $checkitem=null)
               + static showMassiveActions
                 SubForm(MassiveAction $ma)
               + static getConnexityInput
                  ForProcessingOfMassiveActions
                  ($action, CommonDBTM $item,
                  array $ids, array $input)
               + static processMassiveActions
                  ForOneItemtype(MassiveAction
                  $ma, CommonDBTM $item, array $ids)
                            CommonDBChild
                + static $itemtype
                + static $items_id
                + static $checkParentRights
                + static $mustBeAttached
                + static $logs_for_parent
                + static $log_history_add
                + static $log_history
                  _update
                + static $log_history
                   _delete
                + static $log_history_lock
                + static $log_history
                   _unlock
                + canCreateItem()
                + canViewItem()
                  canUpdateItem()
                + canDeleteItem()
                + canChildItem($methodItem,
                   $methodNotItem)
                + getItem($getFromDB
                  =true, $getEmpty=true)
                + recursivelyGetItems()
                + getEntityID()
                + isEntityAssign()
                + maybeRecursive()
                  et 12 de plus...
                + static getSQLCriteriaToSearch
                  ForItem($itemtype, $items_id)
                + static canCreate()
                + static canView()
                + static canUpdate()
                + static canDelete()
                + static canPurge()
                + static canChild($method)
                + static displayRecursiveItems
                  (array $recursiveItems,
                   $elementToDisplay, bool $display=true)
                + static getJSCodeToAddFor
                  ItemChild($field_name,
                   $child_count_js_var)
                + static showAddChildButton
                  ForItemForm(CommonDBTM
                   $item, $field_name, $canedit
                  =null, $display=true)
                + static getItemField
                   ($itemtype)
                # autoinventoryInformation()
                              FQDNLabel
                    + getInternetName()
                     + prepareLabelInput
                       ($input)
                     + prepareIPNetworkFromInput
                       ($input)
                     + prepareInputForAdd
                       ($input)
                     + prepareInputForUpdate
                       ($input)
                     + static getInternetNameFrom
                       LabelAndDomainID($label,
                        $domain)
                     + static checkFQDNLabel
                       ($label)
                     + static getItemsByFQDN
                       ($fqdn, $wildcard_search
                       =false)
                     + static getUniqueItemByFQDN
                       ($value, $entity)
                                                 NetworkName
                                       + $dohistory
                                       + static $itemtype
                                       + static $items id
                                       + static $canDeleteOnItemClean
                                       + static $checkParentRights
                                       + static $mustBeAttached
                                       + static $rightname
                                       # static $forward_entity_to
          NetworkAlias
                                       + useDeletedToLockIfDynamic()
+ $dohistory
                                       + defineTabs($options=[])
+ static $itemtype
                                       + showForm($ID, array
                                          $options=[])
+ static $items_id
                                       + rawSearchOptions()
+ static $checkParentRights
                                       + post_workOnItem()
+ defineTabs($options=[])
                                       + post_addItem()
+ showForm($ID, $options=[])
                                       + cleanDBonPurge()
+ getTabNameForItem
  (CommonGLPI $item,
                                       + getTabNameForItem
  $withtemplate=0)
                                         (CommonGLPI $item,
                                         $withtemplate=0)
+ rawSearchOptions()
                                       + static getTypeName
+ static getTypeName
                                         ($nb=0)
  ($nb=0)
                                       + static rawSearchOptionsTo
+ static getInternetNameFrom
                                         Add(array &$tab, array
  ID($ID)
                                          $joinparams)
+ static getHTMLTableHeader
                                       + static unaffectAddressBy
  ($itemtype, HTMLTableBase
                                         ID($networkNameID)
  $base, HTMLTableSuperHeader
                                       + static affectAddress
  $super=null, HTMLTableHeader
  $father=null, array $options=[])
                                         ($networkNameID, $items
                                         _id, $itemtype)
+ static displayTabContent
                                       + static getInternetNameFrom
  ForItem(CommonGLPI $item,
  $tabnum=1, $withtemplate=0)
                                         ID($ID)
```

+ static getHTMLTableHeader (\$itemtype, HTMLTableBase \$base, HTMLTableSuperHeader \$super=null, HTMLTableHeader \$father=null, array \$options=[])

+ static showForItem (CommonDBTM \$item, \$withtemplate=0)
+ static displayTabContent ForItem(CommonGLPI \$item, \$tabnum=1, \$withtemplate=0)

CommonGLPIInterface