CommonGLPIInterface _construct() CommonGLPI + \$showdebug + \$taborientation + \$get_item_to_display_tab + static \$rightname # \$type # \$displaylist # static \$showTitleInNavigation Header # static \$othertabs + __construct() + can(\$ID, \$right, array &\$input=null) + defineTabs(\$options=[]) + addStandardTab(\$itemtype, array &\$ong, array \$options) + addDefaultFormTab (array &\$ong) + getTabNameForItem (CommonGLPI \$item, \$withtemplate=0) + isNewItem() + showTabsContent(\$options=[]) + getHeaderName() + display(\$options=[]) + getErrorMessage(\$error, \$object=") + static getTypeName (\$nb=0)+ static getFieldLabel() + static getType() + static canCreate() + static canView()

+ \$input

CommonDBTM

+ static canUpdate() + static canDelete() + static canPurge()

+ static registerStandardTab (\$typeform, \$typetab) + static getOtherTabs (\$typeform) et 17 de plus...

getFormHeaderToolbar()

+ \$updates + \$oldvalues

+ \$fields

- + \$dohistory
- + \$history_blacklist + \$auto_message_on_action
- + \$no_form_page + \$additional_fields
- _for_dictionnary + \$taborientation
- + \$get_item_to_display_tab + \$deduplicate_queued
- _notifications + \$right
- + static \$undisclosedFields # \$fkfield

\$searchopt

_entity

- # \$usenotepad
- # static \$notable # static \$forward_entity_to

static \$plugins_forward

- # static \$tables_of # static \$foreign_key
- _fields_of + getFromResultSet(\$rs)
- + getID() + post_getFromDB()
- + showForm(\$ID, array \$options=[]) + getSNMPCredential()
- + post_getEmpty() + getLogTypeID()

+ getLockedFields()

+ cleanDBonPurge() et 87 de plus...

+ post_deleteFromDB()

+ static getTable(\$classname =null) + static forceTable(

\$table)

+ static getForeignKeyField() + static getTableField

+ static getFromIter

(DBmysqlIterator \$iter) + static unsetUndisclosedFields (&\$fields)

(\$field, \$classname=null)

+ static getIndexName() + static isNewID(\$ID)

+ static getNameField()

- + static getCompleteNameField() et 26 de plus...
- # saveInput() # clearSavedInput()
- # restoreInput(array \$default=[]) # restoreSavedValues

(array \$saved=[]) # cleanLockedsOnAdd()

- # cleanLockeds() # computeFriendlyName()
- PlanningExternalEvent

+ \$dohistory

+ static \$rightname + defineTabs(\$options=[])

+ canUpdateItem()

+ static getGroupItemsAsVCalendars (\$groups_id) + static getUserItemsAsVCalendars

CalDAVCompatibleItemInterface

(\$users_id)

+ getAsVCalendar()

+ getInputFromVCalendar

(VCalendar \$vcalendar)

+ canPurgeItem()

+ const MANAGE_BG_EVENTS

- + canUpdateBGEvents() + post_getFromDB()
- + getRights(\$interface
- ='central')
- + getAsVCalendar()
- + getInputFromVCalendar (VCalendar \$vcalendar)
- + rawSearchOptions() static getTypeName
- (\$nb=0)+ static canUpdate()
- + static getGroupItemsAsVCalendars (\$groups_id)

+ static getUserItemsAsVCalendars

- (\$users_id)
- + static getVisibilityCriteria() + static addVisibilityRestrict()