```
CommonGLPI
    + $showdebug
    + $taborientation
    + $get_item_to_display_tab
    + static $rightname
    # $type
    # $displaylist
    # static $showTitleInNavigation
       Header
    # static $othertabs
    + __construct()
    + can($ID, $right, array
       &$input=null)
    + defineTabs($options=[])
    + addStandardTab($itemtype,
       array &$ong, array $options)
    + addDefaultFormTab
       (array &$ong)
    + getTabNameForItem
       (CommonGLPI $item,
       $withtemplate=0)
    + isNewItem()
    + showTabsContent($options=[])
    + getHeaderName()
    + display($options=[])
    + getErrorMessage($error,
       $object=")
    + static getTypeName
       ($nb=0)
    + static getFieldLabel()
    + static getType()
    + static canCreate()
    + static canView()
    + static canUpdate()
    + static canDelete()
    + static canPurge()
    + static registerStandardTab
       ($typeform, $typetab)
    + static getOtherTabs
       ($typeform)
       et 17 de plus...
    # getFormHeaderToolbar()
             CommonDBTM
    + $fields
    + $input
    + $updates
    + $oldvalues
    + $dohistory
    + $history_blacklist
    + $auto_message_on_action
    + $no_form_page
    + $additional fields
       _for_dictionnary
    + $taborientation
    + $get_item_to_display_tab
    + $deduplicate_queued
       _notifications
    + $right
    + static $undisclosedFields
    # $fkfield
    # $searchopt
    # $usenotepad
    # static $notable
    # static $forward_entity_to
    # static $plugins_forward
      _entity
    # static $tables_of
    # static $foreign key
       _fields__of
    + getFromResultSet($rs)
    + getID()
    + post_getFromDB()
    + showForm($ID, array
       $options=[])
    + getSNMPCredential()
    + getLockedFields()
    + post_getEmpty()
    + getLogTypeID()
    + post_deleteFromDB()
    + cleanDBonPurge()
      et 87 de plus...
    + static getTable($classname
      =null)
    + static forceTable(
      $table)
    + static getForeignKeyField()
    + static getTableField
      ($field, $classname=null)
    + static getFromIter
      (DBmysqlIterator $iter)
    + static unsetUndisclosedFields
      (&$fields)
    + static getIndexName()
    + static isNewID($ID)
    + static getNameField()
    + static getCompleteNameField()
      et 26 de plus...
    # saveInput()
    # clearSavedInput()
    # restoreInput(array
       $default=[])
    # restoreSavedValues
      (array $saved=[])
    # cleanLockedsOnAdd()
    # cleanLockeds()
    # computeFriendlyName()
           CommonDropdown
    + $dohistory
    + $must_be_replace
    + $first_level_menu
    + $second_level_menu
    + $third_level_menu
    + $display_dropdowntitle
    + $can_be_translated
    + static $rightname
    + maybeTranslated()
    + getAdditionalField
       (string $name)
    + defineTabs($options=[])
    + displayHeader()
    + prepareInputForUpdate
       ($input)
    + post_addItem()
    + post_updateItem($history
       =true)
    + cleanDBonPurge()
    + showForm($ID, array
       $options=[])
    + displaySpecificTypeField
       ($ID, $field=[], array
       $options=[])
       et 7 de plus...
    + static getTypeName
       ($nb=0)
    + static getMenuShorcut()
    + static getMenuContent()
    + static displayCentralHeader
       (?string $title=null, ?array
       $menus=null)
    + static showMassiveActions
       SubForm(MassiveAction $ma)
    + static getIcon()
         CommonITILRecurrent
+ $dohistory
+ $first_level_menu
+ $display_dropdowntitle
+ $can_be_translated
+ getTabNameForItem
  (CommonGLPI $item,
  $withtemplate=0)
+ getCloneRelations()
+ defineTabs($options=[])
+ prepareInputForAdd
  ($input)
+ prepareInputForUpdate
  ($input)
+ getAdditionalFields()
+ displaySpecificTypeField
  ($ID, $field=[], array
   $options=[])
+ displayPeriodicityInput()
+ rawSearchOptions()
+ showInfos()
+ computeNextCreationDate
  (?string $begin_date,
  ?string $end_date, $periodicity,
   ?int $create_before, ?int $calendars_id)
+ getCreateTime()
+ handlePredefinedFields
  (array $predefined, array
  $input)
+ static getConcreteClass()
+ static getTemplateClass()
+ static getPredefinedFields
  Class()
+ static displayTabContent
  ForItem(CommonGLPI $item,
  $tabnum=1, $withtemplate=0)
+ static getSpecificValueTo
  Display( $field, $values, array $options=[])
+ static getIcon()
```

TicketRecurrent + \$second\_level\_menu

+ handlePredefinedFields

+ static getTypeName

(array \$predefined, array

+ static getConcreteClass()

+ static getTemplateClass()

+ static getPredefinedFields

+ static \$rightname

\$input)

(\$nb=0)

Class()

RecurrentChange

+ static getConcreteClass()

+ static getTemplateClass()

+ static getPredefinedFields

+ \$second\_level\_menu

+ static getTypeName

+ static \$rightname

(\$nb=0)

Class()

CommonGLPIInterface

\_construct()