


Template

- # \$parent
- # \$parents # \$env
- # \$blocks
- # \$traits
- # \$extensions
- # \$sandbox
- + __construct(Environment \$env)
- + getTemplateName()
- + getDebugInfo()
- + getSourceContext()
- + getParent(array \$context)+ isTraitable()
- + displayParentBlock
 - (\$name, array \$context,
 - array \$blocks=[])
- + displayBlock(\$name,
 - array \$context, array
 - \$blocks=[], \$useBlocks
 =true, self \$templateContext=null)
- + renderParentBlock
 - (\$name, array \$context,
 - orrow Chlooks—[1)
 - array \$blocks=[])
- + renderBlock(\$name,
 - array \$context, array
 - \$blocks=[], \$useBlocks=true)
 - et 6 de plus...
- # doGetParent(array
- \$context)
- # loadTemplate(\$template,
- \$templateName=null,
- \$line=null, \$index=null)
- # displayWithErrorHandling
- (array \$context, array \$blocks=[])
- # doDisplay(array \$context,
- array \$blocks=[])



- + __construct(Environment \$env)
 - + getTemplateName()+ isTraitable()
 - + getDebugInfo()
 - + getSourceContext()
 - # doDisplay(array \$context, array \$blocks=[])