```
CommonGLPIInterface
            _construct()
         CommonGLPI
+ $showdebug
+ $taborientation
+ $get_item_to_display_tab
+ static $rightname
# $type
# $displaylist
# static $showTitleInNavigation
  Header
# static $othertabs
  __construct()
+ can($ID, $right, array
   &$input=null)
+ defineTabs($options=[])
+ addStandardTab($itemtype,
   array &$ong, array $options)
+ addDefaultFormTab
  (array &$ong)
+ getTabNameForItem
  (CommonGLPI $item,
  $withtemplate=0)
+ isNewItem()
+ showTabsContent($options=[])
+ getHeaderName()
+ display($options=[])
+ getErrorMessage($error,
   $object='')
+ static getTypeName
  ($nb=0)
+ static getFieldLabel()
+ static getType()
+ static canCreate()
+ static canView()
+ static canUpdate()
+ static canDelete()
+ static canPurge()
+ static registerStandardTab
  ($typeform, $typetab)
+ static getOtherTabs
  ($typeform)
  et 17 de plus...
# getFormHeaderToolbar()
        CommonDBTM
+ $fields
+ $input
+ $updates
+ $oldvalues
+ $dohistory
+ $history_blacklist
+ $auto_message_on_action
+ $no_form_page
 $additional
  _for_dictionnary
+ $taborientation
+ $get_item_to_display_tab
+ $deduplicate_queued
  _notifications
+ $right
+ static $undisclosedFields
# $fkfield
# $searchopt
# $usenotepad
# static $notable
# static $forward_entity_to
# static $plugins_forward
  _entity
   _fields__of
  $options=[])
  et 87 de plus...
   =null)
  $table)
  ($field, $classname=null)
  (DBmysqlIterator $iter)
  (&$fields)
  et 26 de plus...
  $default=[])
```

```
# static $tables_of
# static $foreign_key
+ getFromResultSet($rs)
+ getID()
+ post_getFromDB()
+ showForm($ID, array
+ getSNMPCredential()
+ getLockedFields()
+ post_getEmpty()
+ getLogTypeID()
+ post_deleteFromDB()
+ cleanDBonPurge()
+ static getTable($classname
+ static forceTable(
+ static getForeignKeyField()
+ static getTableField

    static getFromIter

+ static unsetUndisclosedFields
+ static getIndexName()
+ static isNewID($ID)
+ static getNameField()
+ static getCompleteNameField()
# saveInput()
# clearSavedInput()
# restoreInput(array
# restoreSavedValues
  (array $saved=[])
# cleanLockedsOnAdd()
# cleanLockeds()
# computeFriendlyName()
      CommonDropdown
+ $dohistory
+ $must_be_replace
+ $first_level_menu
+ $second_level_menu
+ $third_level_menu
+ $display_dropdowntitle
+ $can_be_translated
+ static $rightname
+ maybeTranslated()
+ getAdditionalField
  (string $name)
+ defineTabs($options=[])
+ displayHeader()
+ prepareInputForUpdate
  ($input)
+ post_addItem()
+ post_updateItem($history
  =true)
```

+ cleanDBonPurge() + showForm(\$ID, array \$options=[])

+ displaySpecificTypeField (\$ID, \$field=[], array \$options=[]) et 7 de plus..

static getTypeName

+ static getMenuShorcut() + static getMenuContent() + static displayCentralHeader (?string \$title=null, ?array

static showMassiveActions SubForm(MassiveAction \$ma)

> Filesystem \$can_be_translated + static getTypeName

static getIcon()

(\$nb=0)

\$menus=null)

+ static getIcon()

(\$nb=0)