```
CommonGLPIInterface
            _construct()
         CommonGLPI
+ $showdebug
+ $taborientation
+ $get_item_to_display_tab
+ static $rightname
# $type
# $displaylist
# static $showTitleInNavigation
  Header
# static $othertabs
  __construct()
+ can($ID, $right, array
   &$input=null)
+ defineTabs($options=[])
+ addStandardTab($itemtype,
   array &$ong, array $options)
+ addDefaultFormTab
  (array &$ong)
+ getTabNameForItem
  (CommonGLPI $item,
  $withtemplate=0)
+ isNewItem()
+ showTabsContent($options=[])
+ getHeaderName()
+ display($options=[])
+ getErrorMessage($error,
   $object=")
+ static getTypeName
  ($nb=0)
+ static getFieldLabel()
+ static getType()
+ static canCreate()
+ static canView()
+ static canUpdate()
+ static canDelete()
+ static canPurge()
+ static registerStandardTab
  ($typeform, $typetab)
+ static getOtherTabs
  ($typeform)
  et 17 de plus...
# getFormHeaderToolbar()
        CommonDBTM
+ $fields
+ $input
+ $updates
+ $oldvalues
+ $dohistory
+ $history_blacklist
+ $auto_message_on_action
+ $no_form_page
 $additional
  _for_dictionnary

    + $taborientation

+ $get_item_to_display_tab
+ $deduplicate_queued
  _notifications
+ $right

    + static $undisclosedFields

# $fkfield
# $searchopt
# $usenotepad
# static $notable
# static $forward_entity_to
# static $plugins_forward
  _entity
   _fields_of
  $options=[])
  et 87 de plus...
```

static \$tables of # static \$foreign_key + getFromResultSet(\$rs) + getID() + post_getFromDB() + showForm(\$ID, array + getSNMPCredential() + getLockedFields() + post_getEmpty() + getLogTypeID() + post_deleteFromDB() + cleanDBonPurge() + static getTable(\$classname =null) + static forceTable(\$table) + static getForeignKeyField() static getTableField (\$field, \$classname=null) + static getFromIter (DBmysqlIterator \$iter) static unsetUndisclosedFields (&\$fields) + static getIndexName() + static isNewID(\$ID) + static getNameField() + static getCompleteNameField() et 26 de plus... # saveInput() # clearSavedInput() # restoreInput(array \$default=[]) # restoreSavedValues (array \$saved=[]) # cleanLockedsOnAdd() # cleanLockeds() # computeFriendlyName() CommonDropdown + \$dohistory + \$must_be_replace + \$first_level_menu + \$second_level_menu + \$third_level_menu + \$display_dropdowntitle + \$can_be_translated + static \$rightname + maybeTranslated() + getAdditionalField (string \$name) + defineTabs(\$options=[]) + displayHeader() + prepareInputForUpdate (\$input) + post_addItem() + post_updateItem(\$history =true) + cleanDBonPurge() + showForm(\$ID, array \$options=[]) + displaySpecificTypeField (\$ID, \$field=[], array

\$options=[])
et 7 de plus...
+ static getTypeName

\$menus=null)

+ static getIcon()

+ static getMenuShorcut()+ static getMenuContent()+ static displayCentralHeader (?string \$title=null, ?array

+ static showMassiveActions SubForm(MassiveAction \$ma)

AutoUpdateSystem
+ const NATIVE_INVENTORY

static getTypeName

static getLabelFor (string \$key)

(\$nb=0)

(\$nb=0)