const +EOL +TIMEOUT_CONNECTION AbstractProtocol # \$maximumLog # \$host # \$port # \$validHost # \$socket # \$request # \$response _construct(\$host ='127.0.0.1', \$port=null) + __destruct() + setMaximumLog(\$maximumLog) + getMaximumLog() +SMTP_LINE_LIMIT + connect() + getRequest() + getResponse() + getLog() + resetLog() # _addLog(\$value) # _connect(\$remote) # _disconnect() # _send(\$request) # _receive(\$timeout =null) # _expect(\$code, \$timeout =null) Smtp

- # \$transport
- # \$secure
- # \$sess
- # \$auth
- # \$mail # \$rcpt
- # \$data
- # \$useCompleteQuit + __construct(\$host
- ='127.0.0.1', \$port =null, array \$config=null)
- + setUseCompleteQuit (\$useCompleteQuit)
- + useCompleteQuit()
- + connect()
- + helo(\$host='127.0.0.1')
- + hasSession()
- + mail(\$from)
- + rcpt(\$to)
- + data(\$data)
- + rset()
- + noop()
- + vrfy(\$user)
- + quit()
- + auth()
- + disconnect()
- # ehlo(\$host)
- # _disconnect()
- # startSession()
- # stopSession()

Login

- # \$username
- # \$password
- _construct(\$host
 - ='127.0.0.1', \$port =null, \$config=null)
- + auth()
- + setUsername(\$username)
- + getUsername() + setPassword(\$password)
- + getPassword()