

Transfer

computeFriendlyName()

cleanLockeds()

+ post_getEmpty() + getLogTypeID() + post_deleteFromDB() + cleanDBonPurge() et 87 de plus...

+ static forceTable(

+ static getTableField

+ static getFromIter (DBmysqlIterator \$iter) + static unsetUndisclosedFields

+ static getIndexName() + static isNewID(\$ID) + static getNameField()

et 26 de plus... # saveInput()

clearSavedInput() # restoreInput(array \$default=[]) # restoreSavedValues (array \$saved=[]) # cleanLockedsOnAdd()

+ static getCompleteNameField()

(&\$fields)

=null)

\$table)

+ static getTable(\$classname

+ static getForeignKeyField()

(\$field, \$classname=null)

+ \$needtobe_transfer + \$noneedtobe_transfer + \$options

+ \$already_transfer

+ \$to + \$inittype

+ defineTabs(\$options=[]) + rawSearchOptions()

+ maxActionsCount()

- + addToBeTransfer(\$itemtype, \$ID)
- + addNotToBeTransfer (\$itemtype, \$ID)
- + addToAlreadyTransfer (\$itemtype, \$ID, \$newID)
- + transferDropdownLocation
- (\$locID) + transferItem_Disks
- (\$itemtype, \$ID) + cleanSoftwareVersions()
- + cleanSoftwares()
- + transferHelpdeskAdditional Informations(\$data) + transferReservations
- (\$itemtype, \$ID, \$newID) + showForm(\$ID, array
- \$options=[]) + static getIcon()