```
CommonGLPIInterface
           __construct()
         CommonGLPI
+ $showdebug

    + $taborientation

+ $get_item_to_display_tab
+ static $rightname
# $type
# $displaylist
# static $showTitleInNavigation
  Header
# static $othertabs
+ __construct()
+ can($ID, $right, array
   &$input=null)
+ defineTabs($options=[])
+ addStandardTab($itemtype,
   array &$ong, array $options)
+ addDefaultFormTab
  (array &$ong)
+ getTabNameForItem
  (CommonGLPI $item,
  $withtemplate=0)
+ isNewItem()
+ showTabsContent($options=[])
+ getHeaderName()
+ display($options=[])
+ getErrorMessage($error,
   $object='')
+ static getTypeName
  ($nb=0)
+ static getFieldLabel()
+ static getType()
+ static canCreate()
+ static canView()
+ static canUpdate()
+ static canDelete()
+ static canPurge()
+ static registerStandardTab
  ($typeform, $typetab)

    static getOtherTabs

  ($typeform)
  et 17 de plus...
# getFormHeaderToolbar()
        CommonDBTM
+ $fields
+ $input
+ $updates
+ $oldvalues
+ $dohistory
+ $history_blacklist
+ $auto_message_on_action
+ $no_form_page
  _for_dictionnary
+ $taborientation
+ $get_item_to_display_tab
+ $deduplicate_queued
  _notifications
+ $right
+ static $undisclosedFields
# $fkfield
# $searchopt
# $usenotepad
# static $notable
# static $forward_entity_to
# static $plugins_forward
  _entity
# static $tables_of
# static $foreign_key
   _fields_of
+ getFromResultSet($rs)
+ getID()
+ post_getFromDB()
+ showForm($ID, array
  $options=[])
+ getSNMPCredential()
+ getLockedFields()
+ post_getEmpty()
+ getLogTypeID()
+ post_deleteFromDB()
+ cleanDBonPurge()
  et 87 de plus...
+ static getTable($classname
  =null)
+ static forceTable(
  $table)
+ static getForeignKeyField()
+ static getTableField
  ($field, $classname=null)
+ static getFromIter
  (DBmysqlIterator $iter)
+ static unsetUndisclosedFields
  (&$fields)
+ static getIndexName()
+ static isNewID($ID)
+ static getNameField()
+ static getCompleteNameField()
  et 26 de plus...
# saveInput()
# clearSavedInput()
# restoreInput(array
  $default=[])
# restoreSavedValues
  (array $saved=[])
# cleanLockedsOnAdd()
# cleanLockeds()
# computeFriendlyName()
       CommonDropdown
+ $dohistory
+ $must_be_replace
+ $first_level_menu
+ $second_level_menu
+ $third_level_menu
+ $display_dropdowntitle
+ $can_be_translated
+ static $rightname
+ maybeTranslated()
+ getAdditionalField
  (string $name)
+ defineTabs($options=[])
+ displayHeader()
prepareInputForUpdate
  ($input)
  post_addItem()
+ post_updateItem($history
  =true)
+ cleanDBonPurge()
   $options=[])
  ($ID, $field=[], array
   $options=[])
```

## + showForm(\$ID, array + displaySpecificTypeField et 7 de plus... + static getTypeName (\$nb=0)+ static getMenuShorcut() + static getMenuContent() static displayCentralHeader (?string \$title=null, ?array \$menus=null) + static showMassiveActions SubForm(MassiveAction \$ma) + static getIcon() CommonDevice + \$can\_be\_translated + \$dohistory + \$first\_level\_menu + \$second\_level\_menu + \$third\_level\_menu + static \$rightname + displaySpecificTypeField (\$ID, \$field=[], array \$options=[]) + getAdditionalFields() + rawSearchOptions() + title() getHTMLTableCellForItem (HTMLTableRow \$row=null, CommonDBTM \$item=null, HTMLTableCell \$father=null, array \$options=[]) + getImportCriteria() + defineTabs(\$options=[]) + post\_workOnItem() + post\_addItem() + post\_updateItem(\$history =true) static getTypeName (\$nb=0)+ static getItem\_DeviceType (\$devicetype=null) + static getMenuContent() + static getNameField() static getHTMLTableHeader (\$itemtype, HTMLTableBase \$base, HTMLTableSuperHeader \$super=null, HTMLTableHeader \$father=null, array \$options=[]) + static getIcon() DeviceHardDrive # static \$forward\_entity\_to

+ getAdditionalFields()+ rawSearchOptions()

prepareInputForAdd

+ prepareInputForUpdate

array \$options=[])
+ getImportCriteria()
+ static getTypeName

getHTMLTableCellForItem (HTMLTableRow \$row=null, CommonDBTM \$item=null, HTMLTableCell \$father=null,

static getHTMLTableHeader

(\$itemtype, HTMLTableBase \$base, HTMLTableSuperHeader \$super=null, HTMLTableHeader \$father=null, array \$options=[])

(\$input)

(\$input)

(\$input)

(\$nb=0)

+ static getIcon()

+ prepareInputForAddOrUpdate