```
CommonGLPIInterface
            __construct()
          CommonGLPI
 + $showdebug

    + $taborientation

 + $get_item_to_display_tab
 + static $rightname
 # $type
 # $displaylist
 # static $showTitleInNavigation
   Header
 # static $othertabs
 + __construct()
 + can($ID, $right, array
    &$input=null)
 + defineTabs($options=[])
 + addStandardTab($itemtype,
    array &$ong, array $options)
 + addDefaultFormTab
   (array &$ong)
 + getTabNameForItem
   (CommonGLPI $item,
   $withtemplate=0)
 + isNewItem()
 + showTabsContent($options=[])
 + getHeaderName()
 + display($options=[])
 + getErrorMessage($error,
    $object='')
 + static getTypeName
   ($nb=0)
 + static getFieldLabel()
 + static getType()
 + static canCreate()
 + static canView()
 + static canUpdate()
 + static canDelete()
 + static canPurge()
 + static registerStandardTab
   ($typeform, $typetab)

    static getOtherTabs

   ($typeform)
   et 17 de plus...
 # getFormHeaderToolbar()
         CommonDBTM
+ $fields
+ $input
+ $updates
+ $oldvalues
+ $dohistory
+ $history_blacklist
+ $auto_message_on_action
+ $no_form_page
   _for_dictionnary
+ $taborientation
+ $get_item_to_display_tab
+ $deduplicate_queued
   _notifications
 + $right
+ static $undisclosedFields
# $fkfield
# $searchopt
# $usenotepad
# static $notable
# static $forward_entity_to
# static $plugins_forward
   _entity
# static $tables_of
# static $foreign_key
    _fields_of
+ getFromResultSet($rs)
+ getID()
+ post_getFromDB()
+ showForm($ID, array
   $options=[])
+ getSNMPCredential()
+ getLockedFields()
+ post_getEmpty()
+ getLogTypeID()
+ post_deleteFromDB()
+ cleanDBonPurge()
   et 87 de plus...
+ static getTable($classname
   =null)
+ static forceTable(
   $table)
+ static getForeignKeyField()
+ static getTableField
   ($field, $classname=null)
+ static getFromIter
   (DBmysqlIterator $iter)
+ static unsetUndisclosedFields
   (&$fields)
+ static getIndexName()
+ static isNewID($ID)
+ static getNameField()
+ static getCompleteNameField()
   et 26 de plus...
# saveInput()
# clearSavedInput()
# restoreInput(array
   $default=[])
# restoreSavedValues
   (array $saved=[])
# cleanLockedsOnAdd()
# cleanLockeds()
# computeFriendlyName()
        CommonDropdown
 + $dohistory
 + $must_be_replace
 + $first_level_menu
 + $second_level_menu
 + $third_level_menu
 + $display_dropdowntitle
 + $can_be_translated
 + static $rightname
 + maybeTranslated()
 + getAdditionalField
   (string $name)
 + defineTabs($options=[])
 + displayHeader()
 prepareInputForUpdate
   ($input)
   post_addItem()
 + post_updateItem($history
   =true)
 + cleanDBonPurge()
 + showForm($ID, array
    $options=[])
 + displaySpecificTypeField
   ($ID, $field=[], array
    $options=[])
   et 7 de plus...
 + static getTypeName
   ($nb=0)
 + static getMenuShorcut()
 + static getMenuContent()

    static displayCentralHeader

   (?string $title=null, ?array
    $menus=null)
 + static showMassiveActions
   SubForm(MassiveAction $ma)
 + static getIcon()
         CommonDevice
+ $can_be_translated
+ $dohistory
+ $first_level_menu
+ $second_level_menu
+ $third_level_menu
+ static $rightname
+ displaySpecificTypeField
  ($ID, $field=[], array
   $options=[])
+ getAdditionalFields()
+ rawSearchOptions()
+ title()

    getHTMLTableCellForItem

  (HTMLTableRow $row=null,
   CommonDBTM $item=null,
   HTMLTableCell $father=null,
  array $options=[])
+ getImportCriteria()
+ defineTabs($options=[])
+ post_workOnItem()
+ post_addItem()
+ post_updateItem($history
  =true)

    static getTypeName

  ($nb=0)
+ static getItem_DeviceType
  ($devicetype=null)
+ static getMenuContent()
+ static getNameField()

    static getHTMLTableHeader

  ($itemtype, HTMLTableBase
  $base, HTMLTableSuperHeader
$super=null, HTMLTableHeader
$father=null, array $options=[])
+ static getIcon()
          DeviceControl
# static $forward_entity_to
+ getAdditionalFields()
+ rawSearchOptions()
+ getHTMLTableCellForItem
  (HTMLTableRow $row=null, CommonDBTM $item=null,
```

HTMLTableCell \$father=null,

static getHTMLTableHeader (\$itemtype, HTMLTableBase \$base, HTMLTableSuperHeader \$super=null, HTMLTableHeader

\$father=null, array \$options=[])

array \$options=[])
+ static getTypeName

(\$nb=0)

+ static getIcon()