

WEIGHT & BALANCE RECORD

CH-149 - 615 Cormorant

Apr 23, 2026 23:54 L

LOCAL

TAIL #	PRESET	FE (CERTIFY)	ACCEPTED BY
149921	SAR-3 Pax	1	1

1 · ACCEPTANCE (LOGBOOK ENTRY)

Basic Weight	10089 kg
Basic CG	8475 mm
Fuel (log entry)	2200 kg
Accepted by	1
Accepted at	Apr 23, 2026, 11:53 p.m.

2 · MISSION CONFIGURATION

Preset applied SAR-3 Pax

Note: EO/IR + Sensor WS + SAR Cabinet + PTA Cot installed.

Role-Fit Installed:

Item	Weight	Arm
Secondary Hoist	82.34 kg	9255 mm
TRAKKA A-800 Searchlight	34.47 kg	6340 mm
Sea Tray	10.3 kg	8127 mm
Dive Bottle / O2 Rack	7 kg	10849 mm
SAR Equipment Storage Cabinet	73.7 kg	6275 mm
PTA Cot System	110 kg	10375 mm
Sensor Workstation	46.69 kg	5830 mm
EO/IR MX-15 Package (incl. blanking plug)	45.53 kg	1684 mm
EO/IR Hand Controller	1.7 kg	5828 mm
Air Cooling Pack	64.62 kg	9673 mm
Floatation System	83.91 kg	8478 mm
10-man Life Rafts (x2) Sponsons	66.03 kg	9588 mm
Lashing / Tie-down Kit	9.76 kg	7243 mm
RIPU	34.88 kg	5520 mm
RIPU Cables (Removable)	2.5 kg	5112 mm
Main Rotor Slip Ring	12 kg	8000 mm
Tail Rotor Slip Ring	2.4 kg	19500 mm
Field Tool Kit & Spares	5.98 kg	12688 mm

Stowage Tool Kit / Emergency Spares	1.6 kg	12491 mm
Stowage: Stokes (Ramp) fittings	2.11 kg	13132 mm
Stowage: Stokes (Cabin) fittings	2.11 kg	7863 mm
Stowage: Basket (Port) fittings	2.61 kg	10937 mm
Stowage: Basket (Stbd) fittings	2.61 kg	10934 mm

3 · MISSION EQUIPMENT

Item	Weight	Arm	Stowage
SAR Equipment (Alpine/Camp/Drill/Extraction/MedSled/MTN-Belay/REEL/Rope x2)	112.5 kg	6275 mm	SAR Cabinet Bottom
Rescue Basket (Stbd)	31.8 kg	10934 mm	Cabin Stbd Stowage
Stokes Litter (Ramp)	49 kg	13132 mm	Ramp Stowage (general)
Medical Equipment (Supp/Pen x2/Casualty/AED/Misc Bag)	68 kg	6275 mm	SAR Cabinet Middle
AviOx O2 Primary (est)	10 kg	10375 mm	PTA Cot Area
AviOx O2 Spare (est)	10 kg	10375 mm	PTA Cot Area
ALSE Equipment (Arctic tent/sleep/basic/pax vests)	50.5 kg	6275 mm	SAR Cabinet Top
Quick Don Immersion Suits x3	6 kg	6275 mm	SAR Cabinet Upper
NVGs x5	4.5 kg	6275 mm	Lockbox Top Shelf
SAR Rifle	2.5 kg	10511 mm	Overhead Bins (Stbd)
SAR Drug Kit	1 kg	10732 mm	Overhead Bins (Port)
Port Fwd Shelf Top	0 kg	5331 mm	Port Fwd Shelf (Top)
Port Fwd Shelf Middle	0 kg	5331 mm	Port Fwd Shelf (Middle)
Port Fwd Shelf Bottom	0 kg	5331 mm	Port Fwd Shelf (Bottom)
Ramp Shelf Port Fwd	0 kg	12463 mm	Ramp Shelf Port Fwd
Ramp Shelf Port Aft	0 kg	13226 mm	Ramp Shelf Port Aft
Ramp Shelf Stbd Fwd	0 kg	12481 mm	Ramp Shelf Stbd Fwd
Ramp Shelf Stbd Aft	0 kg	13228 mm	Ramp Shelf Stbd Aft

4 · CREW & PASSENGER SEATS

Crew:

Seat	Arm	Seat Wt	Occupant	Total
C1 Pilot (Stbd)	3673 mm	24.12 kg	90 kg	114.12 kg
C2 Pilot (Port)	3673 mm	24.12 kg	90 kg	114.12 kg
C3 Cockpit Jump	4599 mm	17.84 kg	vacant	17.84 kg
C4 FE (Bay 2 Port)	6469 mm	26.8 kg	90 kg	116.8 kg
C5 ST TL (Bay 4 Port)	8444 mm	26.8 kg	90 kg	116.8 kg

C6 ST TM (Bay 5 Stbd)	9434 mm	26.8 kg	90 kg	116.8 kg
-----------------------	---------	---------	-------	----------

Passengers:

Seat	Arm	Seat Wt	Occupant	Total
P1 Stbd Bay 5.5	10125 mm	6.9 kg	vacant	6.9 kg
P2 Stbd Rear Fuse	11762 mm	9.35 kg	vacant	9.35 kg
P3 Port Rear Fuse	11760 mm	9.35 kg	vacant	9.35 kg

5 · FUEL

Total fuel (departure)	2200 kg
Landing reserve	300 kg
Burn (est.)	1900 kg

Tank Distribution:

Tank	Arm	Contents
T1	10884 mm	733 kg
T2	7375 mm	733 kg
T3	6375 mm	582 kg
T4	5375 mm	152 kg
T5	8375 mm	0 kg

6 · LOAD PLANNING

No additional loads entered in Load Planning.

7 · WEIGHT & BALANCE SUMMARY

MCDU cross-check: all values match calculated

Basic Weight	10089 kg
Basic CG	8475 mm
Operating Weight	11762 kg
Operating CG	8332 mm
Fuel (departure)	2200 kg
AUW	13962 kg
AUW CG	8302 mm
CG Band	AFT
CG Hard Limits	PASS
Envelope	WITHIN ENVELOPE
In Main Envelope	YES
In Alt Envelope	NO

AUW Check

OK

Landing Condition:

Fuel at landing

300 kg

Landing AUW

12062 kg

Landing CG

8329 mm

Landing Envelope

WITHIN

Burn Track


ALL IN ENVELOPE

Calculated vs MCDU Cross-Check:

Parameter	Calculated	MCDU	Difference	Status
AUW	13962 kg	13962 kg	0 kg	MATCH
CG	8302 mm	8302 mm	0 mm	MATCH
Fuel	2200 kg	2200 kg	0 kg	MATCH

Tolerances: AUW ±100 kg · CG ±20 mm · Fuel ±100 kg

8 · CG ENVELOPE PLOT



9 · CERTIFICATION

Certified by (FE Svc #)

1

Certified at

Apr 23, 2026, 11:53 p.m.

Flight Engineer Signature

Svc #: 1

Date / Time: Apr 23, 2026, 11:53 p.m.

FOR OPS USE

Received by:

Date / Time: