

filter_inclass_activity.pdf

Each row of the dataset represents one student. The variables indicate whether or not they are a declared SDS concentrator, the number of pets they have at home, the number of pictures they have on their phone, and their first year dorm (Hoyme, Kildahl, Ellingson, or Mohn represented here). Cross out lines to indicate what the resulting dataset looks like.

```
data |>
  filter(pics < 1000)
```

```
# A tibble: 5 × 4
  SDScon pets  pics fydorm
<chr>  <dbl> <dbl> <chr>
1 Yes      0   8742 H
2 No       2   4536 K
3 Yes      1  10119 E
4 No       0    403 M
5 NA       1  31492 K
```

```
data |>
  filter(SDScon != "Yes")
```

```
# A tibble: 5 × 4
  SDScon pets  pics fydorm
<chr>  <dbl> <dbl> <chr>
1 Yes      0   8742 H
2 No       2   4536 K
3 Yes      1  10119 E
4 No       0    403 M
5 NA       1  31492 K
```

```
data |>
  filter(pets >= 1)
```

```
# A tibble: 5 × 4
  SDScon pets  pics fydorm
<chr>  <dbl> <dbl> <chr>
1 Yes      0   8742 H
2 No       2   4536 K
3 Yes      1  10119 E
4 No       0    403 M
5 NA       1  31492 K
```

```
data |>
  filter(fydorm %in% c("K", "E"))
```

```
# A tibble: 5 × 4
  SDScon pets  pics fydorm
<chr>  <dbl> <dbl> <chr>
1 Yes      0   8742 H
2 No       2   4536 K
3 Yes      1  10119 E
4 No       0    403 M
5 NA       1  31492 K
```

```
data |>
  filter(SDScon == "Yes")
```

```
# A tibble: 5 × 4
  SDScon pets  pics fydorm
<chr>  <dbl> <dbl> <chr>
1 Yes      0   8742 H
2 No       2   4536 K
3 Yes      1  10119 E
4 No       0    403 M
5 NA       1  31492 K
```

```
data |>
  filter(is.na(SDScon))
```

```
# A tibble: 5 × 4
  SDScon pets  pics fydorm
<chr>  <dbl> <dbl> <chr>
1 Yes      0   8742 H
2 No       2   4536 K
3 Yes      1  10119 E
4 No       0    403 M
5 NA       1  31492 K
```

```
data |>
  filter(SDScon == "Yes" | is.na(SDScon))
# A tibble: 5 × 4
  SDScon  pets  pics fydorm
  <chr>   <dbl> <dbl> <chr>
1 Yes      0  8742 H
2 No       2  4536 K
3 Yes      1 10119 E
4 No       0   403 M
5 NA       1 31492 K
```

Use THIS TABLE as reference for the problems below

```
data
# A tibble: 5 × 4
  SDScon  pets  pics fydorm
  <chr>   <dbl> <dbl> <chr>
1 Yes      0  8742 H
2 No       2  4536 K
3 Yes      1 10119 E
4 No       0   403 M
5 NA       1 31492 K
```

For the following, the one on the left is an example. Use the blank tables to fill in the result of the code.

```
data |>
  arrange(pets)
# A tibble: 5 × 4
  SDScon  pets  pics fydorm
  <chr>   <dbl> <dbl> <chr>
1 Yes      0  8742 H
2 No       0   403 M
3 Yes      1 10119 E
4 NA       1 31492 K
5 No       2  4536 K
```

	SDScon	pets	pics	fydorm
	<chr>	<dbl>	<dbl>	<chr>
1				
2				
3				
4				
5				

```
data |>
  distinct(SDScon)
# A tibble: 3 × 1
  SDScon
  <chr>
1 Yes
2 No
3 NA
```



```
data |>
  count(SDScon)
# A tibble: 3 × 2
  SDScon  n
  <chr> <int>
1 No     2
2 Yes    2
3 NA     1
```


When you are done, check your answers in RStudio by running the code in 05_transform_rows.Rmd
Write down notes about how things work! The Rmd also has some extra practice problems.

When you are done, check your answers in RStudio by running the code in 05_transform_rows.Rmd
Write down notes about how things work! The Rmd also has some extra practice problems.