

Mousiki User Guide

This guide walks through **every entry of the in-app cheat sheet** (?) in the same order the cheat sheet lists them, and explains what each command does. Some settings that can only be change in the config.txt are also discussed at the end of this manual. The key shown for each command is the **default binding**. Your own bindings may differ if you changed them in `config.txt` or under **Settings** → **Reference**; the cheat sheet always shows the keys you actually have.

Contents

Before you start

1. System (main UI)
 2. Playback (main UI)
 3. Navigation & view (main UI)
 4. Search (main UI)
 5. Queue (main UI)
 6. Playlists
 7. Meta editor
 8. History
 9. Downloads
 10. Settings (individual tabs)
- About this App
-

Before you start

Rebindable vs. fixed keys

- **Rebindable keys** have an action name like `HKeyPlay` in `config.txt` and appear under **Settings** → **Reference**. Change them in either place.
- **Fixed keys** are written as literal key names in the cheat sheet (for example `ESC`, `SHIFT+B`, `CTRL+SHIFT+S`, or the keys inside the playlist and meta editors). These cannot be rebound.

Uppercase letters

Several commands use **Shift + letter** (`T`, `N`, `M`, `P`, `H`, `X`) because the plain lowercase letter already does something else. Where this guide writes `SHIFT+T`, it means the uppercase `T`.

The main screen

The main screen has a **local/online/playlist list** on the left (titled `LOCAL AUDIO FILES`, `ONLINE RESULTS` or `SAVED PLAYLISTS`), a **Queue** panel, a metadata panel with lyrics or a visualizer, and a search box. Only one of the list or the queue has **focus** at a time. Focus decides where the arrow keys work (see `TAB` below).

Play mode letter

The small box next to the search bar shows the current play mode as a letter: **L** list, **R** repeat, **S** shuffle, **O** stop, **Q** repeat queue.

1. System (main UI)

Key	Action	What it does
s	Open Settings	Opens the Settings panel (see Settings for every tab). Inside Settings, pressing s again saves to config.txt and returns to the main screen. ESC or q returns without saving right now (see the Settings section for what that means).
t	Console / logs	Opens a read-only log view showing what the app has been doing (sort changes, filter changes, queue messages, load timings and so on). Close it with ESC , t or T .
?	Cheat sheet	Opens the command list. Use ↑/↓ to scroll (the list is longer than most terminal windows). Close with ? or ESC .
q	Quit	Quits the application from the main screen.
ESC	Close / back	Closes whatever is open (Settings, an overlay, a menu, a prompt). On the main screen it returns to the <i>home view</i> : the full local library, with no search query and no folder filter, scrolled to the top. It does not change the sort mode.
ENTER	Confirm / select	Confirms the highlighted choice or starts the highlighted item. What it does depends on where you are (play a track, queue a playlist, commit a search and so on).
ARROW KEYS	Navigate	Move up and down through lists, left and right to seek or move a text caret. What they do depends on the current screen.
Y / N	Confirm or cancel a prompt	Answers Yes/No prompts such as "Want to clear queue?" or "Fetching metadata via AcoustID ... Continue?".

Tips

- Almost every overlay closes with **ESC**.
- Prompts swallow other keys while they are open, so nothing underneath can be triggered by accident.
The cheat sheet (?) is the screen this guide follows. The footer shows how far you have scrolled (**1/87**).

```

- CHEATSHEET -

SYSTEM (MAIN UI)
s      Open Settings panel, hit again to save and quit
t      Console / logs
?      This cheatsheet
q      Quit
ESC    Close setting / overlay / menu
ENTER  Confirm / select
ARROW KEYS  Navigate (context-dependent)
Y / N  Confirm or cancel a prompt


PLAYBACK (MAIN UI)
ENTER  Play the selected track
p      Play / pause
n      Play next in list/queue
b      Play previous in list
#      Shuffle to a random next track
m      Cycle play mode (list/repeat/shuffle/repeat queue/stop)
ARROW_KEY_RIGHT  Seek forward 5s
ARROW_KEY_LEFT   Seek backward 5s
1          Volume up
2          Volume down
x          Mute (without pausing)
v          Toggle loudness normalization
[? / ESC] close  [↑↓] scroll 1/87

```


The cheat sheet, opened with ?. Scroll with ↑/↓; ? or ESC closes it.

2. Playback (main UI)

The main screen while a track plays: the disk, the metadata panel, the visualizer and the lyrics area at the top, then the progress bar with its waveform, the volume bar, the search box, and the local file list and queue at the bottom. The box on the right of the search bar shows the play mode letter (here S for shuffle).



Main screen with the lyrics engine on: the lyrics fill the right-hand area.



Main screen with no lyrics shown: the audio-reactive **lyric ball** (Settings → ON/OFF → Lyric Ball) fills the area instead.

Key	Action	What it does
ENTER	Play the selected track	Starts the highlighted track. Pressing it again on the same track reloads it. On a playlist row it does not play. It queues every track in that playlist instead.
p	Play / pause	Pauses or resumes the current track.
n	Next	Plays the next track. If the queue has items, the next queue item plays. Otherwise the next track in the list plays (relative to what is <i>playing</i> , not where your cursor is). A manual skip always skips, even in repeat or stop mode.
b	Previous	Plays the previous track in the list. There is no queue equivalent, because a queue that has been consumed has no meaningful "previous".
#	Shuffle next	A one-off jump to a random track from the current list . It ignores the queue on purpose and is independent of the shuffle play mode.
m	Cycle play mode	Steps through the five play modes (see below).
→	Seek forward	Jumps forward 5 seconds .
←	Seek backward	Jumps back 5 seconds .
1	Volume up	Raises the in-app volume in steps of 5 (up to 100).
2	Volume down	Lowers the in-app volume in steps of 5 (down to 0).
x	Mute	Sets the volume to 0 without pausing. Pressing it again restores the previous volume.
v	Toggle loudness normalization	Turns loudness normalization on or off, so you can compare a track with and without it. When turned on, the status line shows the track's measured

Key	Action	What it does
		loudness and the correction applied. The target and maximum boost are set in Settings → Reference (loudness section) or <code>config.txt</code> .

The five play modes (`m`)

Each press moves to the next mode in this order: **list** → **repeat** → **shuffle** → **stop** → **repeat queue** → **list ...**

Mode	Letter	Behavior when a track finishes
List	<code>L</code>	Plays the next track in the list (the queue takes priority when it has items).
Repeat	<code>R</code>	Replays the same track again.
Shuffle	<code>S</code>	Plays a random track. If the queue has more than one item, a random queue item is chosen.
Stop	<code>O</code>	Plays the track and then stops, with no automatic advance. The "no track loaded" screen with the cassette is shown.
Repeat queue	<code>Q</code>	The queue loops: each played item is moved to the back instead of being removed. With an empty queue it behaves like list mode.

3. Navigation & view (main UI)

Key	Action	What it does
<code>↑</code>	Explore list up	Moves the highlight up in the focused panel (list or queue).
<code>↓</code>	Explore list down	Moves the highlight down in the focused panel.
<code>TAB</code>	Switch between panels	Moves focus between the list and the queue . This decides which panel the up/down arrows, <code>d</code> (remove), <code>4/5</code> (move) and <code>a</code> (add / bulk add) act on.
<code>f</code>	Filter by folder	Narrows the local list to the folder of the highlighted track . It also switches the sort back to <i>folder order</i> . The pane title then shows <code>sort: folder order, folder: <name> [c] clear</code> . The filter stacks on top of an active search.
<code>c</code>	Clear filter	Removes the folder filter. It leaves the sort mode alone.
<code>T</code> (Shift+T)	Cycle local list sort mode	Cycles the sort of the local list through three modes: folder order → title A-Z → artist A-Z . The current mode is shown in the pane title (see below).
<code>k</code>	Refresh UI	Forces a full redraw. Use it when a terminal resize or a switch of terminal session left the screen torn or stale.
<code>w</code>	Toggle waveform style	Switches the waveform between raw and smooth .

Key	Action	What it does
+	Toggle lyrics on/off	Turns the lyrics engine on or off. While off, the lyrics area shows the sphere visualizer and no lyrics are fetched from the network. Turning it on mid-track fetches lyrics for the current track right away.
N (Shift+N)	Toggle metadata-only track list	Switches every list row between filename and metadata title (the embedded title tag). Files with no title tag, or whose tags have not been read yet, keep showing their filename. This also switches what "title A-Z" sorts by (see below). Also available in Settings → ON/OFF .
1	Retry lyrics	Opens a small form to fetch lyrics again with a manual title and artist . Use it when the automatic match was wrong.

How the sort mode and SHIFT+N work together

The sort mode in the pane title always tells you what is being sorted on:

Sort mode	Pane title shows	Sorted by
Folder order	sort: folder order	The order the files were found on disk
Title A-Z, SHIFT+N off	sort: file name A-Z	The file name
Title A-Z, SHIFT+N on	sort: title A-Z	The embedded title tag (falling back to the file name where there is none)
Artist A-Z	sort: artist A-Z	The artist tag (falling back to the artist guessed from the parent folder)

Toggling SHIFT+N re-sorts the list immediately and keeps your cursor on the same track. In **metadata-only** mode the order can shift slightly right after startup, while the background scan is still reading tags.

A **search** always ranks by match quality, so while a query is active the sort mode is not used. It applies again once the query is cleared.

How the lyrics form (1) works

Key in the form	Function
TAB / ↓	Next field
↑	Previous field
SPACE	Tick or untick a checkbox (slowed, ultra-slowed, sped up, reverb, remix, other). Slowed, ultra-slowed and sped up are mutually exclusive.
Typing	Fills the text fields
ENTER	Fetch lyrics with these settings (works from any field)

Key in the form	Function
ESC	Cancel

1 only works while the lyrics engine is on (+).

4. Search (main UI)

Key	Action	What it does
/	Search local folder	Opens the search box. The list updates live as you type . Press ENTER to keep the result, or ESC to cancel and restore the previous view.
/s: + query	Search online (YouTube)	Type s: followed by your query, then press ENTER. Online searches only run on ENTER, never per keystroke.
/p: + query	Search saved playlists	Type p: followed by part of a playlist name. The playlist list filters live. ENTER on a playlist row queues all of its tracks.
/f: + query	Search folders	Type f: followed by part of a folder name (or of <parent folder> <folder>, e.g. beatles abbey). The folder list filters live. ENTER on a folder row opens it in the LOCAL AUDIO FILES pane and lists all of its files, exactly like the f filter (c clears it again).

Local search details

- The search is **fuzzy**. For example "X Files" also finds "X-Files".
- It matches the file name, the artist, the embedded title tag and the album tag. Files whose tags have not been read yet can still be found by file name.
- Results are ranked purely by match quality, best first.
- While the search box is open, ↑/↓ move through the live preview. ←/→ move the text caret, and SHIFT+←/→ marks text.
- A folder filter (f) keeps applying to search results.

5. Queue (main UI)

The queue is a list of tracks that play **before** the normal list continues. Press TAB to move focus into the queue panel when you want the arrow keys or d, 4, 5 to work on it.

Key	Action	What it does
a	Add hovering track to queue	With the list focused, adds the highlighted track (or, on a playlist row, all its tracks) to the end of the queue. With the queue focused, it opens the bulk-add panel instead (see below).
d	Remove hovering track from queue	Removes the highlighted queue item. Focus the queue with TAB first.


Key	Action	What it does
4	Move hovering queue item up	Moves the highlighted queue item one place up. Focus the queue first.
5	Move hovering queue item down	Moves the highlighted queue item one place down. Focus the queue first.
X (Shift+X)	Clear the whole queue	Asks "Want to clear queue?" first. See below.
L (Shift+L)	Big list overlay	Floats a larger version of the list pane (LOCAL AUDIO FILES) over the main UI. See below.
K (Shift+K)	Big queue overlay	Floats a larger version of the QUEUE pane over the main UI. See below.

Big list overlay (**SHIFT+L**)

Opens a large window, styled like the lyrics form (**1**), that shows the same list as the small pane (LOCAL AUDIO FILES, or the online / playlist results) with many more rows. It shares the cursor with the small pane, so both always point at the same track.

Key	Action
SHIFT+↓ / SHIFT+↑	Next / previous page (faster scrolling). At the end of the list the cursor jumps to the last / first entry.
↑ / ↓	Move one row
ESC or SHIFT+L	Close the overlay

Everything else keeps working from inside the overlay: **ENTER** plays, **T** cycles the sort mode, **f** / **c** set / clear the folder filter, **/** searches (the search bar is part of the overlay), **a** adds to the queue, **n** / **b** / **p** / seek / volume as usual, and **1** opens the lyrics form on top of it. The queue pane is hidden while the overlay is open, so its footer shows the current queue size (**queue: N**) together with a page counter. Full-screen menus (Settings, Playlists, ...) hide the overlay while they are open and it returns when they close.




Big list overlay can be open via **SHIFT+L** and closed via the same command or **ESC**. Fast scrolling (scroll per page) is possible via **SHIFT+↑/↓**.

Big queue overlay (**SHIFT+K**)

The same idea as the big list overlay, for the queue: a large window that shows the QUEUE pane with many more rows. It is on **SHIFT+K** (and not on **q**) so that you cannot quit the app by accident. It shares the cursor with the small queue pane, and the queue is automatically focused while it is open, so the arrow keys move through the queue.

Key	Action
SHIFT+ARROW_DOWN / SHIFT+ARROW_UP	Next / previous page . At the end the cursor jumps to the last / first entry.
ARROW_UP / ARROW_DOWN	Move one row
4 / 5 (default)	Move the hovered track up / down in the queue
d	Remove the hovered track from the queue
a	Open the bulk-add panel (paste a playlist link), as with the queue focused
SHIFT+X	Clear the whole queue (asks first)
ESC or SHIFT+K	Close the overlay (the previous focus is restored)

Only one of the two overlays can be open at a time: **SHIFT+K** while the list overlay is open switches to the queue overlay, and vice versa. Pressing **/** closes the queue overlay, because the search filters the list underneath. Playback keys (**n**, **b**, **p**, seek, volume) keep working. The footer shows the page counter and the number of tracks.



Big list overlay can be open via **SHIFT+L** and closed via the same command or **ESC**. Fast scrolling (scroll per page) is possible via **SHIFT+↑/↓**.

Clear queue prompt (**SHIFT+X**)

The prompt starts on **No**, so an accidental **ENTER** never wipes the queue.

Key	Result
←	Highlight Yes
→	Highlight No
TAB	Toggle between Yes and No
ENTER	Take the highlighted answer
y	Yes: clear the queue
n, ESC or any other key	No: cancel

If the queue is already empty, the status line just says so.


Bulk add (**a** with the queue focused)

Paste a YouTube playlist link to queue tracks from it.


1. **Type or paste the link** and press **ENTER** to fetch it (**ESC** cancels).
2. Once the results appear: **↑/↓** move, **SPACE** stars or unstars a row, **a** queues **all** of them, and **ENTER** queues **only the starred** ones.
3. **ESC** throws everything away.

6. Playlists

P (Shift+P) opens the **playlist editor**, a full-screen overlay for building playlists from your local (or downloaded) tracks. It has two tabs: **Create/Edit** and **Saved Playlists**. Playlists are used from the main screen with **/p:** (see [Search](#)).



Create / Edit tab: the name field, the library picker with its search (/), and the tracks of the playlist being built.



Saved Playlists tab: the search field and the list of saved playlists with their track counts.

Key	What it does
P	Open Playlists (create / manage)
ALT+← / ALT+→	Switch between the Create/Edit tab and the Saved Playlists tab. Alt is used because plain arrows are needed for the text fields.
TAB	Cycle focus. On Create/Edit: name field → library picker → track list. On Saved Playlists: search box ↔ list.

Key	What it does
↑ / ↓	Move through the focused list or picker
ENTER	Depends on focus. See the table below.
4 / 5	Move the highlighted track up or down in the playlist you are building
D / DEL / BACKSPACE	Remove the highlighted track (track list focused). On the Saved Playlists tab, DEL deletes the selected playlist after a Yes/No confirmation.
HOME	Save the playlist
SHIFT+← / SHIFT+→	Mark text in the name and search fields
CTRL+C / CTRL+X / CTRL+V	Copy, cut and paste text in those fields

What ENTER does in the playlist editor

Where	Result
Name field	Confirms the name and jumps to the library picker
Library picker	Adds the highlighted track to the playlist. (Typing in this pane filters the library live.)
Saved Playlists, search box	Moves focus to the list
Saved Playlists, list	Loads the selected playlist into the editor

Leaving

ESC closes the editor. If there are unsaved changes on the Create/Edit tab, it asks whether to save: **y** saves, **n** discards and leaves, **ESC** cancels the question and keeps editing.

7. Meta editor


M (Shift+M) opens the **meta/tag editor** for changing a file's **file name**, **artist**, **title**, **album** and **year**, and for looking up missing tags with AcoustID (an audio-fingerprint service).

Important safety rules

- Editing never touches your files directly. All changes go into a **pending edit session**, which is autosaved after every keystroke to `~/.cache/mousiki/meta_session/`. Closing the editor, quitting, or even a crash keeps the session.
- Touched fields and the matching library rows are drawn in the **header colour**, so you can see what will be written.
- Only **CTRL+SHIFT+S** writes to the files, and it asks first.



Edit tab: the search field, the library on the left, and the five fields (FILE, ARTIST, TITLE, ALBUM, YEAR) of the highlighted file on the right. The footer lists every key.



Fetch List tab: the titles queued for an AcoustID lookup. The status line below the footer confirms what was added.

Key	What it does
M	Open the meta editor
← / →	Switch between the Edit tab and the Fetch List tab. (While you are typing in a field, they move the text caret instead.)
TAB	Cycle panels on the Edit tab: search field → library → field editor
↑ / ↓	Move through the focused list, or between the five fields in the field editor

Key	What it does
ENTER	Depends on focus (see below). On the Fetch List tab it fetches metadata for the whole list.
SHIFT+← / SHIFT+→	Mark text in the field editor
CTRL+C / CTRL+X / CTRL+V	Copy, cut, paste in the field editor
a	Add the highlighted file to the fetch list (library focused)
r	Toggle edited files on top of the library pane
x	Filter the library to files missing any metadata (library pane focused; press again to clear)
SHIFT+T	Filter the library to files missing a title (press again to clear)
SHIFT+A	Filter the library to files missing an artist (press again to clear)
SHIFT+Y	Filter the library to files missing a year (press again to clear)
SHIFT+B	Fetch metadata for the highlighted title via AcoustID (asks first)
DEL / d	Remove the highlighted title from the fetch list . It only takes a title off that list: it never deletes the file and does not touch pending edits. If the title is not on the fetch list, the status line says not on the fetch list .
CTRL+SHIFT+S	Apply all pending edits to the files (asks first)
CTRL+SHIFT+X	Discard all pending edits (asks first)
ESC	Close the editor (the session is kept)

What **ENTER** does in the meta editor

Where	Result
Search field	Keeps the filter and moves to the library list
Library list	Starts editing the highlighted file's fields
Field editor	Finishes editing this field and goes back to the library
Fetch List tab	Fetch metadata for every title in the list (asks first)

Using the AcoustID lookup

- **SHIFT+B** looks up one title. It works from the meta editor and also directly from the **main list** (only for local files).
- **a** collects titles into the fetch list, and **ENTER** on the Fetch List tab runs them as a batch.
- Before anything is fetched you get the disclaimer that the result is not always accurate and previous metadata will be overwritten. Answer with **y**, **n** or **ESC**.

- Results only land in the **edit session**, never directly in the files. Low-confidence matches are reported as "no match" rather than written as wrong tags.
- Applying (**CTRL+SHIFT+S**) writes the tags without re-encoding the audio. A file name edit becomes a plain rename.

8. History

H (Shift+H) opens the **listening history** overlay, with three tabs. Nothing you do here changes your music.

Key	What it does
H	Open the history (and close it again). ESC and q also close it.
1 / 2 / 3	Jump to the tab: 1 History , 2 Top Tracks , 3 Habits
← / → / TAB	Move between tabs (on Top Tracks, TAB switches panes instead, see below)
↑ / ↓	Move the cursor in History and Top Tracks. On Habits they scroll.
r	On Top Tracks : flip between <i>most played first</i> and <i>least played first</i>
TAB	On Top Tracks : switch between the track list and the ADD TOP TRACKS TO QUEUE pane
ENTER	In the ADD TOP TRACKS TO QUEUE pane: queue the top 10 / 25 / 50 / 100 tracks (whichever is selected with ↑/↓)

The three tabs

- **History**: the last 100 plays.
- **Top Tracks**: one row per title with its length and play count, sorted by play count.
- **Habits**: listening statistics, including average session length, listening time per day, tracks per session, skips, replays and completion rates.

LISTENING HISTORY

1: HISTORY2: TOP TRACKS3: HABITS

HISTORY

WHEN	TITLE	LEN	STATE
09-29 01:29	The Jimi Hendrix Experience - Voodoo Child (Slight Return)	5:13	PLAY
09-29 01:24	Leslie West - Theme for an Imaginary Western	5:12	done
09-29 01:20	Rusted Root - Send Me On My Way	3:58	done
09-29 01:20	Silent Hill 2 OST (Akira Yamaoka) - Pizza & Bowling	2:38	done
09-29 00:49	Silent Hill 2 OST (Akira Yamaoka) - Pizza & Bowling	2:38	done
09-29 00:48	Silent Hill 2 OST - Ukulele Promise (Reprise)	1:25	skip
09-29 00:44	Alogte Oho and His Sounds of Joy - Mam Yinne Wa	3:55	done
09-29 00:42	Die Prinzen - Alles Nur Geklaut	2:28	done
09-29 00:40	Marino - Rip Out Your Eyes	1:49	done
09-29 00:37	Kaiserbase - Berlin, Du Bist so Wunderbar (Radio Edit)	3:19	done
09-29 00:27	King Khan & the Shrines - Land of the Freak	3:33	skip
09-29 00:27	King Khan & the Shrines - Land of the Freak	3:33	skip
09-29 00:23	BoyWithUke - Understand	3:14	done
09-29 00:20	The Jimi Hendrix Experience - Wait Until Tomorrow	3:02	done
09-29 00:18	Rod Stewart - Da Ya Think I'm Sexy?	4:37	done
09-29 00:14	Rod Stewart - Da Ya Think I'm Sexy?	4:37	skip
09-29 00:08	test - test	5:23	done
09-29 00:08	Bongo Cat - Cat Singing (1h Version)	1:00:32	skip
09-29 00:06	Bongo Cat - Cat Singing (1h Version)	1:00:32	skip
09-28 23:51	Bongo Cat - Cat Singing (1h Version)	1:00:32	skip

[←/TAB] Tab | [1/2/3] Tab | [↑↓] Move | [r] Flip sort | [ESC] Exit

History tab: when each track was played, its title, its length and its state (**PLAY** = playing now, **done** = played to the end, **skip** = skipped).

```

- LISTENING HISTORY -----
1: HISTORY    2: TOP TRACKS    3: HABITS

- TOP TRACKS -- most played first -----
TITLE                                     LEN    PLAYS
Vaporwave Tunes                         1:00:11    6
Glassworks: Islands                     7:40      5
Promise (Reprise)                       1:25      5
Stay With Me                           5:43      4
Wishful Thinking (Celesta Cover)        2:09      4
Nur Ein Wort                           3:56      4
½ Lovesong                             3:54      4
Cat Singing (1h Version)                 1:00:32    3
Promise (Reprise, Extended, Slowed + Reverb + Rain) 14:16      3
Everlong                               4:51      3
Consequences                           5:12      3
Adam's Song                            4:09      3
Hey There Delilah                       4:02      3
Rip Out Your Eyes                      1:49      3

- ADD TOP TRACKS TO QUEUE -----
Top 10 tracks
Top 25 tracks
Top 50 tracks
Top 100 tracks

[←→] Tab | [1/2/3] Tab | [TAB] Switch pane | [↑↓] Move | [ENTER] Add to queue | [r] Flip sort | [ESC] Exit

```

Top Tracks tab: titles by play count, with the **ADD TOP TRACKS TO QUEUE** pane underneath.

```

- LISTENING HISTORY -----
1: HISTORY    2: TOP TRACKS    3: HABITS

- HABITS -----

SESSIONS
Sessions                                1
Average session length                  32h 53m
Tracks per session                      346.0

TIME PLAYED PER DAY
Played today                            46m
Average day with music                  4h 30m
Days with music                         3
Total listened                          13h 31m

PLAY BEHAVIOUR
Tracks played                           346
Finished (played to the end)            181
Skipped                                 165
Replays                                99
Completion rate                         52%

[←→/TAB] Tab | [1/2/3] Tab | [↑↓] Move | [r] Flip sort | [ESC] Exit

```

Habits tab: sessions, time played per day, and play behaviour.

Adding top tracks to the queue

1. Press **2** for Top Tracks.
2. Press **TAB** to move to the lower pane.
3. Use **↑/↓** to pick 10, 25, 50 or 100.
4. Press **ENTER**.

"Top N" always means the **N most-played titles**, even if you flipped the list with **r**. Files that have been moved or deleted since they were played are skipped, and the status line reports how many were queued and how many were missing. Online tracks are queued as online tracks.

9. Downloads

Key	Action	What it does
y	Save stream	Saves the currently playing streamed track into your download folder (Settings → Download Folder , or <code>~/.cache/mousiki</code> if none is set). The file is named <code>Title - Artist.ext</code> , the cached copy is removed, and the library refreshes so the file appears as a local track.

Status messages:

- `saved to <path>`: success
- `already saved: <name>`: a file with that name is already in the folder
- `not a cached stream`: the current track is a regular local file, so there is nothing to download

10. Settings (individual tabs)

Press `s` on the main screen to open **Settings**. It has five tabs: **COLORS**, **ON/OFF**, **ANIMATION**, **REFERENCE** and **ABOUT APP**. The footer shows `[TAB] Switch | [↑↓↔] Navigate/Cycle | [ENTER] Edit | [S] Save | [Q] Quit`, and the status line below it reports what just changed.


Moving around and editing (all tabs)

Key	What it does
TAB	Next tab (wraps from ABOUT APP back to COLORS). The cursor returns to the first row.
↑ / ↓	Previous or next row. On ABOUT APP they scroll the text.
← / →	On a row with a fixed list of values (switches, sliders, choices), steps through the values and applies the change immediately . On COLORS they move between the first and second cell of a row instead.
ENTER	Edits the value in place as free text. Not available on ABOUT APP or on the read-only rows of REFERENCE.
s	Saves to <code>config.txt</code> and returns to the main screen.
ESC / q	Returns to the main screen without writing <code>config.txt</code> at that moment.

Good to know

- Every change is **live**. It takes effect as soon as you make it.
- The configuration is also written to `config.txt` **whenever you quit the app normally**. `ESC/q` therefore only skips the immediate save. The changes still apply for the session and are lost only if the app is killed before it can quit normally.
- **Text editing** (after `ENTER`): `←/→` move the caret, `SHIFT+←/→` mark text, `HOME/END` jump, `DEL/BACKSPACE` delete, `CTRL+C/X/V` copy, cut and paste. `ENTER` confirms, `ESC` cancels and discards the edit. Ordinary fields hold up to 18 characters, folder paths up to 240.

Tab 1: COLORS



The **COLORS** tab with the live preview on the right.

Sets the colours of the interface. There are **15 rows**, each with a name, one or two value cells, and a **live preview** on the right.

Values are numbers from the 256-colour terminal palette (1–255). 0 or an empty field means "no colour", so the terminal's own default is used. Values in the ranges 30–47 and 90–107 are used as direct terminal colour codes.

Row	First cell	Second cell	What it colours
BORDER_COLOR	TOP	BOTTOM	The frame lines, fading from top to bottom.
DISK	TOP	BOTTOM	The spinning disk (gradient).
METADATA	KEY	VAL	The labels and the values in the metadata panel.
VIZ	LEFT	RIGHT	The visualizer bars (gradient).
PROGRESS_BAR	PLAYED	PENDING	The played and the remaining part of the progress bar.
LIST	INACTIVE FG	BG	Ordinary rows of the track list (text / background).
	PLAYING FG	BG	The row of the track that is playing.
	CURSOR FG	BG	The highlighted (hovering) row.
QUEUE	INACTIVE FG	BG	Ordinary rows of the queue.
	PLAYING FG	BG	The queue row that is playing.

Row	First cell	Second cell	What it colours
	CURSOR FG	BG	The highlighted queue row.
LYRICS	INACTIVE FG	BG	Lyric lines that are not active.
	ACTIVE L FG	BG	The active line.
	ACTIVE W FG	BG	The active word.
HEADER	TEXT	none	The section titles in Reference and in the ON/OFF path lists. Text colour only, no background.

FG is the text colour, BG the background. Use ←/→ to pick the cell, then ENTER to type a new number.

Tab 2: ON/OFF

```

  SETTINGS  COLORS  [ON/OFF]  ANIMATION  REFERENCE  ABOUT APP

  Eliment Disk      : true
  Dummy Buttons    : true
  Queue Display     : true
  WaveForm         : true
  Lyrics Engine     : true
  Lyric Ball       : true
  Visualizer       : true
  Stereo Sound     : true
  Normalize Volume  : true
  Show meta data only : true

  LOCAL PATH
  Local Path 1      : C:\Users\stsch\.cache\mousiki
  Local Path 2      : C:\Users\stsch\Music
  Local Path 3      : C:\Users\stsch\Music\MeowerShell-yt-dlp
  + new path        : [ENTER] add a line

  DOWNLOAD FOLDER
  Download Folder   : C:\Users\stsch\Music\MeowerShell-yt-dlp

  PLAYLIST PATH
  Playlist Path 1   : C:\Users\stsch\Music\playlists
  + new path        :

[TAB] Switch | [↑↓↔] Navigate/Cycle | [ENTER] Edit | [S] Save | [Q] Quit

```

The ON/OFF tab: switches at the top, then the LOCAL PATH, DOWNLOAD FOLDER and PLAYLIST PATH lists.

The first part is a list of **true/false switches** (change them with ←/→). Below it are the folder settings, which you edit with ENTER.

Setting	What it does
Eliment Disk	Shows or hides the spinning disk in the player area.
Dummy Buttons	Shows or hides the three decorative buttons next to the progress bar.
Queue Display	Shows or hides the Queue panel.


Setting	What it does
WaveForm	Shows or hides the waveform. With it off, a plain bar is drawn instead.
Lyrics Engine	Turns lyric fetching and display on or off. Same as the + key.
Lyric Ball	Draws the audio-reactive sphere in the lyrics area while a track is loaded.
Visualizer	Shows or hides the spectrum visualizer.
Stereo Sound	On plays in stereo (about twice the memory per loaded track), off folds left and right into mono. Turning it off is immediate. Turning it on applies from the next track.
Normalize Volume	Loudness normalization on or off. Same as the v key. Target and boost are set on the REFERENCE tab.
Show meta data only	Rows show the embedded title tag instead of the file name. Same as SHIFT+N . The list is re-sorted straight away.

Folder lists (the tab scrolls with the cursor, so a short terminal is fine):

Section	Rows	What it does
LOCAL PATH	Local Path 1, 2, ... plus + new path	The folders scanned for music. ENTER edits one. + new path (ENTER) adds an empty line and opens it for typing. Committing a change rescans the library immediately .
DOWNLOAD FOLDER	one row	Where y (Save stream) puts downloaded tracks. Until you set one it shows the default cache folder (~/ .cache/mousiki). It is added to the scanned folders automatically, so you do not repeat it as a local path.
PLAYLIST PATH	Playlist Path 1, 2, ... plus + new path	The folders playlists are loaded from. All of them are searched. New playlists are saved and deleted in the first one. If none is set, the first local path plus /playlists is used.

Paths accept **~** and **%USERPROFILE%** shortcuts, and both slash directions on Windows.

Tab 3: ANIMATION




The ANIMATION tab. The < ↔ > hint shows that ↔ cycle the value.

All rows are cycled with ↔ (or typed after ENTER).

Setting	Values	What it does
Vis. Fluidity	1–10	How the visualizer bars rise . It affects only the rising motion.
Waveform Style	raw, smooth	Waveform drawing style. Same as the w key.
Disk Speed	0.01, 0.05, 0.10, 0.17, 0.25, 0.50, 0.75, 1.00	How fast the disk spins.
Playback Mode	list, loop, shuffle, stop, repeat queue	The play mode. Same as the m key (loop is the mode shown as <i>repeat</i>).
Vis. Degradation	1–10	How quickly bars fall . 1 is a slow, VU-meter-like fade, 10 a near-instant cutoff.
Vis. Viscosity	1–10	How strongly the bar motion is damped and smoothed between neighbouring bars.
Lyrics Alignment	left, center, right	Where lyric lines sit in their area.
Lyrics Animation	full, word by word, line by line, letter by letter, active line only, active word only	How lyrics are revealed and highlighted as the song plays.

Tab 4: REFERENCE



The REFERENCE tab: loudness normalization at the top, then the rebindable hotkeys (scroll for the rest).

The longest tab. It scrolls as one list and has three parts.

LOUDNESS NORMALIZATION (editable)

Row	Values	What it does
Normalize Volume	true / false	Same switch as on the ON/OFF tab and the v key.
Target Level (LUFS)	-40 to 0	The loudness every track is measured against and played at. -16 leaves more headroom, -14 matches YouTube and Spotify. A lower number is quieter overall.
Max Boost (dB)	0 to 24	The most a quiet track may be raised. Loud or heavily compressed tracks are lowered regardless.

Hotkeys (editable). Below a grey note pointing to the cheat sheet (?), the rebindable commands are listed under the headers PLAYBACK, NAVIGATION & VIEW, SEARCH, QUEUE, PLAYLISTS, META EDITOR, HISTORY, DOWNLOADS and SYSTEM. Each row shows a label and the key currently bound to it.

- Press **ENTER** on a row, type the new key, and press **ENTER** again.
- A key is written as the character itself (**n**, **T**, **#**, **+**) or as a name: **ENTER**, **TAB**, **SPACE**, **ESC**, **BACKSPACE**, **ARROW_KEY_UP**, **ARROW_KEY_DOWN**, **ARROW_KEY_LEFT**, **ARROW_KEY_RIGHT**.
- If the key is **already used by another action**, the change is refused with **KEY "x" ALREADY USED BY <action> -- try another key**, and you can type another one.
- The search prefixes (**/**, **/s:**, **/p:**) appear here too and are edited the same way.
- Keys that are **not** rebindable (**ESC**, **SHIFT+B**, the playlist and meta editors' own keys, **CTRL+SHIFT+S/X**) are not listed. The cheat sheet shows those.

FONT / CHARACTER MAP (read-only). Shows the **A = A**, **a** table from **config.txt**, which lets you re-font the interface with fancy Unicode letters without changing the terminal font. It cannot be edited here. Edit the **font_en={ ... }** block in **config.txt** while the app is closed.

Settings that exist only in `config.txt`

Key in <code>config.txt</code>	What it does
<code>ReplaceEmoji</code>	<code>true</code> draws an emoji in a title as a single ? so box borders stay aligned. <code>false</code> draws the real emoji.
<code>ConsoleVerbosity</code>	<code>basic</code> logs every command the app runs and its raw output. <code>verbose</code> adds internal and OS-level events.
<code>AutoSave</code>	Resumes the exact song, position, queue and play mode at the next launch.
<code>AutoSaveIndicator</code> , <code>AutoSaveChr</code> , <code>AutoSaveIndicatorType</code> , <code>AutoSaveC1</code> , <code>AutoSaveC2</code>	The small autosave indicator: whether it shows, its character, <code>blink</code> or <code>color</code> style, and the two pulse colours.
<code>AutoSaveDelayInSec</code>	How often the session snapshot is saved (default 30 seconds).
<code>UpperLeftCorner</code> , <code>Vertical</code> , <code>Horizontal</code> , <code>Seprator</code> , <code>ListSeparator</code> and the other border entries	The characters used to draw frames and the list column separator.

About this app

Original developer of v1.0

Developer	ender	GitHub	itzender5820
Email	itz.ender5820@gmail.com	Version	original and final v1.0
		Licence	Apache Licence 2.0

Windows port, incl. extensive modifications up to v2.x.x

Developer	Steffen Schwerdtfeger	GitHub	StSchwerdtfeger
Email	fanti.blub@gmail.com	Version	current v2.1.0
		Licence	Apache Licence 2.0