

# **mashwrapper**

**Advanced Molecular Detection  
Southeast Region Bioinformatics**

This resource was made possible through funding provided under the Epidemiology and Laboratory Capacity for Prevention and Control of Emerging Infectious Diseases (ELC) Cooperative Agreement (CK24-0002), Project D: Advanced Molecular Detection to the Florida Department of Health. The conclusions, findings, and opinions expressed by authors do not necessarily reflect the official position of the U.S. Department of Health and Human Services, the Public Health Service, or the Centers for Disease Control and Prevention.

# Overview

## Purpose

- This Nextflow pipeline uses Mash-based k-mer comparisons to rapidly screen sequencing reads against reference genomes to identify the most likely organism, such as SARS-CoV-2 and/or *Legionella*, from raw sequencing data.


## Usage

- It enables public health laboratories to quickly confirm organism identity, validate sample content, and support downstream workflows such as lineage assignment, phylogenetic analysis, and genomic surveillance across multiple samples.

## Dependencies

- Nextflow and Apptainer/Singularity

# Workflow



# Application

## Objective:

Use raw Illumina sequencing reads with mashwrapper to rapidly identify SARS-CoV-2 through k-mer-based comparison against reference genomes.

# Application Cont.

```
/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/
Name
├── ..
├── apptainer
├── assets
├── bin
├── conf
├── data
├── docs
├── lib
├── modules
├── results
├── singularity
├── test-data
├── work
├── workflows
├── CHANGELOG.md
├── CITATIONS.md
├── CODE_OF_CONDUCT.md
├── LICENSE
├── main.nf
├── mashwrapper_sc2.22178781.err
├── mashwrapper_sc2.22178781.out
├── modules.json
├── nextflow.config
├── nextflow_schema.json
├── organismsheet_sarscov2.txt
├── README.md
├── run_mashwrapper.sh
└── samplesheet.csv
```

```
cd /blue/bphl-<state>/<user>/repos/bphl-
molecular/
```

```
git clone https://github.com/CDCgov/mashwrapper
```

```
mkdir analysis/
```

```
cd analysis/
```

```
cp /blue/bphl-<state>/<user>/repos/bphl-
molecular/polkapox/
```



# Application Cont.

```
GNU nano 5.6.1 run_mashwrapper.sh
#!/usr/bin/bash
#SBATCH --account=bphl-umbrella
#SBATCH --qos=bphl-umbrella
#SBATCH --job-name=mashwrapper_sc2
#SBATCH --ntasks=1
#SBATCH --cpus-per-task=20
#SBATCH --mem=200gb
#SBATCH --time=48:00:00
#SBATCH --output=mashwrapper_sc2.%j.out
#SBATCH --error=mashwrapper_sc2.%j.err
#SBATCH --mail-user=nikhil.yengala@flhealth.gov
#SBATCH --mail-type=FAIL,END

module load nextflow
module load singularity
module load apptainer

#Working Directory
MW="/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105"

#Inputs
SAMPLESHEET="$MW/samplesheet.csv"
ORGSHEET="$MW/organismsheet_sarscov2.txt"

#Output/Work/Cache
OUTDIR="$MW/results"
WORKDIR="$MW/work"
export NXF_SINGULARITY_CACHEDIR="$MW/singularity"
export NXF_APPTAINER_CACHEDIR="$MW/apptainer"

mkdir -p "$OUTDIR" "$WORKDIR" "$NXF_SINGULARITY_CACHEDIR" "$NXF_APPTAINER_CACHEDIR"

#Run
-nxtnflow run "$MW" \
-profile singularity \
-work-dir "$WORKDIR" \
--input "$SAMPLESHEET" \
--get_database "$ORGSHEET" \
--outdir "$OUTDIR" \
--custom_config_base "$MW/conf" \
--resume
```

```
/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/
Name
..
apptainer
assets
bin
conf
data
docs
lib
modules
results
singularity
test-data
work
workflows
CHANGELOG.md
CITATIONS.md
CODE_OF_CONDUCT.md
LICENSE
main.nf
mashwrapper_sc2.22178781.err
mashwrapper_sc2.22178781.out
modules.json
nextflow.config
nextflow_schema.json
organismsheet_sarscov2.txt
README.md
run_mashwrapper.sh
samplesheet.csv
```

```
GNU nano 5.6.1 organismsheet_sarscov2.txt
Severe acute respiratory syndrome coronavirus 2
```

```
GNU nano 5.6.1 samplesheet.csv
sample,fastq_1,fastq_2
J84,/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/data/J84_R1.fastq.gz
J682,/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/data/J682_R1.fastq.gz
J711,/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/data/J711_R1.fastq.gz
J886,/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/data/J886_R1.fastq.gz
M109,/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/data/M109_R1.fastq.gz
M300,/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/data/M300_R1.fastq.gz
M301,/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/data/M301_R1.fastq.gz
M330,/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/data/M330_R1.fastq.gz
M653,/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/data/M653_R1.fastq.gz
M908,/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/data/M908_R1.fastq.gz
T45,/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/data/T45_R1.fastq.gz
```

# Application Cont.

```
sbatch run_mashwrapper.sh
```

```
/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/results/combinedOutput/
Name
├── ..
├── collated_download_genomes.log
├── collated_excluded_genomes.txt
├── collated_species_id.log
├── collated_species_id_results.txt
└── database.info
```

```
SARS-CoV-2 Species ID Tool using Mash
Date and Time = 2025-12-29
Input query file 1: J711_R1.fastq
Input query file 2: J711_R2.fastq
Maximum Mash distance (-d): 0.05
Minimum K-mer copy number (-m) to be included in the sketch: 16
K-mer size used for sketching: 25
Mash Database name: myMashDatabase.2025-12-29_17:45:16.msh
mashwrapper version: 3.2.2

Best species match: Severe acute
```

Top 5 results:

Genus	Species	GeneBank Identifier	Mash Dist	% Seq Sim	P-value	Kmer
Severe	acute	GCA_011545545.1	0.00161	99.839	0	29033/31424
Severe	acute	GCA_009858895.3	0.00172	99.828	0	28988/31535
Severe	acute	GCA_011537005.1	0.00172	99.828	0	28988/31535
Severe	acute	GCA_011537985.2	0.00171	99.829	0	28987/31523
Severe	acute	GCA_011537945.2	0.00171	99.829	0	28987/31523

```
SARS-CoV-2 Species ID Tool using Mash
Date and Time = 2025-12-29
Input query file 1: M300_R1.fastq
Input query file 2: M300_R2.fastq
Maximum Mash distance (-d): 0.05
Minimum K-mer copy number (-m) to be included in the sketch: 16
K-mer size used for sketching: 25
Mash Database name: myMashDatabase.2025-12-29_17:45:16.msh
mashwrapper version: 3.2.2

Best species match: Severe acute
```

Top 5 results:

Genus	Species	GeneBank Identifier	Mash Dist	% Seq Sim	P-value	Kmer
Severe	acute	GCA_011545545.1	0.01471	98.529	0	27851/52618
Severe	acute	GCA_009858895.3	0.01485	98.515	0	27777/52758
Severe	acute	GCA_011537005.1	0.01485	98.515	0	27777/52758
Severe	acute	GCA_009938055.1	0.01485	98.515	0	27776/52745
Severe	acute	GCA_011537225.1	0.01482	98.518	0	27776/52697

```
SARS-CoV-2 Species ID Tool using Mash
Date and Time = 2025-12-29
Input query file 1: M330_R1.fastq
Input query file 2: M330_R2.fastq
Maximum Mash distance (-d): 0.05
Minimum K-mer copy number (-m) to be included in the sketch: 24
K-mer size used for sketching: 25
Mash Database name: myMashDatabase.2025-12-29_17:45:16.msh
mashwrapper version: 3.2.2



Best species match: Severe acute
```

```
/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/
Name
├── ..
├── apptainer
├── assets
├── bin
├── conf
├── data
├── docs
├── lib
├── modules
├── results
├── singularity
├── test-data
├── work
├── workflows
├── CHANGELOG.md
├── CITATIONS.md
├── CODE_OF_CONDUCT.md
├── LICENSE
├── main.nf
├── mashwrapper_sc2.22178781.err
├── mashwrapper_sc2.22178781.out
├── modules.json
├── nextflow.config
├── nextflow_schema.json
├── organismsheet_sarscov2.txt
├── README.md
├── run_mashwrapper.sh
└── samplesheet.csv
```



```
/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/results/
Name
├── ..
├── combinedOutput
├── downloadedGenomes
├── mashDatabase
├── mashFiles
├── pipeline_info
└── resultsByIsolate
```



# Application Cont.



# Application Cont.



# Application Cont.

## Nextflow workflow report

[golden\_wozniak] (*resumed run*)

Workflow execution completed successfully!

### Run times



29-Dec-2025 17:21:59 - 29-Dec-2025 17:53:28 (duration: **31m 28s**)

18 succeeded

### Nextflow command

```
nextflow run /blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105 -profile singularity -work-dir /blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/work --input /blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/samplesheet.csv --get_database /blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/organismsheet_sarscov2.txt --outdir /blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/results --custom_config_base /blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/conf -resume
```

CPU-Hours	1.3
Launch directory	/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105
Work directory	/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105/work
Project directory	/blue/bphl-florida/n.yengalareddy/repos/bphl-molecular/analysis/mashwrapper0105
Script name	main.nf
Script ID	db4e21042f9c1cF5372f240a4170fe6
Workflow session	918efe51-fae5-4842-ab01-770802af3cc
Workflow profile	singularity
Nextflow version	version 25.04.7, build 5955 (08-09-2025 13:29 UTC)





# Application Cont.

```
SARS-CoV-2 Species ID Tool using Mash
Date and Time = 2025-12-29
Input query file 1: J84_R1.fastq
Input query file 2: J84_R2.fastq
Maximum Mash distance (-d): 0.05
Minimum K-mer copy number (-m) to be included in the sketch: 13
K-mer size used for sketching: 25
Mash Database name: myMashDatabase.2025-12-29_17:45:16.msh
mashwrapper version: 3.2.2
```

Best species match: Severe acute

Top 5 results:

Genus	Species	GeneBank Identifier	Mash Dist	% Seq Sim	P-value	Kmer
Severe	acute	GCA_011545545.1	0.01266	98.734	0	29703/51828
Severe	acute	GCA_009858895.3	0.01273	98.727	0	29678/51919
Severe	acute	GCA_011537015.1	0.01273	98.727	0	29675/51917
Severe	acute	GCA_011545335.2	0.01273	98.727	0	29675/51909
Severe	acute	GCA_011545285.2	0.01273	98.727	0	29675/51909



# Conclusion



Fundamentals of  
mashwrapper



Installation and setup  
of mashwrapper in  
HPG



Successfully  
executed job query for  
mashwrapper



Generated output files



# Advanced Molecular Detection

## Southeast Region Bioinformatics

# Questions?

[bphl-sebioinformatics@flhealth.gov](mailto:bphl-sebioinformatics@flhealth.gov)

**Molly Mitchell, PhD**

Bioinformatics Supervisor

[Molly.Mitchell@flhealth.gov](mailto:Molly.Mitchell@flhealth.gov)

**Nikhil Reddy, MS**

Bioinformatician

[Nikhil.Yengala@flhealth.gov](mailto:Nikhil.Yengala@flhealth.gov)

**Sam Bernhoft, MPH**

Bioinformatician

[Samantha.bernhoft@flhealth.gov](mailto:Samantha.bernhoft@flhealth.gov)