



Advanced Molecular Detection

Southeast Region Bioinformatics

**AMD Southeast Region Genomic
Epidemiology Training
Case Studies**
4/2/24

Case Studies



1

Carbapenem-Resistant *Psuedomonas 1eruginosa* (CRPA) in Tennessee

2

Dengue in Florida

3

Neisseria meningitidis in Florida



Advanced Molecular Detection
Southeast Region Bioinformatics

Carbapenem-Resistant *Pseudomonas aeruginosa* outbreak in Tennessee, 2017-2022



<https://www.dhs.wisconsin.gov/disease/carbapenem-resistant-pseudomonas-aeruginosa.htm>

Carbapenem-Resistant *Pseudomonas aeruginosa* (CRPA)

- *Pseudomonas aeruginosa* is a gram-negative bacterium commonly implicated in healthcare-associated infections (HAIs)
- Can cause a variety of health problems including, but not limited to, pneumonia, sepsis, urinary tract infections, and wound infections
- Carbapenems are heavy hitter antibiotics for multi-drug resistant infections
 - CRPA is resistant to Carbapenems at a minimum
 - Some CRPAs are resistant to all antibiotics, called carbapenemase-producing CRPA
- Transmitted person to person via contact
 - CRPA thrives in the presence of water, aka sinks and toilets

Verona Integron-encoded Metallo-betalactamase-producing Carbapenem-Resistant *Pseudomonas aeruginosa* (VIM-CRPA)

- Has genetic elements that inactivate carbapenems and most other beta-lactam antibiotics
- Most frequently identified carbapenemase in the US and the world
- Multidrug resistant
- “Serious threat” according to the CDC 2019 Antibiotic Resistance Threat Report
- Loves water, will form persistent biofilms in plumbing

Public Health Policies and Prevention


- Starting in 2017, clinical labs in TN asked to (voluntarily) submit CRPA samples to TN PHL (Public Health Laboratory) for Whole-Genome Sequencing (WGS)
- 20 VIM-CRPAs were identified by WGS between Nov 2017 and Aug 2022
- Epi review revealed that 8 cases were associated with one single room in an ICU
- Cases were diagnosed by:
 - 1 - Screening for Carbapenemase-Producing Organisms (CPO)s at a skilled nursing facility for part of a separate outbreak investigation
 - 3 - Routine admission screening at a long-term hospital
 - 3 - CPO ICU discharge screening
 - 1 - Clinical culture

Genetic Relatedness


Source	Case A	Case B	Case D	Case F	Case G	Room X_HW	Room X_Bath
Case A	-	6	0	3	4	8	9
Case B	6	-	6	9	10	4	5
Case D	0	6	-	3	4	8	9
Case F	3	9	3	-	7	11	12
Case G	4	10	4	7	-	13	13
Room X_HW	8	4	8	11	13	-	7
Room X_Bath	9	5	9	12	13	7	-

- Samples from bathroom and handwashing sink drains grew VIM-CRPA ST253
- In this outbreak, 0-13 SNP differences were considered highly related
 - # of SNP difference deemed related differs by organism and outbreak


The Culprit: Biofilm in the Drains



Bacteria multiply and secrete substances that form a protective biofilm, which cannot be penetrated by traditional disinfectants (at lower concentrations).



Free-floating bacteria attach to the surface of the drain.




Running water causes splashback that transfers bacteria to the clinical environment, healthcare workers and patients.

- Acute Care Hospital (ACH), Intensive Care Unit (ICU), Room X
 - Samples from bathroom and handwashing sink drains grew VIM-CRPA ST253
 - WGS determined strain to be highly related to patients
- Sinks in Room Y and a hallway sink also grew VIM-CRPA
 - WGS determined it to be different and unrelated, non-carbapenemase producing strains ST235 and ST315

Benefits of WGS and Epi

- Epis identified the hospital and the ICU as hotspots for VIM-CRPA
- WGS determined that Room X was the cause of the outbreak, not room Y
- WGS showed that cases over two years were all related
 - Epis investigated and found biofilm in sinks
 - Epis implemented procedures to remedy the situation




2019 Dengue Epi Investigation in Florida



Dengue


- Dengue virus, an arbovirus, is spread to people via two types of *Aedes* mosquitoes
- ~4 billion people live in areas at risk for Dengue
- ~100 million people get sick from Dengue every year, about ¼ of the people infected
 - ~40,000 people die from Dengue every year



Estimated Potential Range of *Aedes aegypti* in the United States, 2017



Estimated Potential Range of *Aedes albopictus* in the United States, 2017




Dengue

- Dengue was endemic in Florida until the 1930s (yay air conditioning!)
 - Most cases are now travel related
 - Most Dengue cases in Florida in 2019 were imported from Cuba
 - At least one local transmission case a year on average since 2009, usually more
- 4 serotypes, DENV-1 through 4
 - Immune to one serotype once you get, it but can get other

Dengue Symptoms

Fever with any of the following




CS 320760

2019 Case Study

- Woman in her 30s
 - Lived in Miami
 - Presented after being symptomatic for 7 days with fever, flank pain, and hypotension
 - Detected through extra testing as initial testing did not meet lab criteria for Dengue
- Acute cholecystitis
 - Gallbladder removed laparoscopically
- Patient died from hemorrhage and multiorgan failure
- DENV-2 identified postmortem

A Timeline




2019 Case Study

- Epi investigation uncovered a trip to Honduras 5 weeks prior to symptom onset
 - Travel within the last 14 days would be expected for travel related Dengue
- 5 family members in household all tested negative for Dengue (all also traveled to Honduras)
- Sequencing revealed the strain of DENV-2 was highly related to Cuban strains
 - Was likely a case of local transmission after the strain was imported from Cuba
 - Sequencing allowed for the confirmation that it was not an atypical case acquired in Honduras



Sequencing Priorities for Investigations

- Confirm geographic origin of cases
 - Particularly important with many countries of import
- Examine linkages between local cases with each other
 - Is there one local transmission or many related cases
- Tree below is DENV-3 in Florida May 22-April 23
 - Locally acquired cases are spread out




Benefits of WGS and Epi

- Sequencing data is used to link locally acquired cases to travel related cases
 - Epis investigate travel history and test all members of the infected's household
- Serum tests can distinguish between DENV-1 through 4, but sequencing is required for further detail
- Thank you, Andrea!



Neisseria meningitidis outbreak in Florida, 2021- 2023



Advanced Molecular Detection
Southeast Region Bioinformatics

<https://sciencephotogallery.com/featured/3-neisseria-meningitidis-brain-infection-kateryna-konscience-photo-library.html>

Neisseria meningitidis (*N. men*)

- *N. men* is a gram-negative bacterium that can cause meningococcal disease
 - 2 most common meningococcal diseases are meningitis (infection of lining of brain and spinal cord) and bloodstream infection (septicemia)
 - Gram-negative bacteria are commonly resistant to antibiotics
- 10% of the population are carriers for *N. men*
 - They carry the bacteria (in the back of the nose and/or throat) without becoming sick
- *N. men* is spread via saliva or spit
 - Usually via coughing or kissing
 - Generally, not spread via casual or short contact

Neisseria meningitidis (N. men)

- Six subtypes of *N. men* cause most disease: A, B, C, W, X, and Y
 - B, C, and Y are the most common in the US
- MenACWY and MenB vaccines are available
 - Recommended for teens and preteens
 - 2-dose booster series recommended for people with HIV
 - Booster recommended for close contacts of someone with meningococcal disease

2021-2023 Florida *N. men* outbreak

- At least 44 cases and 7 deaths
- Primarily affected the men who have sex with men (MSM) community
 - About half the cases were Hispanic men
 - Some cases also have HIV
- Serogroup C, ST11CC11 (sequence type, clonal type)
 - Able to link cases and identify antibiotic resistance genes

Epi and Sequencing Together

- Epi identified MSM community and specifically Hispanic MSM members are at high risk
- Sequencing linked cases by serogroup and clonal type
 - Constructed phylogenetic trees
- Able to launch targeted vaccination campaign

Targeted Vaccination Campaign

- Recommended vaccination groups (18 yo+)
 - Men who have sex with men (MSM)
 - People living with HIV
 - Immunocompromised People
 - LGBTQ+ Community
 - People listed above who had a meningitis vaccine 5+ years ago

Targeted Vaccination Campaign

- 24-hour (free) vaccine drive at The Center (Orlando LGBTQ+ Support Clinic)
- Free vaccines at county health departments
- Florida Chapter American Academy of Pediatrics
- Local and national news



2021-2023 Florida *N. men* outbreak

- Vaccination campaign ended the outbreak!
- Epis and Lab still sequencing meningitis cases to monitor for new outbreaks
- Thanks, Labake!





Advanced Molecular Detection

Southeast Region Bioinformatics

Questions?

Bphl-sebioinformatics@flhealth.gov

TBD

Lead Bioinformatician & Supervisor
TBD@flhealth.gov

Molly Mitchell, PhD

Bioinformatician
Molly.Mitchell@flhealth.gov

Lakshmi Thsaliki, MS

Bioinformatician
Lakshmi.Thsaliki@flhealth.gov

Sam Marcellus, MPH

Bioinformatician
Samantha.marcellus@flhealth.gov