

Adding Labels And Basic Input Fields

Generated Aug 12, 2026 10:31 PM

What We'll Learn

By the end of this lesson, students can create labels and use text, email, and password input fields in an HTML form.

Before We Start

What information do registration and login forms usually ask users to enter?

Let's Understand

The `<label>` element tells the user what information should be entered into a form field.

The `<input>` element creates a field where the user can enter information.

```
<label for="full-name">Full Name:</label>
<input type="text" id="full-name" name="fullName">
```

The `for` attribute of the `<label>` should match the `id` attribute of its corresponding `<input>`.

In this example:

- `for="full-name"` connects the label to the input.
- `type="text"` creates a single-line text field.
- `id="full-name"` gives the input a unique identifier.
- `name="fullName"` gives a name to the information entered in the field.

Text Input

A text input is used for short information such as names, addresses, or sections.

```
<label for="student-name">Student Name:</label>
<input type="text" id="student-name" name="studentName">
```

Email Input

An email input is used for an email address.

```
<label for="email">Email Address:</label>
<input type="email" id="email" name="email">
```

The browser may check whether the entered information follows a basic email format.

Password Input

A password input hides the characters entered by the user.

```
<label for="password">Password:</label>
<input type="password" id="password" name="password">
```

A password field only hides the characters on the screen. It does not save or protect the password because this lesson uses pure HTML without a backend.

Placing Fields on Separate Lines

The `<p>` element can be used to place each label and input field in a separate paragraph.

```
<form>
  <p>
    <label for="full-name">Full Name:</label>
    <input type="text" id="full-name" name="fullName">
  </p>

  <p>
    <label for="email">Email Address:</label>
    <input type="email" id="email" name="email">
  </p>
</form>
```

Let's Practice

Create a form containing the following fields:

1. Full Name using type="text"
2. Email Address using type="email"
3. Password using type="password"

Make sure that the for attribute of every label matches the id attribute of its input field.

Resources / References

- [HTML <label> element reference](#)
- [HTML <input> element reference](#)
- [HTML input types reference](#)