

MC Accreditation Hub

A digital evidence and compliance platform for the Graduate School of Mabini Colleges, Inc.

Proponent: Rainell John O. Abanto

Course presentation · October 2026

The accreditation records problem

Evidence scattered across offices, folders, and devices takes time to verify and retrieve.

- Requirements and files may be tracked separately.
- Teams need to know which exact version was reviewed.
- Missing work is hard to see without a shared status view.
- The presentation describes this problem; no time-savings study has been completed.

Project objectives

The Hub brings requirements, files, review, monitoring, and reporting into one workflow.

- Centralize accreditation-related records.
- Classify evidence by area and requirement.
- Track missing and incomplete work.
- Review submitted evidence independently.
- Retrieve authorized versions and produce preparation reports.

Scope and current state

A working local React and Django system supports the core evidence workflow.

- Implemented locally: accounts and scoped roles, cycles, requirements, evidence versions, package review, certification, search, reports, and audit.
- Fictional demo data only; the sample instrument is not official PACUCOA criteria.
- School deployment, real-file intake, and institutional approval remain open.

Users and responsibilities

Academic and technical duties have separate authority.

- Custodian contributes assigned evidence; Reviewer makes an independent package decision.
- Coordinator manages requirements and deliberately certifies completion.
- Viewer monitors approved evidence; product Administrator has no automatic evidence authority.
- School IT operating roles require separate named assignments.


End-to-end evidence workflow

A requirement becomes complete only after evidence review and a Coordinator decision.

- Requirement and mandatory items → assigned contributor → versioned upload and mapping.
- Draft package → submit → independent Reviewer approval or revision request.
- Approved package → Coordinator certification with rationale → readiness update.
- History retains the pinned version, decision, and criteria context.

Technology architecture

The browser uses a same-origin application API; PostgreSQL and private file storage stay behind Django.



Django authorizes every metadata query and file response; no public evidence route.

Request and evidence data flow

Each request checks identity, scope, record state, and exact file availability.

- Browser → /api/ session and CSRF → Django authorization.
- Django reads/writes PostgreSQL records and private file bytes.
- Upload scans the exact checksum; failed or absent verdicts quarantine the version.
- Approved evidence access remains scoped and audited.

Core data relationships

Cycles contain areas and requirements; evidence and decisions preserve exact history.

- Cycle → Area → Requirement → Evidence Item.
- Document → immutable Document Version → scan verdict and item mapping.
- Requirement → Package Attempt → pinned versions → Reviewer decision.
- Requirement → Coordinator certification; Audit Event records actions.

Cycles and requirements

Academic work is scoped to an assessment cycle and its areas.

- Requirements include criteria, mandatory items, responsible office, and optional deadline.
- Active and applicable requirements form the readiness denominator.
- Closed cycles reject ordinary writes; archive is a separate reasoned lifecycle action.
- The demo cycle and eight requirements are fictional.

Assignment and stewardship

A named Custodian assignment controls new requirement work.

- A document records its owning area and steward.
- The steward replaces versions; scoped Coordinator exceptions require a reason.
- A team member cannot silently replace another person's evidence.
- Academic owners still need to ratify this institutional role mapping.

Protected evidence versions

Replacement adds an immutable version instead of overwriting reviewed bytes.

- Each version has its own checksum, uploader, timestamp, and optional validity date.
- A submitted package pins exact versions and criteria.
- Older reviews and certifications remain historical after a replacement.
- Downloads and inline previews require current authorization and a clean matching scan.

Quarantine and scan boundary

A version stays unusable until a configured local scanner records a clean verdict for its checksum.

- Absent, failed, infected, or mismatched scans block preview, download, mapping, review, and certification.
- The course demonstration uses a guarded synthetic verdict for two fictional PDFs only.
- School IT has not approved a real scanner or completed target tests.

Package attempts

New requirements use deliberate package drafts and immutable submitted attempts.

- The owner selects exact mapped versions, adds notes, and submits the draft.
- A pending attempt can be withdrawn before review; revision work creates a new draft.
- Only one submitted attempt per requirement can await review.
- Older item-level submissions remain preserved as legacy history.

Independent review

Reviewers decide on submitted evidence in their assigned area.

- The review dialog shows owner, submitted criteria, current criteria, exact filenames, and checksums.
- A Reviewer cannot approve their own upload or submission.
- Current new-package outcomes are Approve and Request revisions.
- A separate Reject outcome remains pending an Academic Owner rule.

Coordinator certification

Reviewer approval makes a requirement ready for completion review; it does not complete it.

- The Coordinator selects approved support and records a rationale.
- The certification pins the package/version and criteria snapshot.
- Reopening adds a new reasoned record and removes the requirement from the completed count.
- Older unsupported certifications remain marked legacy.

Readiness calculation

Internal readiness uses unweighted Coordinator-certified requirements.

- $\text{Readiness} = 100 \times \text{complete active applicable non-archived requirements} / \text{all active applicable non-archived requirements}$.
- Draft, excluded, and archived requirements do not enter that population.
- Status filters change displayed rows, not the selected cycle/area readiness population.
- This is an internal preparation measure, never an official PACUCOA score.


Live demonstration route

The fictional Faculty requirement shows the complete role handoff.

- Start with 0 of 8 demo requirements complete.
- Custodian maps two known fictional PDFs and submits one package.
- Reviewer approves; Coordinator certifies with a rationale.
- Report then shows 1 of 8 complete = 12.5%; Viewer package history is denied.

Dashboard before certification

The fictional cycle starts with eight active applicable requirements and no completions.



- The initial internal readiness is 0%.
- The sample data contains no official instrument or institutional evidence.

Requirement and assignment

The Faculty requirement has two mandatory evidence items and an assigned Custodian.

FICTIONAL LOCAL DEMONSTRATION


REQUIREMENT ↓	ACCREDITATION AREA ↓	EVIDENCE ↓	RESPONSIBLE ↓	STATUS ↓	DEADLINE ↓	
Physical Facilities Documentation DEMO-08 - Fictional practice requirement. Re...	Physical Facilities	0/2	Graduate School	Missing Evidence	Dec 15, 2026	View →
Library & Learning Resources Documentation DEMO-07 - Fictional practice requirement. Re...	Library & Learning Resources	0/2	Graduate School	Missing Evidence	Dec 15, 2026	View →
Extension & Community Documentation DEMO-06 - Fictional practice requirement. Re...	Extension & Community	0/2	Graduate School	Missing Evidence	Dec 15, 2026	View →
Research Documentation DEMO-05 - Fictional practice requirement. Re...	Research	0/2	Graduate School	Missing Evidence	Dec 15, 2026	View →
Students Documentation DEMO-04 - Fictional practice requirement. Re...	Students	0/2	Graduate School	Missing Evidence	Dec 15, 2026	View →
Curriculum & Instruction Documentation DEMO-03 - Fictional practice requirement. Re...	Curriculum & Instruction	0/2	Graduate School	Missing Evidence	Dec 15, 2026	View →
Faculty Documentation DEMO-02 - Fictional practice requirement. Re...	Faculty	0/2	Graduate School	Missing Evidence	Dec 15, 2026	View →
Vision, Mission & Goals Documentation DEMO-01 - Fictional practice requirement. Re...	Vision, Mission & Goals	0/2	Graduate School	Missing Evidence	Dec 15, 2026	View →

MC Accreditation Hub - Graduate School of Mabini Colleges, Inc.

- The assignment narrows who may contribute new evidence.
- Other seeded requirements remain Missing.

Evidence mapping and scan state


The Custodian uploads fictional PDFs and maps them to the two required items.



- Versions remain immutable and checksum-linked.
- The demo-only scan verdict is simulated and local.

Version history and simulated scan


The Repository displays the exact file version, its history, and the local scan state.



- The known generated PDF received a simulated clean verdict in this isolated fixture.
- A later upload would add a version rather than overwrite these bytes.

Package submission


The Custodian deliberately selects both item versions and submits a package.



- Package status becomes For Verification.
- The selected version and criteria context are retained.

Reviewer context


The Reviewer sees the submitted criteria and exact pinned evidence before approving.



- The Reviewer is a separate fictional account.
- The new package Reject outcome is currently unavailable.

Completion decision


After review, the Coordinator selects the approved package and records a rationale.



- The requirement becomes Complete only after this step.
- The history retains the earlier submitted and review records.

Dashboard after certification

One of eight fictional requirements is complete: 12.5% internal readiness.



- The calculation matches the report's unfiltered cycle population.

- This figure is a demo result, not an institutional accreditation rating.

Reports and provenance

The report states its cycle, instrument, scope, population, formula version, and calculation time.

MC Accreditation Hub
Graduate School

MAIN

Dashboard

Accreditation Areas

Requirements

Evidence Repository

Evidence Verification

Compliance Monitoring

Search

Reports

Audit Trail

MS

Maria Santos

Coordinator

Reports

Printable compliance summaries and CSV export

DEMO · Graduate School 2026

Show archived cycles

MS

Demo cycle · Fictional requirements and evidence. For testing only.

Compliance Report

Printable readiness report for DEMO · Graduate School 2026.

Export CSV

Print report

Area

Status

All authorized areas

All statuses

Overdue only

Archived records

DEMO · Graduate School 2026

Instrument: Sample instrument — not official PACUCOA criteria

Readiness population: Readiness for all active applicable requirements in the selected authorized cycle; status, overdue and archive filters change rows only.

Authorized scope: Your authorized areas — A1 Vision, Mission & Goals; A2 Faculty; A3 Curriculum & Instruction; A4 Students; A5 Research; A6 Extension & Community; A7 Library & Learning Resources; A8 Physical Facilities

Selected filters: Area: All authorized areas; status: All statuses; overdue: All deadlines; archive: Current records

Readiness: 1 complete / 8 active applicable; 0 excluded; 0 overdue. 8 displayed rows.

Formula: 100 × complete applicable requirements / total applicable requirements (version 3)

Calculated: Oct 5, 2026, 12:56 AM (Asia/Manila)

12.5%

Readiness for selected cycle/area

1

Completed

8

Applicable requirements


0

Ready for review

- The captured fictional report shows 1 / 8 = 12.5%.
- Area/status filters, print output, and formula-safe CSV are available.

Search, audit, and Viewer boundary

Search returns only authorized metadata; audit records actions with scoped access.



- The Viewer can access approved evidence but cannot retrieve package history.
- A direct Viewer request for the demo package returned HTTP 404 in the local capture.

Security boundaries

Local controls cover login, sessions, CSRF, scoped queries, protected files, and audit history.

- New accounts and grants require separate named operations and reasons.
- Recovery email stays disabled until school SMTP and HTTPS settings are approved.
- Target proxy, networks, scanner, retention, and restore checks remain open.

Accessibility work

Shared dialogs, navigation, focus behavior, contrast, and named compliance meters received focused checks.

- Keyboard dialog behavior and mobile navigation were tested locally.
- This does not claim a complete accessibility certification or replace screen-reader evaluation.

Current verification evidence

Tests and the demo rehearsal provide dated local evidence for this checkout.

- Django system check and migration dry run: passed.
- Frontend TypeScript/Vite build: record current result in the evidence sheet.
- Backend PostgreSQL suite: record current count and result in the evidence sheet.
- The fictional browser capture completed the full role handoff and Viewer denial.

Evaluation protocol

The thesis packet defines repeatable tasks but contains no participant results.

- Retrieve an approved version and identify missing work.
- Submit/review fictional evidence and certify completion.
- Record elapsed time, success, errors, help needed, and participant feedback.
- Use consent and anonymous participant codes before any study.

Results and limitations

Observed participant outcomes and target operations remain pending.

- No usability sample size, comparison timing, or participant scores have been collected.
- No real institutional evidence, official instrument, or School IT server has been verified here.
- Performance and scalability are design goals until measured against an approved capacity target.

Institution-owned hosting intent

The source presentation proposes a school-owned, on-premises private-cloud model.

- A Linux reference uses Nginx, Gunicorn, Django, PostgreSQL, and protected evidence storage.
- Actual server, proxy, networks, TLS, service owner, and private-cloud characteristics require School IT confirmation.
- The course demo runs only on the presenter's loopback Windows laptop.

Backup and recovery

The repository contains backup, archive verification, and restore procedures.

- A recoverable set includes database, evidence bytes, and required configuration.
- A separate-environment rehearsal must prove file and history restoration on the target.
- School IT must choose operators, backup destinations, retention, and recovery targets.

Sustainable development alignment

The project proposes contributions to education and institutional recordkeeping.

- SDG 4: supports quality assurance preparation through organized evidence.
- SDG 9: applies digital infrastructure to institutional workflows.
- SDG 16: supports traceable decisions and records.
- These are intended alignments, not measured SDG outcomes.

Next work after the class demo

The class package documents what works locally and what remains for institutional use.

- Gather real evaluation results under the school's research rules.
- Approve instrument, roles, file policy, and the D16 version 1 baseline.
- School IT must verify target scanning, HTTPS/proxy, capacity, backup, and restore.
- Keep real-evidence intake and production acceptance pending until those gates close.

Working fictional local demonstration.

MC Accreditation Hub

Organized requirements, exact evidence versions, deliberate review, and traceable internal readiness.

School deployment and institutional approval remain future work.
Questions and discussion

Role and access matrix

Product roles are additive only inside explicit cycle/area grants.

Role	Draft	Submitted	Approved	Other authority
Coordinator	Read/manage in grant	Read/review in grant	Read/download in grant	Certifies; cycle-wide grant for lifecycle
Reviewer	Hidden	Read/review in area	Read/download in area	No self-review
Custodian	Own work	Own submission	Shared approved	Assigned upload/map/submit
Viewer	Hidden	Hidden	Read/download in grant	No package history
Administrator	No implicit access	No implicit access	No implicit access	Account label only; separate operators

Workflow state reference

A package decision and a completion certification are distinct records.

State	Trigger	Meaning	Next action
Draft package	Custodian saves	Selected versions remain editable	Submit
Submitted	Custodian submits	Attempt frozen; For Verification	Reviewer decision
Approved	Reviewer approves	Evidence accepted; not Complete	Coordinator certification
Revisions requested	Reviewer decides	Attempt closed; rationale retained	New draft and resubmit
Withdrawn	Owner withdraws	Attempt closed before decision	New draft
Complete	Coordinator certifies	Rationale and support pinned	Reasoned reopen if needed

Data and API reference

The current API is same-origin under `/api/` and uses scoped integer and UUID identifiers.

- Main entities: User, RoleAssignment, Cycle, Area, Requirement, EvidenceItem, Document, DocumentVersion.
- History: PackageAttempt/Item/Decision, RequirementCertification, DocumentScan, AuditEvent.
- Django owns permissions and transitions; the browser displays returned capabilities.
- API routes and data shapes are documented separately.

File and scan policy

Current local validation accepts PDF, DOCX, XLSX, PNG, and JPEG up to 25 MiB.

- The application checks file content and bounds archive expansion.
- It quarantines unscanned, infected, failed, or checksum-mismatched versions.
- The course fixture simulates a clean verdict only for two known fictional PDFs.
- Accepted formats, resources, scanner, and records classes still need owner approval.

Report calculation reference

Readiness and filtered row count answer different questions.

- Numerator: complete active applicable non-archived requirements in the selected authorized cycle/area.
- Denominator: all active applicable non-archived requirements in that population.
- Status filters affect rows only; JSON, CSV, and print state the provenance.
- Fictional demo: $1 / 8 = 12.5\%$. The source deck's $94 / 120$ would equal 78.3% , not 87% .

Test and screenshot inventory

Current test outputs belong in the evidence sheet with date, checkout, and environment.

- Backend: workflow, permissions, scan quarantine, audit, and reporting checks.
- Frontend: TypeScript/Vite build and isolated browser workflows.
- Course capture: 19 viewport screenshots plus full-page copies, all fictional.
- The local checks do not substitute for a school HTTPS or restore rehearsal.

Participant evaluation worksheet

Use comparable tasks and record actual results after consent.

- Participant code, role, date, and environment.
- Task success, time, errors, assistance, and observed feedback.
- Compare like-for-like baseline and Hub tasks; report sample size and exclusions.
- No participant findings have been supplied for this deck.

Deployment and recovery gates

Real evidence requires more than a working local application.

- D11 scanner and D12 records handling must be approved and verified.
- D18 network/admin boundary, D19 backup/restore, D20 capacity/operations, and D22 acceptance require School IT evidence.
- A synthetic browser test or archive checksum does not establish target acceptance.

Corrections to the source deck

The presentation's 11 slides supply the project concept; this course deck reports actual local behavior.

- Slide 5 mentions Reject; new package Reject is unavailable pending an Academic Owner rule.
- Slide 6 says Coordinator review; the implementation separates Reviewer approval and Coordinator certification.
- Slide 7 shows 87% with 94 of 120 complete; that fraction is 78.3%.
- Slide 4 describes private cloud; school infrastructure has not been verified.

Decisions D01–D05

The selected option remains provisional until every listed owner records approval evidence.

D01	Cycle-wide authority Approve whole-cycle delegation and scope. Pilot: lifecycle authority gate.	Provisional A	Academic Owner; Project Owner
D02	Evidence visibility Approve draft/history/file boundaries. Real evidence: visibility gate.	Provisional A	Security/Records; Academic Owner
D03	Sharing boundary Approve cross-scope and legacy retrieval. Real evidence: sharing/search gate.	Provisional A	Security/Records; Academic Owner
D04	Assignments/stewards Approve contributor and exception model. Real evidence: assignment gate.	Provisional A	Academic Owner; Project Owner
D05	Pinned certification Approve exact support and legacy treatment. Pilot: certification support gate.	Provisional A	Academic Owner; Security/Records

Decisions D06–D10

The selected option remains provisional until every listed owner records approval evidence.

D06	Criteria/applicability Approve reopen and decision history. Pilot: criteria history gate.	Provisional A	Academic Owner; Security/Records
D07	Package workflow Approve states and separate Reject rule. Pilot: package/review gate.	Provisional A	Academic Owner
D08	Validity/expiry Choose warning or eligibility effect. Pilot: validity rule gate.	Pending	Academic Owner; Security/Records
D09	Audit access Approve readers, fields, preservation. Real evidence: audit access gate.	Provisional A	Security/Records; IT; Academic Owner
D10	Formats/limits Approve type, byte limit, target bounds. Real evidence: file policy gate.	Pending	Academic Owner; IT; Security/Records

Decisions D11–D15

The selected option remains provisional until every listed owner records approval evidence.

D11	Malware scanning Approve scanner and target failure tests. Real evidence: approved scan required.	Pending	Security/Records; IT
D12	Records schedule Approve classes, retention, holds, disposal. Real evidence: records control required.	Pending	Security/Records; IT; Academic Owner
D13	Overdue rule Approve deadline and Manila boundary. Pilot: overdue semantics gate.	Pending	Academic Owner; Project Owner
D14	Archive lifecycle Approve transitions and preservation. Pilot: archive lifecycle gate.	Pending	Project; Academic; Security/Records
D15	Launch administration Approve separate named operators. Pilot: named operators gate.	Pending	Project; IT; Academic Owner

Decisions D16–D19

The selected option remains provisional until every listed owner records approval evidence.

D16	Version 1 baseline Resolve D01–D15 before ratification. Pilot: no version 1 baseline yet.	Pending	Project; Academic; IT; Security/Records
D17	Account recovery Approve assisted recovery procedure. Pilot: recovery procedure gate.	Provisional A	IT; Security/Records
D18	Network/admin access Supply actual proxy, TLS, admin networks. Pilot: target network test required.	Provisional test A	IT; Security/Records
D19	Backup/recovery Assign target, operators, RPO/RTO, restore. Pilot: target restore proof required.	Pending	IT; Security/Records

Decisions D20–D22

The selected option remains provisional until every listed owner records approval evidence.

D20	Capacity/operations Measure pilot scale and service controls. Pilot: capacity/operations proof required.	Pending	IT; Project; Security/Records
D21	Report population Ratify filter/readiness behavior. Pilot: report semantics gate.	Provisional B	Academic Owner; Project Owner
D22	Acceptance evidence Name target reviewers and record. Pilot: target acceptance record required.	Provisional local B	IT; Academic; Project Owner

Source and reading map

The deck connects the original concept to the current repository and its stated limits.

- Source concept: docs/MC_Accreditation_Hub.pptx (11 slides).
- Implementation: README.md; docs/API.md; backend/hub; frontend/src.
- Verification and demo: docs/PROGRESS.md; course-presentation/EVIDENCE.md; captured screenshots.
- Policy and target gates: production decision register, D16 baseline proposal, release checklist.
- Evaluation: docs/THESIS_EVALUATION.md.