



Quinfosys Brand Visual System

Color, typography, shape language, visual treatment, source links, and blueprint-blue extension palette.

Document 01 · Quinfosys Developer-Facing Design Framework · Version 1.1

1. Framework scope

The visual system defines reusable brand tokens for Quinfosys websites and sub-sites. The framework is based on the implemented repository, with additional blueprint-blue rules reserved for technical and engineering explanation modules.

- Primary visual mode: monochrome, premium, high-contrast, restrained, and content-led.
- Secondary visual mode: dark blueprint surfaces based on #007ACC and restricted to technical sections.
- Interface character: soft geometry, rounded surfaces, thin borders, quiet motion, and legible density.
- Implementation posture: tokenized colors, typography, spacing, radii, and breakpoint rules suitable for scalable duplication.

2. Core visual rules

Principle	Developer rule	Applied result
Monochrome first	Default surfaces use repository monochrome tokens before any secondary color.	Future sub-sites inherit the same premium base identity.
Soft precision	Cards, CTAs, panels, icon holders, and large containers use rounded radius tokens and 1px borders.	Technical content remains polished without aggressive decoration.
Layered depth	Use base surface, raised card, inner card, faint border, soft shadow, and optional gradient.	Hierarchy is created through layers instead of excessive color.
Blueprint restriction	#007ACC and related dark blueprint values appear only in system, architecture, technical, product-flow, or engineering modules.	Blue remains a controlled execution palette, not a replacement brand palette.
Readable density	Body text keeps 11px minimum in documents and 14-18px web sizes with generous line height.	Complex technical content remains readable across breakpoints.

3. Primary monochrome palette - dark values A

The palette below contains explicit HEX values found in the website repository. No unused monochrome values are introduced in this table.

Token	HEX	RGB	sRGB 0-1	HSL	CMYK	Usage
Route Black	#050505	5, 5, 5	0.0196, 0.0196, 0.0196	0°, 0%, 2%	0, 0, 0, 98	Route frame background, dark page base, overlay gradient stop.
Near Black	#080808	8, 8, 8	0.0314, 0.0314, 0.0314	0°, 0%, 3%	0, 0, 0, 97	Page shell background, route overlay gradient stop, browser theme color.
Root Ink	#0A0A0A	10, 10, 10	0.0392, 0.0392, 0.0392	0°, 0%, 4%	0, 0, 0, 96	Root foreground color in global CSS.
Dark Gradient	#0B0B0B	11, 11, 11	0.0431, 0.0431, 0.0431	0°, 0%, 4%	0, 0, 0, 96	Dark page gradients and floating action surfaces.
Deep Surface	#0D0D0D	13, 13, 13	0.0510, 0.0510, 0.0510	0°, 0%, 5%	0, 0, 0, 95	Dark gradients and transition stops.

4. Primary monochrome palette - dark values B

These repository-derived dark values support panels, hover states, diagrams, gradients, and CTA backgrounds.

Token	HEX	RGB	sRGB 0-1	HSL	CMYK	Usage
Primary Ink	#111111	17, 17, 17	0.0667, 0.0667, 0.0667	0°, 0%, 7%	0, 0, 0, 93	Primary text on light surfaces and dark CTA backgrounds.
Panel Charcoal	#141414	20, 20, 20	0.0784, 0.0784, 0.0784	0°, 0%, 8%	0, 0, 0, 92	Raised dark cards and dark panels.
Panel Raise	#171717	23, 23, 23	0.0902, 0.0902, 0.0902	0°, 0%, 9%	0, 0, 0, 91	Hover surfaces, CTA backgrounds, inner panels.
Panel Hover	#1C1C1C	28, 28, 28	0.1098, 0.1098, 0.1098	0°, 0%, 11%	0, 0, 0, 89	Dark-card hover background.
Dark Node	#070707	7, 7, 7	0.0275, 0.0275, 0.0275	0°, 0%, 3%	0, 0, 0, 97	Dark diagram labels and company page background.

5. Primary monochrome palette - light values A

These repository-derived light values support text, surfaces, legal panels, and restrained light gradients.

Token	HEX	RGB	sRGB 0-1	HSL	CMYK	Usage
Soft White	#F8F8F8	248, 248, 248	0.9725, 0.9725, 0.9725	0°, 0%, 97%	0, 0, 0, 3	Primary text on dark surfaces and light CTA surface.
Pure White	#FFFFFF	255, 255, 255	1.0000, 1.0000, 1.0000	0°, 0%, 100%	0, 0, 0, 0	White surfaces, navigation background, text on dark blue/dark panels.
Soft Page	#FAFAFA	250, 250, 250	0.9804, 0.9804, 0.9804	0°, 0%, 98%	0, 0, 0, 2	Legal/content panel background and light gradient stop.
Light Panel	#F7F7F7	247, 247, 247	0.9686, 0.9686, 0.9686	0°, 0%, 97%	0, 0, 0, 3	Light gradient start used in pages.
Light Surface	#F5F5F5	245, 245, 245	0.9608, 0.9608, 0.9608	0°, 0%, 96%	0, 0, 0, 4	Selection and subtle glow source.

6. Primary monochrome palette - light values B

These repository-derived neutral values complete the website monochrome set. External sub-sites should reuse these values before adding new neutrals.

Token	HEX	RGB	sRGB 0-1	HSL	CMYK	Usage
Neutral Line	#D4D4D4	212, 212, 212	0.8314, 0.8314, 0.8314	0°, 0%, 83%	0, 0, 0, 17	Legal/content borders and dividers.
Neutral Surface	#E8E8E8	232, 232, 232	0.9098, 0.9098, 0.9098	0°, 0%, 91%	0, 0, 0, 9	Light gradient stop.
Neutral Surface 2	#EEEEEE	238, 238, 238	0.9333, 0.9333, 0.9333	0°, 0%, 93%	0, 0, 0, 7	Light gradient stop.
Neutral Surface 3	#E5E5E5	229, 229, 229	0.8980, 0.8980, 0.8980	0°, 0%, 90%	0, 0, 0, 10	Light gradient stop.
Muted Neutral	#737373	115, 115, 115	0.4510, 0.4510, 0.4510	0°, 0%, 45%	0, 0, 0, 55	Muted note border and fallback gray.

7. Blueprint execution palette

The blueprint palette is intentionally limited to Blueprint 950, 900, 800, 700, and 600. Lighter blueprint shades are removed from the design system and must not be used as tokenized colors.

Token	HEX	RGB	sRGB 0-1	HSL	CMYK	Usage
Blueprint 950	#001E33	0, 30, 51	0.0000, 0.1176, 0.2000	205°, 100%, 10%	100, 41, 0, 80	Deep technical background, large blueprint sections, architecture pages.
Blueprint 900	#003A61	0, 58, 97	0.0000, 0.2275, 0.3804	204°, 100%, 19%	100, 40, 0, 62	Dark blueprint panels and nested system cards.
Blueprint 800	#005A99	0, 90, 153	0.0000, 0.3529, 0.6000	205°, 100%, 30%	100, 41, 0, 40	High-depth blueprint panel background and gradient pair.
Blueprint 700	#007ACC	0, 122, 204	0.0000, 0.4784, 0.8000	204°, 100%, 40%	100, 40, 0, 20	Primary client-approved blueprint blue and main technical section color.
Blueprint 600	#148DDB	20, 141, 219	0.0784, 0.5529, 0.8588	204°, 83%, 47%	91, 36, 0, 14	Accent-only state color: hovers, active indicators, node outlines, small UI emphasis.

8. Blueprint foreground and contrast rules

Background token	HEX	Primary text	Secondary text	White contrast	Rule
Blueprint 950	#001E33	#FFFFFF	#F8F8F8	17.02:1	Acceptable as full section or card background with high-contrast white foreground.
Blueprint 900	#003A61	#FFFFFF	#F8F8F8	11.81:1	Acceptable as full section or card background with high-contrast white foreground.
Blueprint 800	#005A99	#FFFFFF	#F8F8F8	7.19:1	Acceptable as full section or card background with high-contrast white foreground.
Blueprint 700	#007ACC	#FFFFFF	#FFFFFF only for body; #F8F8F8 only for large/bold text if required	4.51:1	Acceptable as full section background with white text and 1px white-opacity linework.
Blueprint 600	#148DDB	#050505 or #111111	Do not use as body-text background	3.58:1	Accent-only. White text fails normal-body contrast; use for lines, hovers, node accents, and small UI states.

9. Typography audit and source links

The current repository uses a single active body stack from global CSS. A display stack is configured in Tailwind and available for future use, but no active font-display class was found during source review.

Font name	Repository status	Source link	Developer condition
SF Pro Text	Active primary in :root and font-sans stack	https://developer.apple.com/fonts/	Use through platform availability. Do not bundle without license review.
Inter	Active imported fallback and document font	https://fonts.google.com/specimen/Inter	Use as cross-platform web fallback and documentation font.
SF Pro Display	Configured in Tailwind display stack	https://developer.apple.com/fonts/	Available for future display usage where platform font is present.
Manrope	Imported and configured display fallback	https://fonts.google.com/specimen/Manrope	Use only if display stack is intentionally activated.
ui-sans-serif / system-ui / sans-serif	Configured fallback values	Platform fallback	Use as final fallback only.

10. Typography implementation hierarchy

Element	Mobile	Tablet	Desktop	Line height	Tracking	Weight
Hero H1	36-48px	48-60px	56-72px	1.05-1.12	-0.05em to -0.06em	500
Page H1	40-48px	48-56px	60-72px	1.05-1.10	-0.05em	500
Section H2	30-36px	36-40px	36-44px	1.10	-0.04em	500
Card title	18-22px	20-24px	20-26px	1.20	-0.02em	600
Body large	16px	17px	18px	1.65-1.80	0	300-400
Body standard	14-16px	15-16px	16px	1.60-1.75	0	400
Navigation	15px mobile	13px desktop	13px desktop	1.20	0.025em	600
Eyebrow	10-12px	10-12px	10-12px	1.20	0.16-0.32em	600

11. Shape language and radius tokens

Rounded geometry is treated as a repeatable token system. Larger surfaces use larger radius values; interactive controls use pill radius when the shape is CTA-like.

Token	Radius	Tailwind class	Recommended use
xs	8px	rounded-lg	Legal panels and small utility surfaces.
sm	12px	rounded-xl	Compact badges and inline surfaces.
md	16px	rounded-2xl	Mobile nav items, icon holders, compact cards.
lg	21.6px	rounded-[1.35rem]	Compact statistic cards.
xl	24px	rounded-[1.5rem]	Inner panels and expanded accordion bodies.
2xl	28px	rounded-[1.75rem]	Product, resource, and feature cards.
3xl	32px	rounded-[2rem]	Major section cards and accordion shells.
4xl	36px	rounded-[2.25rem]	Large visual devices and diagram frames.
5xl	40px	rounded-[2.5rem]	Wide CTA panels and hero devices.
pill	9999px	rounded-full	Buttons, CTAs, badges, icon dots, social links.

12. Responsive layout framework

Viewport range	Breakpoint	Layout behavior	Container and placement rule
320-639px	base	Single-column stack. Mobile menu overlay. Cards collapse.	px-5 or px-6. Section py-16 to py-20. No horizontal overflow.
640-767px	sm	Small multi-column grids only where card text remains short.	sm:p-6 or sm:p-8. Use 2 columns for short cards.
768-1023px	md	Two-column content grids and larger heading steps.	md:px-6. Use md:grid-cols-2/3 when card density allows.
1024-1279px	lg	Desktop nav and ratio-based hero compositions activate.	lg:px-8. Use max-w-6xl or max-w-7xl. Apply 5:3 or 8:5 visual/content splits.
1280-1535px	xl	More columns allowed, but whitespace remains intentional.	Keep max-w-7xl. Avoid uncontrolled full-width text blocks.
1536px+	2xl	Large screens retain capped content width.	Preserve 1152-1280px content systems and centered containers.

13. Icon and reference links

Asset	Status	Source URL	Rule
Lucide React	Current repository dependency	https://lucide.dev/guide/react	Current implementation-compatible icon library. Maintain 1.35-1.55 stroke width.
Untitled UI free icons	Preferred external icon source	https://www.untitledui.com/free-icons	Use for future sub-site handoff when icon replacement or expansion is required.
Adaptive layout reference	External reference	https://developer.apple.com/design/human-interface-guidelines/layout	Use as background reference only; no direct brand wording required.
Typography reference	External reference	https://developer.apple.com/design/human-interface-guidelines/typography	Use as background reference only; no direct brand wording required.
Color reference	External reference	https://developer.apple.com/design/human-interface-guidelines/color	Use as background reference only; no direct brand wording required.