



Quinfosys Interaction & Component Rules

Navigation, buttons, cards, accordions, transitions, responsive states, accessibility, and footer standards.

Document 02 · Quinfosys Developer-Facing Design Framework · Version 1.1

1. Framework scope

Component behavior is defined as a reusable implementation grammar for Quinfosys sites. Rules cover visual state, motion, responsive placement, keyboard access, and scalable duplication across product or service sub-sites.

- Interactive elements must maintain visible, consistent, and non-aggressive state changes.
- Motion must support hierarchy and orientation without becoming decorative noise.
- All touch controls must remain usable at mobile breakpoints.
- Components must be reusable without page-specific assumptions.

2. Component principles

Principle	Implementation rule	Quality check
Calm motion	Use 160-500ms transitions for component states and 900-1250ms for route overlay reveal only.	Motion supports hierarchy without dominating content.
Touch-ready surfaces	Interactive elements maintain at least 44px height or width on touch breakpoints.	Mobile CTAs, nav items, and icon buttons remain usable.
Visible hierarchy	Buttons, active links, and expanded panels show distinct color, border, shadow, or transform states.	Interactive affordance remains discoverable.
Reduced motion support	Respect prefers-reduced-motion and reduce animation duration to near-zero.	Accessibility behavior matches global CSS pattern.
Consistent stroke language	Line icons use 1.35-1.55 stroke width and 20-24px common sizes.	Iconography remains compatible across pages.

3. Navigation system

Element	Desktop rule	Mobile rule
Header shell	fixed top: 0; height: 64px; z-index: 90; background #FFFFFF; border-bottom rgba(0,0,0,0.10).	Same shell; menu control visible below lg only.
Logo	Height 32-36px; left aligned inside max-w-7xl container; gap 12px.	Height 32-36px; remains visible while menu is open.
Nav links	Visible at lg and above; 13px semibold; 32px gap; zinc-500 default; black hover/active.	Full-screen overlay from top 64px; stacked links with 16px radius and 20px horizontal padding.
Contact CTA	#111111 pill; #FFFFFF text; 13px semibold; px 20px; py 8px; hover lift.	Block pill at overlay bottom; 14px semibold; py 16px; background scroll locked.
Keyboard	Normal tab order with visible focus state.	Escape closes menu; aria-expanded reflects state.

4. Button and CTA rules

Variant	Visual token	Interaction token	Use
Primary dark	#111111 background; #FFFFFF text; rounded-full; soft black shadow.	300ms; hover translateY(-2px); stronger shadow; active scale 0.98.	Primary contact, consultation, submit, product CTA.
Primary light	#FFFFFF or #F8F8F8 background; #050505 text; rounded-full.	300ms; hover translateY(-2px); optional border shift.	CTA on dark and blueprint sections.
Secondary dark	Transparent or #050505/65; border white/7-20%; text slate-100.	Hover border white/20; hover translateY(-2px).	Secondary actions near primary CTA.
Blueprint CTA	#FFFFFF background on Blueprint 950-700; #005A99 or #050505 text.	200-300ms; hover border white/30; avoid Blueprint 600 background for body text.	Technical blueprint sections only.
Icon button	44x44px; rounded-full; 1px border; icon 20px.	Active scale 0.95; hover background shift; focus ring visible.	Mobile menu, social links, scroll-to-top.

5. Card and surface rules

Surface type	CSS/Tailwind pattern	Hover or expanded state
Dark feature card	rounded-[1.75rem]; border-white/[0.07]; bg-[#141414]/55; p-5; soft black shadow.	Hover border slate-400/25; hover bg-[#1c1c1c]/62.
Large dark section card	rounded-[2rem]; border-white/[0.07]; bg-[#141414]/55; p-6 to p-12; backdrop blur.	Hover border slate-400/25; hover bg-[#171717]/70.
Inner dark panel	rounded-[1.5rem]; border-white/[0.07]; bg-[#050505]/65 to /88; p-6.	Stable detail container; no lift required.
Light accordion shell	rounded-[2rem]; border-black/10; bg-white; shadow-sm; overflow-hidden.	Open icon rotation 180deg; body under top border.
Legal/content panel	rounded-lg; bg-[#fafafa]; border-[#d4d4d4]; shadow-md; p-4 to p-8.	Static content; avoid excessive motion.

6. Accordion and expandable sections

Pattern	Required behavior	Developer token
Native details accordion	Summary row toggles disclosure; browser marker hidden; chevron rotates on open.	summary::-webkit-details-marker { display: none; }
State-driven expansion	Use grid-template-rows 0fr to 1fr for smooth height animation.	transition-[grid-template-rows] duration-500 ease-[cubic-bezier(0.16,1,0.3,1)]
Content spacing	Expanded body uses top border, pt 8, pb 8-10, and 24px-radius nested panels.	border-t border-white/[0.07]; px-6 sm:px-8 lg:px-10
Icon state	Chevron or arrow uses 20px size, 1.5 stroke, 300ms transform.	h-5 w-5 transition-transform duration-300

7. Route transitions and motion timing

Motion item	Duration	Easing	Behavior
Route cover	280ms	cubic-bezier(0.22,1,0.36,1)	Overlay opacity moves from 0 to 1 before route content swaps.
Route reveal	1000ms	cubic-bezier(0.16,1,0.3,1)	Overlay fades away after content swap.
Soft sheen	1150ms	cubic-bezier(0.16,1,0.3,1)	Faint diagonal highlight passes across overlay.
Mobile menu	300-500ms	ease-out or cubic-bezier(0.16,1,0.3,1)	Backdrop and stacked links fade or translate.
Component hover	200-300ms	ease-out	Border, background, shadow, and small transform shift.
Reduced motion	0.001ms	media query forced	Animations and transitions are effectively disabled.

8. Blueprint interaction rules

Element	Allowed blue usage	Foreground and state rule
Blueprint section background	Blueprint 950, 900, 800, or 700 only.	#FFFFFF text. Body copy uses #FFFFFF on Blueprint 700. #F8F8F8 allowed only on 950-800.
Blueprint 600	Accent-only. No large text background.	Use for hover lines, active borders, small node rings, and non-critical accents.
Linework	White-opacity lines only: rgba(255,255,255,0.18-0.38).	No lighter blue tokens. No lighter blueprint tokens.
CTA	#FFFFFF pill on dark blue background.	CTA text #005A99 or #050505. Hover may use border opacity, not new blue tokens.
Diagram node	#FFFFFF fill with white-opacity halo.	Active ring may use Blueprint 600. Label text remains #FFFFFF.

9. Footer and accessibility rules

Area	Website rule	Document rule
Footer layout	White background, slate text, top border, max-w-7xl grid on desktop.	Centered footer only; no document header text.
Brand statement	Logo, description, contact details, social links, navigation columns.	Designed by DevReCon · Page X.
Focus visibility	Every anchor, button, accordion summary, and menu trigger has visible focus treatment.	No interactive controls in final DOCX.
Tap target	Touch targets must be at least 44px high or wide.	Not applicable to DOCX.
Contrast	#FFFFFF or #F8F8F8 on dark surfaces; #FFFFFF required on #007ACC body sections.	All document text remains minimum 11pt.

10. Iconography links

Icon source	Status	Usage rule	URL
Lucide React	Current repository dependency	Acceptable continuation when stroke width and shape style remain consistent.	https://lucide.dev/guide/react
Untitled UI free icons	Preferred source for future expansion	Use line style or exported SVG/React assets for sub-site consistency.	https://www.untitledui.com/free-icons