

MaxRetryError at /moloch/sessions

HTTPConnectionPool(host='localhost', port=8005): Max retries exceeded with url: /sessions (Caused by NewConnectionError('<urllib3.connection.HTTPConnection object at 0x7fd7499be6d8>: Failed to establish a new connection: [Errno 111] Connection refused'))

Request Method: GET

Request URL: https://xx/moloch/sessions

Django Version: 2.2.24

Exception Type: MaxRetryError

Exception Value: HTTPConnectionPool(host='localhost', port=8005): Max retries exceeded with url: establish a new connection: [Errno 111] Connection refused'))

Exception Location: /usr/share/python/scirius/lib/python3.7/site-packages/urllib3/util/retry.py in incr

Python Executable: /usr/bin/python3

Python Version: 3.7.3

Python Path: ['/usr/share/python/scirius/lib/python3.7/site-packages', '/usr/share/python/scirius/lib/python3.7/site-packages/git/ext/gitdb', '/usr/bin', '/usr/lib/python37.zip', '/usr/lib/python3.7', '/usr/lib/python3.7/lib-dynload', '/usr/local/lib/python3.7/dist-packages', '/usr/lib/python3/dist-packages', '/usr/share/python/scirius/lib/python3.7/site-packages/gitdb/ext/smmap']

Server time: Fri, 17 Sep 2021 16:20:45 +0000

Traceback [Switch to copy-and-paste view](#)

- /usr/share/python/scirius/lib/python3.7/site-packages/urllib3/connection.py in _new_conn
170. (self._dns_host, self.port), self.timeout,
**extra_kw
...
 - [Local vars](#)
- /usr/share/python/scirius/lib/python3.7/site-packages/urllib3/util/connection.py in create_connection
170. raise err
...
 - [Local vars](#)
- /usr/share/python/scirius/lib/python3.7/site-packages/urllib3/util/connection.py in create_connection
170. sock.connect(sa)
...
 - [Local vars](#)

- **During handling of the above exception ([Errno 111] Connection refused), another exception occurred:**

- /usr/share/python/scirius/lib/python3.7/site-packages/urllib3/connectionpool.py in urlopen

```

170.             chunked=chunked,
...
• ▶ Local vars
• /usr/share/python/scirius/lib/python3.7/site-
  packages/urllib3/connectionpool.py in _make_request
  170.                 conn.request(method, url, **httplib_request_kw)
...
• ▶ Local vars
• /usr/share/python/scirius/lib/python3.7/site-packages/urllib3/connection.py in request
  170.         super(HTTPConnection, self).request(method, url,
  body=body, headers=headers)
...
• ▶ Local vars
• /usr/lib/python3.7/http/client.py in request
  170.         self._send_request(method, url, body, headers,
  encode_chunked)
...
• ▶ Local vars
• /usr/lib/python3.7/http/client.py in _send_request
  170.             self.endheaders(body, encode_chunked=encode_chunked)
...
• ▶ Local vars
• /usr/lib/python3.7/http/client.py in endheaders
  170.             self._send_output(message_body,
  encode_chunked=encode_chunked)
...
• ▶ Local vars
• /usr/lib/python3.7/http/client.py in _send_output
  170.             self.send(msg)
...
• ▶ Local vars
• /usr/lib/python3.7/http/client.py in send
  170.             self.connect()
...
• ▶ Local vars
• /usr/share/python/scirius/lib/python3.7/site-packages/urllib3/connection.py in connect
  170.             conn = self._new_conn()
...
• ▶ Local vars
• /usr/share/python/scirius/lib/python3.7/site-
  packages/urllib3/connection.py in _new_conn
  170.             self, "Failed to establish a new connection: %s"
  % e
...
• ▶ Local vars

```

- During handling of the above exception (`<urllib3.connection.HTTPConnection object at 0x7fd7499be6d8>`: Failed to establish a new connection: [Errno 111] Connection refused), another exception occurred:
- /usr/share/python/scirius/lib/python3.7/site-
 packages/django/core/handlers/exception.py in inner

```
    170.             response = get_response(request)
    ...
• ▶ Local vars
• /usr/share/python/scirius/lib/python3.7/site-
  packages/django/core/handlers/base.py in _get_response
    170.             response =
        self.process_exception_by_middleware(e, request)
    ...
• ▶ Local vars
• /usr/share/python/scirius/lib/python3.7/site-
  packages/django/core/handlers/base.py in _get_response
    170.             response = wrapped_callback(request,
        *callback_args, **callback_kwargs)
    ...
• ▶ Local vars
• /usr/share/python/scirius/lib/python3.7/site-
  packages/django/views/generic/base.py in view
    170.             return self.dispatch(request, *args, **kwargs)
    ...
• ▶ Local vars
• /usr/share/python/scirius/lib/python3.7/site-packages/revproxy/views.py in dispatch
    170.             proxy_response = self._created_proxy_response(request,
        path)
    ...
• ▶ Local vars
• /usr/share/python/scirius/lib/python3.7/site-
  packages/revproxy/views.py in _created_proxy_response
    170.             preload_content=False)
    ...
• ▶ Local vars
• /usr/share/python/scirius/lib/python3.7/site-
  packages/urllib3/poolmanager.py in urlopen
    170.             response = conn.urlopen(method, u.request_uri, **kw)
    ...
• ▶ Local vars
• /usr/share/python/scirius/lib/python3.7/site-
  packages/urllib3/connectionpool.py in urlopen
    170.             **response_kw
    ...
• ▶ Local vars
• /usr/share/python/scirius/lib/python3.7/site-
  packages/urllib3/connectionpool.py in urlopen
    170.             **response_kw
    ...
• ▶ Local vars
• /usr/share/python/scirius/lib/python3.7/site-
  packages/urllib3/connectionpool.py in urlopen
    170.             **response_kw
    ...
• ▶ Local vars
• /usr/share/python/scirius/lib/python3.7/site-
  packages/urllib3/connectionpool.py in urlopen
    170.                 method, url, error=e, _pool=self,
        _stacktrace=sys.exc_info()[2]
```

```

...
• ▶ Local vars
• /usr/share/python/scirius/lib/python3.7/site-
  packages/urllib3/util/retry.py in increment
    170.             raise MaxRetryError(_pool, url, error or
      ResponseError(cause))
...
• ▶ Local vars

```

Request information

USER

selks-user

GET

No GET data

POST

No POST data

FILES

No FILES data

COOKIES

Variable	Value
csrf_token	'NxG6dfppEp981nK6Zn560P05bcLGfsI5xveGSQBWCsinM1fbRwqBoZQ6VGb18mBk'
sessionid	'6dbrz95afwahzem2mxuxp30kgtmjph5d'

META

Variable	Value
CSRF_COOKIE	'NxG6dfppEp981nK6Zn560P05bcLGfsI5xveGSQBWCsinM1fbRwqBoZQ6VGb18mBk'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8'
HTTP_ACCEPT_ENCODING	'gzip, deflate, br'
HTTP_ACCEPT_LANGUAGE	'en-US,en;q=0.9'
HTTP_CONNECTION	'close'
HTTP_COOKIE	('csrf_token=NxG6dfppEp981nK6Zn560P05bcLGfsI5xveGSQBWCsinM1fbRwqBoZQ6VGb18mBk', 'sessionid=6dbrz95afwahzem2mxuxp30kgtmjph5d')
HTTP_HOST	'192.168.1.119'
HTTP_SEC_CH_UA	"Google Chrome";v="93", "Not;A Brand";v="99", "Chromium";v="93"
HTTP_SEC_CH_UA_MOBILE	'?0'
HTTP_SEC_CH_UA_PLATFORM	"Windows"
HTTP_SEC_FETCH_DEST	'document'
HTTP_SEC_FETCH_MODE	'navigate'
HTTP_SEC_FETCH_SITE	'none'
HTTP_SEC_FETCH_USER	'?1'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/93.0.4577.82 Safari/537.36')

Variable	Value
HTTP_X_FORWARDED_PROTO	'https'
PATH_INFO	'/moloch/sessions'
QUERY_STRING	''
RAW_URI	'/moloch/sessions'
REMOTE_ADDR	'127.0.0.1'
REMOTE_PORT	'53132'
REQUEST_METHOD	'GET'
SCRIPT_NAME	''
SERVER_NAME	'127.0.0.1'
SERVER_PORT	'8000'
SERVER_PROTOCOL	'HTTP/1.0'
SERVER_SOFTWARE	'gunicorn/19.9.0'
gunicorn.socket	<socket.socket fd=10, family=AddressFamily.AF_INET, type=
wsgi.errors	<gunicorn.http.wsgi.WSGIErrorsWrapper object at 0x7fd749
wsgi.file_wrapper	''
wsgi.input	<gunicorn.http.body.Body object at 0x7fd749990898>
wsgi.multiprocess	True
wsgi.multithread	False
wsgi.run_once	False
wsgi.url_scheme	'https'
wsgi.version	(1, 0)

Settings

Using settings module scirius.settings

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	[]
ALLOWED_HOSTS	['*']
APPEND_SLASH	True
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	['*****']
AUTH_USER_MODEL	'auth.User'
BASE_DIR	'/var/lib/scirius/'
CACHES	{'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache', 'LOCATION': 'my_cache_table'}}
CACHE_MIDDLEWARE_ALIAS	'default'
CACHE_MIDDLEWARE_KEY_PREFIX	*****
CACHE_MIDDLEWARE_SECONDS	600
CSP_DEFAULT_SRC	("'self'",)
CSP_EXCLUDE_URL_PREFIXES	('/evebox',)
CSP_INCLUDE_NONCE_IN	['script-src']
CSP_SCRIPT_SRC	("'self'", "'unsafe-inline'")

Setting	Value
CSP_STYLE_SRC	('"self"', "'unsafe-inline'")
CSRF_COOKIE_AGE	31449600
CSRF_COOKIE_DOMAIN	None
CSRF_COOKIE_HTTPONLY	False
CSRF_COOKIE_NAME	'csrftoken'
CSRF_COOKIE_PATH	'/'
CSRF_COOKIE_SAMESITE	'Lax'
CSRF_COOKIE_SECURE	False
CSRF_FAILURE_VIEW	'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME	'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS	[]
CSRF_USE_SESSIONS	False
CYBERCHEF_URL	'/static/cyberchef/'
DATABASES	{'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.sqlite3', 'HOST': '', 'NAME': '/var/lib/scirius/db/db.sqlite3', 'OPTIONS': {}, 'PASSWORD': '*****', 'PORT': '', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': ''}}}
DATABASE_ROUTERS	[]
DATA_UPLOAD_MAX_MEMORY_SIZE	2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS	1000
DATETIME_FORMAT	'N j, Y, P'
DATETIME_INPUT_FORMATS	['%Y-%m-%d %H:%M:%S', '%Y-%m-%d %H:%M:%S.%f', '%Y-%m-%d %H:%M', '%Y-%m-%d', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%Y', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%Y']
DATE_FORMAT	'N j, Y'
DATE_INPUT_FORMATS	['%Y-%m-%d', '%m/%d/%Y', '%m/%d/%Y', '%b %d %Y', '%b %d, %Y', '%d %b %Y', '%d %b, %Y', '%B %d %Y', '%B %d, %Y', '%d %B %Y', '%d %B, %Y']

Setting	Value
DBBACKUP_STORAGE	'%d %B, %Y']
DBBACKUP_STORAGE_OPTIONS	'dbbackup.storage.filesystem_storage'{ 'location': '/var/backups/'}
DEBUG	True
DEBUG_PROPAGATE_EXCEPTIONS	False
DECIMAL_SEPARATOR	'.'
DEFAULT_CHARSET	'utf-8'
DEFAULT_CONTENT_TYPE	'text/html'
DEFAULT_EXCEPTION_REPORTER_FILTER	'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE	'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL	'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE	''
DEFAULT_SOURCE_INDEX_URL	'https://www.openinfosecfoundation.org/rules/index'
DEFAULT_TABLESPACE	''
DISALLOWED_USER_AGENTS	[]
ELASTICSEARCH_ADDRESS	'localhost:9200'
ELASTICSEARCH_HOSTNAME	'host'
ELASTICSEARCH_KEYWORD	'*****'
ELASTICSEARCH_LOGSTASH_ALERT_INDEX	'logstash-alert-'
ELASTICSEARCH_LOGSTASH_INDEX	'logstash-'
ELASTICSEARCH_LOGSTASH_TIMESTAMPING	'daily'
ELASTICSEARCH_TIMESTAMP	'@timestamp'
ELASTICSEARCH_VERSION	7
EMAIL_BACKEND	'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST	'localhost'
EMAIL_HOST_PASSWORD	'*****'
EMAIL_HOST_USER	''
EMAIL_PORT	25
EMAIL_SSL_CERTFILE	None
EMAIL_SSL_KEYFILE	'*****'
EMAIL SUBJECT PREFIX	'[Django] '
EMAIL_TIMEOUT	None
EMAIL_USE_LOCALTIME	False
EMAIL_USE_SSL	False
EMAIL_USE_TLS	False
EVEBOX_ADDRESS	'localhost:5636'
FILE_CHARSET	'utf-8'
FILE_UPLOAD_DIRECTORY_PERMISSIONS	None
FILE_UPLOAD_HANDLERS	['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE	2621440
FILE_UPLOAD_PERMISSIONS	None

Setting	Value
FILE_UPLOAD_TEMP_DIR	None
FIRST_DAY_OF_WEEK	0
FIXTURE_DIRS	[]
FORCE_SCRIPT_NAME	None
FORMAT_MODULE_PATH	None
FORM_RENDERER	'django.forms.renderers.DjangoTemplates'
GIT_SOURCES_BASE_DIRECTORY	'/var/lib/scirius/git-sources/'
HAVE_NETINFO_AGG	False
IGNORABLE_404_URLS	[]
INFLUXDB_DATABASE	'scirius'
INFLUXDB_HOST	'localhost'
INFLUXDB_PASSWORD	'*****'
INFLUXDB_PORT	8086
INFLUXDB_USER	'grafana'
INSTALLED_APPS	('django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'django_tables2', 'bootstrap3', 'dbbackup', 'viz', 'rules', 'suricata', 'accounts', 'rest_framework', 'rest_framework.authtoken', 'django_filters', 'webpack_loader', 'revproxy')
INTERNAL_IPS	[]
IPWARE_PRIVATE_IP_PREFIX	()
KIBANA6_DASHBOARDS_PATH	'/opt/selks/kibana7-dashboards/'
KIBANA_ALLOW_GRAPHQL	True
KIBANA_DASHBOARDS_PATH	'/opt/kibana-dashboards/'
KIBANA_INDEX	'.kibana'
KIBANA_PROXY	True
KIBANA_URL	'http://localhost:5601'
KIBANA_VERSION	7
LANGUAGES	[('af', 'Afrikaans'), ('ar', 'Arabic'), ('ast', 'Asturian'), ('az', 'Azerbaijani'), ('bg', 'Bulgarian'), ('be', 'Belarusian'), ('bn', 'Bengali'), ('br', 'Breton'), ('bs', 'Bosnian'), ('ca', 'Catalan'), ('cs', 'Czech'), ('cy', 'Welsh'),

Setting	Value
	('da', 'Danish'), ('de', 'German'), ('dsb', 'Lower Sorbian'), ('el', 'Greek'), ('en', 'English'), ('en-au', 'Australian English'), ('en-gb', 'British English'), ('eo', 'Esperanto'), ('es', 'Spanish'), ('es-ar', 'Argentinian Spanish'), ('es-co', 'Colombian Spanish'), ('es-mx', 'Mexican Spanish'), ('es-ni', 'Nicaraguan Spanish'), ('es-ve', 'Venezuelan Spanish'), ('et', 'Estonian'), ('eu', 'Basque'), ('fa', 'Persian'), ('fi', 'Finnish'), ('fr', 'French'), ('fy', 'Frisian'), ('ga', 'Irish'), ('gd', 'Scottish Gaelic'), ('gl', 'Galician'), ('he', 'Hebrew'), ('hi', 'Hindi'), ('hr', 'Croatian'), ('hsb', 'Upper Sorbian'), ('hu', 'Hungarian'), ('hy', 'Armenian'), ('ia', 'Interlingua'), ('id', 'Indonesian'), ('io', 'Ido'), ('is', 'Icelandic'), ('it', 'Italian'), ('ja', 'Japanese'), ('ka', 'Georgian'), ('kab', 'Kabyle'), ('kk', 'Kazakh'), ('km', 'Khmer'), ('kn', 'Kannada'), ('ko', 'Korean'), ('lb', 'Luxembourgish'), ('lt', 'Lithuanian'), ('lv', 'Latvian'), ('mk', 'Macedonian'), ('ml', 'Malayalam'), ('mn', 'Mongolian'), ('mr', 'Marathi'), ('my', 'Burmese'), ('nb', 'Norwegian Bokmål'), ('ne', 'Nepali'), ('nl', 'Dutch'), ('nn', 'Norwegian Nynorsk'), ('os', 'Ossetic'), ('pa', 'Punjabi'), ('pl', 'Polish'), ('pt', 'Portuguese'), ('pt-br', 'Brazilian Portuguese'), ('ro', 'Romanian'), ('ru', 'Russian'), ('sk', 'Slovak'), ('sl', 'Slovenian'), ('sq', 'Albanian'), ('sr', 'Serbian'), ('sr-latin', 'Serbian Latin'), ('sv', 'Swedish'), ('sw', 'Swahili'),

Setting	Value
	('ta', 'Tamil'), ('te', 'Telugu'), ('th', 'Thai'), ('tr', 'Turkish'), ('tt', 'Tatar'), ('udm', 'Udmurt'), ('uk', 'Ukrainian'), ('ur', 'Urdu'), ('vi', 'Vietnamese'), ('zh-hans', 'Simplified Chinese'), ('zh-hant', 'Traditional Chinese'))]
LANGUAGES_BIDI	['he', 'ar', 'fa', 'ur']
LANGUAGE_CODE	'en-us'
LANGUAGE_COOKIE_AGE	None
LANGUAGE_COOKIE_DOMAIN	None
LANGUAGE_COOKIE_NAME	'django_language'
LANGUAGE_COOKIE_PATH	'/'
LOCALE_PATHS	[]
LOGGING	{'disable_existing_loggers': True, 'formatters': {'fileformat': {'format': '%(asctime)s %(message)s', 'raw': {'format': '%(asctime)s %(name)s %(levelname)s %(message)s'}}, 'handlers': {'elasticsearch': {'class': 'logging.handlers.FnLogstashHandler', 'filename': '/var/log/elasticsearch.log', 'formatter': 'raw', 'level': 'INFO'}}, 'loggers': {'elasticsearch': {'handlers': ['elasticsearch'], 'level': 'INFO', 'propagate': True}}}, 'version': 1} 'logging.config.dictConfig'
LOGGING_CONFIG	
LOGIN_REDIRECT_URL	'/accounts/profile/'
LOGIN_URL	'/accounts/login/'
LOGOUT_REDIRECT_URL	None
MANAGERS	[]
MEDIA_ROOT	''
MEDIA_URL	''
MESSAGE_STORAGE	'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE	['django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware', 'scirius.loginrequired.LoginRequiredMiddleware', 'scirius.utils.TimezoneMiddleware', 'csp.middleware.CSPMiddleware', 'django_cprofile.middleware.middleware.ProfilerMiddleware']
MIGRATION_MODULES	{}
MOLOCH_URL	'http://localhost:8005'
MONTH_DAY_FORMAT	'F j'
NUMBER_GROUPING	0

Setting	Value
PASSWORD_HASHERS	'*****'
PASSWORD_RESET_TIMEOUT_DAYS	'*****'
PREPEND_WWW	False
PROXY_PARAMS	{'http': 'http://proxy:3128', 'https': 'http://proxy:3128'}
REST_FRAMEWORK	{'DEFAULT_AUTHENTICATION_CLASSES': ('rest_framework.authentication.SessionAuthentication', 'rest_framework.authentication.TokenAuthentication'), 'DEFAULT_FILTER_BACKENDS': ('django_filters.rest_framework.backends.DjangoFilterBackend', 'rest_framework.filters.OrderingFilter', 'rest_framework.filters.SearchFilter'), 'DEFAULT_PAGINATION_CLASS': 'rest_framework.pagination.PageNumberPagination', 'DEFAULT_PERMISSION_CLASSES': ('rules.rest_permissions.AllowAny',), 'PAGE_SIZE': 30}
ROOT_URLCONF	'scirius.urls'
RULESET_MIDDLEWARE	'suricata'
RULESET_TRANSFORMATIONS	(('reject', 'Reject'), ('drop', 'Drop'), ('filestoinspect', 'Filestoinspect'))
SCIRIUS_FLAVOR	'Scirius CE'
SCIRIUS_HAS_DOC	True
SCIRIUS_IN_SELKS	True
SCIRIUS_LONG_NAME	'Suricata Management'
SCIRIUS_VERSION	'3.7.0'
SECRET_KEY	'*****'
SECURE_BROWSER_XSS_FILTER	False
SECURE_CONTENT_TYPE_NOSNIFF	False
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	('HTTP_X_FORWARDED_PROTO', 'https')
SECURE_REDIRECT_EXEMPT	[]
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	'/'
SESSION_COOKIE_SAMESITE	'Lax'
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.PickleSerializer'

Setting	Value
SETTINGS_MODULE	'scirius.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
STATICFILES_DIRS	[]
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_AUTHENTICATED	False
STATIC_ROOT	'/var/lib/scirius/static/'
STATIC_URL	'/static/'
SURICATA_BINARY	'suricata'
SURICATA_NAME_IS_HOSTNAME	True
SURICATA_UNIX_SOCKET	None
TEMPLATES	[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': [], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug.debug_processor', 'django.template.context_processors.debug.request_processor', 'django.template.context_processors.i18n.locale_processor', 'django.template.context_processors.i18n.get_language_processor', 'django.template.context_processors.i18n.get_language_babel_processor', 'django.template.context_processors.tz.tz_processor', 'django.template.context_processors.media.media_processor', 'django.template.context_processors.static.static_processor', 'django.template.context_processors.request.request_processor']}}, {}]
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	', '
TIME_FORMAT	'P'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'UTC'
USE_CYBERCHEF	True
USE_ELASTICSEARCH	True
USE_EVEBOX	True
USE_I18N	True
USE_INFLUXDB	False
USE_KIBANA	True
USE_L10N	True
USE_LOGSTASH_STATS	True
USE_MOLOCH	True
USE_PROXY	False
USE_SURICATA_STATS	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	True
USE_X_FORWARDED_PORT	False
WEBPACK_LOADER	{'DEFAULT': {'BUNDLE_DIR_NAME': 'rules/static/bundles', 'CACHE': False, 'LOADERS': {'css': 'style-loader!css-loader?sourceMap'}}}

Setting	Value
WSGI_APPLICATION	'scirius.wsgi.application'
X_FRAME_OPTIONS	'SAMEORIGIN'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.