



Netherlands Food and Consumer
Product Safety Authority
*Ministry of Agriculture,
Nature and Food Quality*




HPAI in the Netherlands

HPAI in the Netherlands



first quarter of 2025



- > All three outbreaks where:
 - primary outbreaks
 - Laying hen farms
 - H5N1

Wild birds and infections in the high risk area's of the Netherlands

Wetlands



Timeline HPAI outbreaks

> 6 Oct Gastellernijeevensemond

Broiler farm 71.000 chickens distributed across 3 stables. 1 stable had clinical signs. Production decrease, Increase in death 0,9%, trachea and stickers.
Measures according 2016/429 and 2020/687

> 16 Oct National mandatory housing of poultry and sheltering of hobby flocks The sector and parliament have been informed about the high risk of the spread of HPAI

> 21 Oct Dodewaard

Rearing farm with 161.000 animals distributed across 3 stables. Typical clinical AI signs blue combs
Limp in one of the stables
22 oct confirmation H5
Measures according 2016/429 and 2020/687





> 24 Oct Hummelo

- > Hobby farm with 70 waterfowl, 20 chickens, 26 parakeets. Waterfowl neurological signs increase in death and one dead parakeet.

Measures according 2016/429 and 2020/687

> 27 Oct Toldijk

- Pheasant farm with 5.000 animals distributed across two stables
In one stable an increase of death animals approx. 400 animals.

Measures according 2016/429 and 2020/687

> 30 Oct Steenderen

- Hobby farm with 60 ornamental chickens, geese and ducks.
Sudden death of several chickens and geese. **31 Oct** confirmation of H5. Measures according 2016/429 and 2020/687

> 3 Nov Emmeloord

- Laying hen farm with 50.000 chickens distributed across 2 stables.
Started with reduction of feed intake and increase in death of H5. Measures according 2016/429 and 2020/687





> 7 Nov Drogeham

Laying hen farm with free-range chickens. With 119.000 animals
Distributed across 5 stables. In one stable an increase in death.
Measures according 2016/429 and 2020/687

> 10 Nov Swifterband

Laying hen farm with 48.000 animals distributed across two stables
In one stable an increase of death and hens with blue combs.
Measures according 2016/429 and 2020/687

> 10 Nov Bennekom

Poultry breeding company with a new couple of 20.000 animals
distributed across four stables. All stables an increase of dead
Animals, petechiae and red trachea.
Measures according 2016/429 and 2020/687
Transporter that delivered these animals on Friday C&S trucks.
After the weekend, these trucks went abroad.





> **13 Nov Assendelft**

Laying hen farm with free-range chickens. With 119.000 animals
Distributed across 5 stables. Chickens are lethargic, puffed up and have blue combs. Rapid mortality death. This company is a care farm that also keeps dairy cattle and pigs. All specious have been sampled. Cattle and pigs negative for Avian Influenza but on **14 Nov** poultry H5 Measures according 2016/429 and 2020/687

> **14 Nov Drogeham**

Laying hen farm with five stables with a total of 118.500 animals
In one stable first 4 dead animals next day 12 clinical signs peritonitis. Measures according 2016/429 and 2020/687

> **16 Nov Opende**

Broiler farm with 56.000 animals distributed across two stables.
Increase of the death at the end of one stable. Measures according 2016/429 and 2020/687

> **17 Nov Terschuur**

Chicken farm with 30.000 laying hens distributed across two stables and 30.000 breeding hens distributed across 4 stables. In one of the Laying hen stables an increase of dead animals. Manure from this company has been sent to a Member State as biofuel. MS has been informed. Measures according 2016/429 and 2020/687





Phylogenetic tree

- › Very small difference between the viruses from last year and this year
- › H5N1 Genotype DI 2,1
 - Is a subgenus type from the DI 2 from last year.
- › Very small differences in the viruses found in wild birds and on the farms.
- › Different in comparison with former years is the spread outside the wetlands
- › At present, there is no evidence that the virus has been spread by individuals or means.



HPAI in the wild

- > This year 272 wild birds with HPAI have been detected.
- > Also, one fox tested positive on HPAI



Thank you for your
attention!

Questions?