"Логин", "Пароль" fields and "Зарегистрироваться" button in "Регистрация" block.

PriorityBehaviorTypeLayer↑ HighPositiveFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

Tags

G9-26 Регистрация пользователя / User Registration

Steps to reproduce

Step 1

Action Go to http://example.com/login

Input data

Expected result The page http://example.com/login is opened



Step 2

Action Verify that the "Регистрация" block is on the login page.

Input data



Step 3

Action Verify that the "Логин" field in the "Регистрация" block.

Input data

Step

Action	Verify that the "Пароль" field in the "Регистрация" block.
Input data	
Expected result	The "Пароль" field is located in the "Регистрация" block.
Step	5
Action	Verify that the "Зарегистрироваться" button in the "Регистрация" block.
Input data	
Expected result	The "Зарегистрироваться" button is located in the "Регистрация" block.

Registration of a new user with valid data.

Priority Behavior Type Layer ↑ High Positive Not set Functional Is Flaky Milestone **Automation Status** Manual Actual No Is Muted

No

Tags

G9-26 Регистрация пользователя / User Registration

Steps to reproduce

Expected result

Step	1	
Action	Go to http://example.com/login	
Input data		
Expected result The page http://example.com/login is opened.		
	No.	

Step	2
Action	Input a valid username in the "Логин" field.
Input data	456
Expected result	The username is displayed in the "Логин" field without an error message.
Step	3
Action	Input a valid password in the "Пароль" field.
Input data	qwertyuiop1
Expected result	The password is displayed in the "Пароль" field without an error message.
Step	4
Action	Click the "Зарегистрироваться" button
Input data	

The user is registered without an error message

Registration of a new user with invalid username and password.

Priority	Behavior	Туре	Layer
↑ High	Negative	Functional	Not set
ls Flaky	Milestone	Automation	Status
No	-	Manual	Actual

Is Muted

No

Tags

G9-26 Регистрация пользователя / User Registration

Steps to reproduce

Step 1

Action Go to http://example.com/login

Input data

 $\begin{array}{l} \textbf{Expected}_{The~page}~\underline{\textbf{http://example.com/login}}~\text{is opened.} \\ \textbf{result} \end{array}$



Step 2

Action Input an invalid username in the "Логин" field.

Input ab

Expected The data entered into the field, and no error messages are displayed. result

Step 3

Action Input an invalid password in the "Пароль" field.

Input

data 12345678

Expected The data entered into the field, and no error messages are displayed. result

Step 4

Action	Click the "Зарегистрироваться" button		
Input data			

ExpectedThe error message: "The username must contain 3 to 15 characters and can include letters, numbers, and symbol result s: _. The password must be at least 8 characters long, including at least one letter and one number" is displayed



Registration of a new user with an empty password.

PriorityBehaviorTypeLayer↑ HighNegativeFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

Tags

G9-26 Регистрация пользователя / User Registration

Steps to reproduce

Step 1

Action Go to http://example.com/login

Input data

Expected result The page http://example.com/login is opened.



Step 2

Action Input a valid username in the "Логин" field.

Input data 123456789101112

Expected result
The username is displayed in the "Логин" field without an error message.

Step 3

Action Input empty password in the "Пароль" field.

Input data empty password

Expected result Empty password is displayed in the "Пароль" field without an error message.

Step 4

Action Click the "Зарегистрироваться" button

Input data



Registration of a previously registered user.

Priority Behavior Type Layer ↑ High Negative **Functional** Not set Is Flaky Milestone **Automation Status** Manual Actual No Is Muted

Tags

No

G9-26 Регистрация пользователя / User Registration

Steps to reproduce

Step	1
Action	Go to http://example.com/login
Input data	
Expected result	The page http://example.com/login is opened.
	The state was also as a second of the state

Step	2
Action	Input a previously registered username in the "Логин" field.
Input data	123
Expected result	The username is displayed in the "Логин" field without an error message.
Step	3
Action	Input a previously registered password in the "Пароль" field.
Input data	qwertyuiop1
Expected result	The password is displayed in the "Пароль" field without an error message.
Step	4
Action	Click the "Зарегистрироваться" button
Input data	
Expected result	The error message: "An error occurred while processing the request" is displayed



"Логин", "Пароль" fields and "Войти" button in "Вход" block.

Behavior Priority Type Layer Positive ↑ High **Functional** Not set Is Flaky Milestone **Automation Status** Manual Actual No Is Muted

No

Tags

G9-27 Вход в систему / User Login

Steps to reproduce

steps to reproduce	
Step	1
Action	Go to http://example.com/login
Input data	
Expected result	The page http://example.com/login is opened
	FOR ANY PARTY OF THE PARTY OF T
Step	2
Action	Verify that the "Вход" block is on the login page.
Input data	
Expected result	The "Вход" block is displayed on the login page.
	Rates Bixod Bone:

3 Step

Action Verify that the "Логин" field in the "Вход" block.

Input data

Expected result The "Логин" field is located in the "Вход" block.

4

Step

Action	Verify that the "Пароль" field in the "Вход" block.
Input data	
Expected result	The "Пароль" field is located in the "Вход" block.
Step	5
Action	Verify that the "Войти" button in the "Вход" block.
Input data	
Expected result	The "Войти" button is located in the "Вход" block.

Login of a registered user with correct data.

Priority Behavior Type Layer **†** High Positive **Functional** Not set Milestone **Automation** Is Flaky **Status** Manual Actual No Is Muted No

Tags

G9-27 Вход в систему / User Login

Steps to reproduce

Step 1

Action Go to http://example.com/login

Input data

Expected result The page http://example.com/login is opened.



Step 2

Action Input a correct username in the "Логин" field.

Input data 456

Step 3

Action Input a correct password in the "Пароль" field.

Input data qwertyuiop1

Expected result The password is displayed in the "Пароль" field without an error message.

Step 4

Action Click the "Войти" button

Input data

Expected result Login to the system for an existing user and redirect to the main page.



Login of a registered user with correct login and incorrect password.

PriorityBehaviorTypeLayer↑ HighNegativeFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

Tags

G9-27 Вход в систему / User Login

Steps to reproduce

Step 1

Action Go to http://example.com/login

Input data

Expected result The page http://example.com/login is opened.



Step 2

Action Input a correct username in the "Логин" field.

Input data 456

Step 3

Action Input a incorrect password in the "Пароль" field.

Input data 12345678a

Step 4

Action Click the "Войти" button

Input data

Expected result

The error message: "Incorrect username or password" is displayed.



Access to the "Корзина", "Оплата" and "История заказов" pages for unauthorized users.

PriorityBehaviorTypeLayer↑ HighNegativeFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

Pre-conditions

The user is not authorized in the system.

Tags

G9-31 Проверка авторизации перед доступом к функциональности / Authorization Check before Accessing Functionality

Steps to reproduce

Step 1

Action Go to http://example.com/

Input data

Expected result The main page http://example.com/ is opened.



Step 2

Action Click on the "Корзина" button in the top menu.

Input data

Expected result An error message indicating the need for authorization is displayed, with a link to the login page.



Step 3

Action Click on the "Оплата" button in the top menu.

Input data

Expected result An error message indicating the need for authorization is displayed, with a link to the login page.



Step 4

Action Click on the "История заказов" button in the top menu.

Input data

Expected result An error message indicating the need for authorization is displayed, with a link to the login page.



Logging out of the system after clicking the "Выйти" button.

Priority	Behavior	Туре	Layer
↑ High	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	_	Manual	Actual

Is Muted

No

Pre-conditions

The user is logged into the system.

Tags

G-28 Выход из системы / User Logout

Steps to reproduce

Step	1
Action	Go to http://example.com/
Input data	
Expected result	The main page http://example.com/ is opened
	Киталог О компании ИН Сортировка: От А до Z
Step	2
Action	Click the "Выйти" button.

The user logs out of the system. The "Выйти" button changes to the "Войти" button. The user is redirected to t



he login page or the main page.

Input data

Expected

result

The product card includes basic information about the product.

Priority	Behavior	Туре	Layer
↑ High	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Manual	Actual
1 - 84 - 4 - 4			

Is Muted

No

Tags

G9-9 Просмотр списка товаров и деталей продукта / Viewing the product list and product details

Steps to reproduce

Step	1
Action	Go to http://example.com/
Input data	
Expected result	The main page http://example.com/ is opened
	Company of the compan
Step	2
Action	Verify that the product image is on the product card.
Input data	
Expected result	The product image is located on the product card.



Action Verify that the product tit	le is on the product card.
Lea Lalata	·
Input data	
Expected result	d on the product card.



Step 4

Action Verify that the product description is on the product card.

Input data



Step 5

Action Verify that the product price is on the product card.

Input data



Step 6

Action Verify that the product category is on the product card.

Input data



Step 7

Action Verify that the product manufacturer is on the product card.

Input data

Expected result The product manufacturer is located on the product card.



Step 8

Action Verify that free shipping information is on the product card.

Input data

Expected result Free shipping information is located on the product card.



9

Step

Action Verify that input field for the quantity is on the product card.

Input data

Expected result Input field for the quantity is located on the product card.



Step 10

Action Verify that the "Добавить в корзину" button is on the product card.

Input data



Pagination for the product catalog.

Priority Behavior Type Layer ↑ High Positive **Functional** Not set Is Flaky Milestone **Automation Status** Manual Actual No Is Muted

Tags

Step

No

G9-9 Просмотр списка товаров и деталей продукта / Viewing the product list and product details

Steps to reproduce

Step	1
Action	Go to http://example.com/
Input data	
Expected result	The main page http://example.com/ is opened
	To the second se
Step	2
Action	Verify that pagination elements are present on each page.
Input data	
Expected result	Pagination elements are displayed on each page.
Step	3
Action	Click on the pagination element for the next page.
Input data	
Expected result	The user is redirected to the new page.

Action	Verify number of products on the page.
Input data	
Expected result	Each page displays a fixed number of products (e.g., 6).

Sorting the product list by name and by price.

Priority Behavior Type Layer ↑ High Positive **Functional** Not set Is Flaky Milestone **Automation Status** Manual Actual No Is Muted

No

Tags

G9-10 Сортировка списка товаров / Sorting the product list

Steps to reproduce

Step 1

Go to http://example.com/ Action

Input data

Expected result The main page http://example.com/ is opened



Step 2

Action Select "от A до Z" from the dropdown in the "Сортировка" field.

Input data

The products on the page are displayed by name, sorted from A to Z. Expected result



3 Step

Action Select "от Z до A" from the dropdown in the "Сортировка" field.

Input data

Expected result The products on the page are displayed by name, sorted from Z to A.



Step 4

Action Select "Цена по возрастанию" from the dropdown in the "Сортировка" field.

Input data



Step 5

Action Select "Цена по убыванию" from the dropdown in the "Сортировка" field.

Input data



Product list filtration by free shipping.

PriorityBehaviorTypeLayer↑ HighPositiveFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

Tags

G9-11 Фильтрация списка товаров / Filtering the product list

Steps to reproduce

Step 1

Action Go to http://example.com/

Input data

Expected result The main page http://example.com/ is opened.



Step 2

Action Click on the "Бесплатная доставка" checkbox.

Input data



Step 3

Action Click on the "Применить фильтры" button

Input data

Expected result Products with free shipping are displayed on the page.

Step 4

Action	Click on the "Бесплатная доставка" checkbox.
Input data	
Expected result	The "Бесплатная доставка" checkbox is unchecked.
	Месс ципе Во менерия Во произволяти Соптитыва достама Тременной, фил. ун. Соптитыва достама
Step	5
Action	Click on the "Применить фильтры" button
Input data	
Expected result	Products with paid shipping and free shipping are displayed on the page.

Displaying the product list according to the selected filters.

Priority	Behavior	Туре	Layer
↑ High	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Manual	Actual
Is Muted			

No

Tags

G9-11 Фильтрация списка товаров / Filtering the product list

Steps to reproduce

Step	1
Action	Go to http://example.com/
Input data	
Expected result	The main page http://example.com/ is opened.
	For the second s
Step	2
Action	Enter data in the "Мин. цена" field.
Input data	
Expected result	The entered data is displayed in the field.



Step	3
Action	Enter data in the "Макс. цена" field.
Input data	500
Expected result	The entered data is displayed in the field.



	Giprorra densign
Step	4
Action	Select any options from the "Категория" dropdown list.
Input data	Laptops
Expected result	One option from the "Категория" dropdown list is selected.
	8 Sto Laptops Bos repossessarens Bos repossessarens Florensin-to-densign Cirporate densign
Step	5
Action	Select any options from the "Производители" dropdown list.
Input data	Samsung
Expected result	One option from the "Производители" dropdown list is selected.
	SSO Laptigs Samung Georgenhal (goztesia Tomenno-denigo Cigronn-denigo
Step	6

Action	Click on the "Бесплатная доставка" checkbox.
Input data	
Expected result	The "Бесплатная доставка" checkbox is checked.
	D Solution Servings Servings D Secondariess (Octobers Thermony develope Copyment develope

Step	7
Action	Click on the "Применить фильтры" button
Input data	
Expected result	The product list with free shipping is displayed on the page.



Reset all selected filters.

Priority	Behavior	Туре	Layer
↑ High	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status

Is Muted

No

Tags

G9-11 Фильтрация списка товаров / Filtering the product list

Steps to reproduce

Step 1

Action Go to http://example.com/

Input data

Expected result

The main page http://example.com/ is opened.



Step 2

Action Select any filters.

Input data "Мин. цена"=500, "Макс. цена"=1000, "Категория"=Watches, "Производители"=Хіаоті, "Бесплатная доставка" із checked.

Expected result

All filters are selected.



Step 3

Action Click on the "Применить фильтры" button.

Input data

Expected result

The product list is displayed on the page according to the selected filters.



Step 4

Action Click on the "Сбросить фильтры" button.

Input data

Expected result

The product list is displayed on the page without any selected filters.



Adding a product to cart for authorized users.

PriorityBehaviorTypeLayer↑ HighPositiveFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

Pre-conditions

The user is authorized in the system. Reset all filters on the main page.

Tags

G9-13 Добавление товара в корзину / Adding a product to the cart

Steps to reproduce

Step 1

Action Go to http://example.com/

Input data

Expected result The main page http://example.com/ is opened.



Step 2

Action Choose any product and click the "Добавить в корзину".

Input data "Name"=Apple Fit 10

Expected result The message "Товар добавлен в корзину" appears at the bottom of the page.



Step 3

Action Click on the "Корзина" button.

Input data

Expected result "Корзина" page is opened. The selected product is added to the "Корзина".



The quantity of the product is specified incorrectly.

PriorityBehaviorTypeLayer↑ HighNegativeFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

Pre-conditions

The user is authorized in the system. Reset all filters on the main page.

Tags

G9-13 Добавление товара в корзину / Adding a product to the cart

Steps to reproduce

Step 1

Action Go to http://example.com/

Input data

Expected result The main page http://example.com/ is opened.



Step 2

Action Choose any product and enter incorrect data in the spinner.

Input data Spinner=0



Adding a product to cart for unauthorized users.

Priority	Behavior	Туре	Layer
↑ High	Negative	Functional	Not set
Is Flaky	Milestone	Automation	Status

Is Muted

No

Pre-conditions

The user is not authorized in the system. Reset all filters on the main page.

Tags

G9-13 Добавление товара в корзину / Adding a product to the cart

Steps to reproduce

Expected result

Step	1
Action	Go to http://example.com/
Input data	
Expected result	The main page http://example.com/ is opened.
	The state of the s
Step	2
Action	Choose any product and click the "Добавить в корзину".
Input data	

The error message appears at the bottom of the page.



The cart's product quantity counter after adding items.

Priority	Behavior	Туре	Layer
↑ High	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Manual	Actual
le Muted			

Is Muted

No

Pre-conditions

The user is authorized in the system. Reset all filters on the main page.

Steps to reproduce

Step	1
Action	Go to http://example.com/
Input data	
Expected result	The main page http://example.com/ is opened.
	Manager Man

Step	2
Action	Choose any product, enter correct data in the spinner.
Input data	"Name"=Apple Fit 10, Spinner=100
Expected result	The correct number is displayed in the spinner.
	T WAY 2000 T WAY 2000 STORY OF THE PROPERTY

Step 3

Action Click the "Добавить в корзину".

Input data



Step 4

Action Pay attention to the cart's product quantity counter.

Input data

