## "Логин", "Пароль" fields and "Зарегистрироваться" button in "Регистрация" block.

PriorityBehaviorTypeLayer↑ HighPositiveFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

#### Tags

G9-26 Регистрация пользователя / User Registration

#### Steps to reproduce

Step 1

Action Go to <a href="https://qa.demoshopping.ru/login">https://qa.demoshopping.ru/login</a>

Input data

Expected result The page <a href="https://qa.demoshopping.ru/login">https://qa.demoshopping.ru/login</a> is opened



Step 2

Action Verify that the "Регистрация" block is on the login page.

Input data



Step 3

Action Verify that the "Логин" field in the "Регистрация" block.

Input data

Step 4

Action	Verify that the "Пароль" field in the "Регистрация" block.
Input data	
Expected result	The "Пароль" field is located in the "Регистрация" block.
Step	5
Action	Verify that the "Зарегистрироваться" button in the "Регистрация" block.
Input data	
Expected result	The "Зарегистрироваться" button is located in the "Регистрация" block.

# Registration of a new user with with invalid username and valid password.

PriorityBehaviorTypeLayer↑ HighNegativeFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

#### Tags

G9-26 Регистрация пользователя / User Registration

#### Steps to reproduce

Step 1

Action Go to <a href="https://qa.demoshopping.ru/login">https://qa.demoshopping.ru/login</a>

Input data

Expected result

The page <a href="https://qa.demoshopping.ru/login">https://qa.demoshopping.ru/login</a> is opened.



Step 2

Action Input a valid username in the "Логин" field.

Input data ty

Expected result

The username is displayed in the "Логин" field without an error message.

Step 3

Action Input a valid password in the "Пароль" field.

Input data qwertyuiop1

Expected result

The password is displayed in the "Пароль" field without an error message.

Step 4

Action Click the "Зарегистрироваться" button

### Input data

Expected result Error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символ ы: \_. " is appeared in Registration block.

## Registration of a new user with invalid username and password.

Priority	Behavior	Туре	Layer
<b>↑</b> High	Negative	Functional	Not set
ls Flaky	Milestone	Automation	Status
No	-	Manual	Actual

Is Muted

No

#### Tags

G9-26 Регистрация пользователя / User Registration

#### Steps to reproduce

Step 1

Action Go to <a href="https://qa.demoshopping.ru/login">https://qa.demoshopping.ru/login</a>

Input data

 $\label{eq:continuity} \textbf{Expected}_{\textbf{The page}} \, \underline{\textbf{https://qa.demoshopping.ru/login}} \, \text{is opened.}$  result



Step 2

Action Input an invalid username in the "Логин" field.

Input ab

Expected The data entered into the field, and no error messages are displayed. result

Step 3

Action Input an invalid password in the "Пароль" field.

Input 12345678 data

Expected The data entered into the field, and no error messages are displayed. result

Step 4

Action	Click the "Зарегистрироваться" button		
Input data			
Expecte result	od The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и симв олы: Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is disp layed		
	Page  Montagement resource of Tage 17 agreed of the second		

### Registration of a new user with an empty password.

**Priority Behavior** Type Layer ↑ High Not set Negative **Functional** Is Flaky Milestone **Automation Status** Actual No Manual

Is Muted

No

#### Tags

G9-26 Регистрация пользователя / User Registration

#### Steps to reproduce

Expected result

Step	1
Action	Go to https://qa.demoshopping.ru/login
Input data	
Expected result	The page <a href="https://qa.demoshopping.ru/login">https://qa.demoshopping.ru/login</a> is opened.
	Test and the late of the late

Step	2
Action	Input a valid username in the "Логин" field.
Input data	123456789101112
Expected result	The username is displayed in the "Логин" field without an error message.
Step	3
Action	Input empty password in the "Пароль" field.
Input data	empty password
Expected result	Empty password is displayed in the "Пароль" field without an error message.
Step	4
Action	Click the "Зарегистрироваться" button
Input data	

The error message: "Fill out this field" is displayed.



### Registration of a previously registered user.

PriorityBehaviorTypeLayer↑ HighNegativeFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

#### Tags

G9-26 Регистрация пользователя / User Registration

#### Steps to reproduce

Step 1

Action Go to <a href="https://qa.demoshopping.ru/login">https://qa.demoshopping.ru/login</a>

Input data

Expected result

The page <a href="https://qa.demoshopping.ru/login">https://qa.demoshopping.ru/login</a> is opened.



Step 2

Action Input a previously registered username in the "Логин" field.

Input data 123

Expected result

The username is displayed in the "Логин" field without an error message.

Step 3

Action Input a previously registered password in the "Пароль" field.

Input data qwertyuiop1

Expected result

The password is displayed in the "Пароль" field without an error message.

Step 4

Action Click the "Зарегистрироваться" button

Input data

## Expected result

The error message about creating a new account with username that already exists in the system, preventing f rom registering a duplicate account.

### "Логин", "Пароль" fields and "Войти" button in "Вход" block.

PriorityBehaviorTypeLayer↑ HighPositiveFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

#### Tags

G9-27 Вход в систему / User Login

#### Steps to reproduce

Step 1

Action Go to <a href="https://qa.demoshopping.ru/login">https://qa.demoshopping.ru/login</a>

Input data

Expected result The page <a href="https://qa.demoshopping.ru/login">https://qa.demoshopping.ru/login</a> is opened



Step 2

Action Verify that the "Вход" block is on the login page.

Input data

Expected result The "Bxog" block is displayed on the login page.



Step 3

Action Verify that the "Логин" field in the "Вход" block.

Input data

Expected result The "Логин" field is located in the "Вход" block.

Step

Action	Verify that the "Пароль" field in the "Вход" block.
Input data	
Expected result	The "Пароль" field is located in the "Вход" block.
Step	5
Action	Verify that the "Войти" button in the "Вход" block.
Input data	
Expected result	The "Войти" button is located in the "Вход" block.

## Login of a registered user with correct data.

**Priority Behavior** Type Layer ↑ High Positive **Functional** Not set Is Flaky Milestone **Automation Status** Manual Actual No Is Muted No

#### Tags

G9-27 Вход в систему / User Login

#### Steps to reproduce

**Expected result** 

Step	1
Action	Go to https://qa.demoshopping.ru/login
Input data	
Expected result	The page <a href="https://qa.demoshopping.ru/login">https://qa.demoshopping.ru/login</a> is opened.
	To the state of th

Step	2
Action	Input a correct username in the "Логин" field.
Input data	456
Expected result	The username is displayed in the "Логин" field without an error message.
Step	3
Action	Input a correct password in the "Пароль" field.
Input data	qwertyuiop1
Expected result	The password is displayed in the "Пароль" field without an error message.
Step	4
Action	Click the "Войти" button
Input data	

Login to the system for an existing user and redirect to the main page.



## Login of a registered user with correct login and incorrect password.

PriorityBehaviorTypeLayer↑ HighNegativeFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

#### Tags

G9-27 Вход в систему / User Login

#### Steps to reproduce

Step 1

Action Go to https://qa.demoshopping.ru/login

Input data

Expected result The page <a href="https://qa.demoshopping.ru/login">https://qa.demoshopping.ru/login</a> is opened.



Step 2

Action Input a correct username in the "Логин" field.

Input data 456

Expected result 
The username is displayed in the "Логин" field without an error message.

Step 3

Action Input a incorrect password in the "Пароль" field.

Input data 12345678a

Step 4

Action Click the "Войти" button

Input data

The error message: "Неверное имя пользователя или пароль". is displayed.

# Access to the "Корзина", "Оплата" and "История заказов" pages for unauthorized users.

PriorityBehaviorTypeLayer↑ HighNegativeFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

#### **Pre-conditions**

The user is not authorized in the system.

#### **Tags**

G9-31 Проверка авторизации перед доступом к функциональности / Authorization Check before Accessing Functionality

#### Steps to reproduce

Step 1

Action Go to <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>

Input data

Expected result The main page <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a> is opened.



Step 2

Action Click on the "Корзина" button in the top menu.

Input data

Expected result An error message indicating the need for authorization is displayed, with a link to the login page.



Step 3

Action Click on the "Оплата" button in the top menu.

Input data

Expected result An error message indicating the need for authorization is displayed, with a link to the login page.



Step 4

Action Click on the "История заказов" button in the top menu.

Input data

Expected result An error message indicating the need for authorization is displayed, with a link to the login page.



## Logging out of the system after clicking the "Выйти" button.

Priority	Behavior	Туре	Layer
↑ High	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status

Is Muted

No

#### **Pre-conditions**

The user is logged into the system.

#### **Tags**

G-28 Выход из системы / User Logout

#### **Steps to reproduce**

Step	1
Action	Go to https://qa.demoshopping.ru/
Input data	
Expected result	The main page <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a> is opened
	Katanor O Kommanare  UH  Coptripperies:  Of A ale Z
Step	2

Expected result

Input data

Action

The user logs out of the system. The "Выйти" button changes to the "Войти" button. The user is redirected to t he login page or the main page.



Click the "Выйти" button.

## Redirecting for unauthorized users to the login page in authorization error message.

PriorityBehaviorTypeLayer↑ HighPositiveFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

#### Tags

G9-31 Проверка авторизации перед доступом к функциональности / Authorization Check before Accessing Functionality

#### Steps to reproduce

Step 1

Action Go to <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>

Input data

Expected result The main page <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a> is opened.

Step 2

Action Click on the "Корзина" or "Оплата" or "История заказов" buttons in the top menu.

Input data

Expected result An error message indicating the need for authorization is displayed, with a link to the login page.



Step 3

Action Click on link in authorization error message.

Input data

Expected result The user is redirected to the login page.

# Access to the "Корзина", "Оплата" and "История заказов" pages for registered users.

PriorityBehaviorTypeLayer↑ HighPositiveFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

#### **Pre-conditions**

The user is not authorized in the system.

#### **Tags**

G9-31 Проверка авторизации перед доступом к функциональности / Authorization Check before Accessing Functionality

#### Steps to reproduce

Expected result

Step	1
Action	Go to https://qa.demoshopping.ru/
Input data	

The main page <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a> is opened.



2

4

Action	Click on the "Регистрация / Войти" button in the top menu

Input data

Step

Expected result The Login page <a href="https://qa.demoshopping.ru/login">https://qa.demoshopping.ru/login</a> is opened.

Step 3

Action Navigate to the "Регистрация" block

Input data

Expected result 
The "Регистрация" block is located on Login page.

Step

Action	Input a valid username in the "Логин" field.
Input data	158
Expected result	158 is displayed in the "Логин" field without an error message.
Step	5
Action	Input a valid password in the "Пароль" field.
Input data	qwertyuiop1
Expected result	Bullet points are displayed in the "Пароль" field without an error message.
Step	6
Action	Click on the "Зарегистрироваться" button
Input data	
Expected result	The user is registered without an error message
Chan	7
Step	7
·	
Action	Click on the "Корзина" button in the top menu.
·	Click on the "Корзина" button in the top menu.
Action	Click on the "Корзина" button in the top menu.  User is redirected on Cart page, <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a> is opened.
Action Input data	
Action Input data Expected result	User is redirected on Cart page, <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a> is opened.
Action Input data Expected result Step	User is redirected on Cart page, <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a> is opened.
Action Input data Expected result Step Action	User is redirected on Cart page, <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a> is opened.
Action Input data Expected result Step Action Input data Expected result	User is redirected on Cart page, <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a> is opened.  8  Click on the "Оплата" button in the top menu.  User is redirected on Payment page, <a href="https://qa.demoshopping.ru/payment">https://qa.demoshopping.ru/payment</a> is opened.
Action Input data Expected result Step Action Input data Expected result Step Step	User is redirected on Cart page, <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a> is opened.  8  Click on the "Оплата" button in the top menu.  User is redirected on Payment page, <a href="https://qa.demoshopping.ru/payment">https://qa.demoshopping.ru/payment</a> is opened.
Action Input data Expected result Step Action Input data Expected result	User is redirected on Cart page, <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a> is opened.  8  Click on the "Оплата" button in the top menu.  User is redirected on Payment page, <a href="https://qa.demoshopping.ru/payment">https://qa.demoshopping.ru/payment</a> is opened.
Action Input data Expected result Step Action Input data Expected result Step Step	User is redirected on Cart page, <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a> is opened.  8  Click on the "Оплата" button in the top menu.  User is redirected on Payment page, <a href="https://qa.demoshopping.ru/payment">https://qa.demoshopping.ru/payment</a> is opened.

## The product card includes basic information about the product.

Priority	Behavior	Туре	Layer
↑ High	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Manual	Actual

#### Is Muted

No


#### Tags

G9-9 Просмотр списка товаров и деталей продукта / Viewing the product list and product details

#### Steps to reproduce

**Expected result** 

1
Go to https://qa.demoshopping.ru/
The main page <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a> is opened
Marques  Mar
2
Verify that the product image is on the product card.



Step	3
Action	Verify that the product title is on the product card.
Input data	
Expected result	The product title is located on the product card.



Step 4

Action Verify that the product description is on the product card.

Input data



Step 5

Action Verify that the product price is on the product card.

Input data



Step 6

Action Verify that the product category is on the product card.

Input data



Step 7

Action Verify that the product manufacturer is on the product card.

Input data



Step 8

Action Verify that free shipping information is on the product card.

Input data

Expected result Free shipping information is located on the product card.



9

Step

Action Verify that input field for the quantity is on the product card.

Input data

Expected result Input field for the quantity is located on the product card.



Step 10

Action Verify that the "Добавить в корзину" button is on the product card.

Input data



## Pagination for the product catalog.

Priority	Behavior	Туре	Layer
↑ High	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Manual	Actual
Is Muted			

No

#### Tags

G9-9 Просмотр списка товаров и деталей продукта / Viewing the product list and product details

### **Steps to reproduce**

C.	
Step	1
Action	Go to <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The main page <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a> is opened
	Marian Maria  Maria Maria  Mari
Step	2
Action	Verify that pagination elements are present on each page.
Input data	
Expected result	Pagination elements are displayed on each page.
Step	3
Action	Click on the pagination element for the next page.
Input data	
Expected result	The user is redirected to the new page.

## Sorting the product list by name.

Priority	Behavior	Туре	Layer
↑ High	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Manual	Actual
Is Muted			

No

Tags

Action

Input data

Expected result

G9-10 Сортировка списка товаров / Sorting the product list

### Steps to reproduce

Step	1
Action	Go to https://qa.demoshopping.ru/
Input data	
Expected result	The main page <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a> is opened
	integrate  integrate
Step	2
Action	Select "от A до Z" from the dropdown in the "Сортировка" field.
Input data	
Expected result	The products on the page are displayed by name, sorted from A to Z.
	Сортировка:  От А до Z  От А до Z  От Z до А  Цена по возрастанию  Цена по убыванию
Step	3

Select "от Z до A" from the dropdown in the "Сортировка" field.

The products on the page are displayed by name, sorted from Z to A.



## Sorting the product list by price.

Priority	Behavior	Туре	Layer
↑ High	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Manual	Actual
Is Muted			

Is Muted

No

#### Tags

G9-10 Сортировка списка товаров / Sorting the product list

#### **Steps to reproduce**

Step	1
Action	Go to https://qa.demoshopping.ru/
Input data	
Expected result	The main page <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a> is opened
	AND SECOND VALUE OF THE PROPERTY OF THE PROPER

Step	2
Action	Select "Цена по возрастанию" from the dropdown in the "Сортировка" field.
Input data	
Expected result	The products on the page are displayed by price, sorted from Low to High.
	Continopra



Step	3
Action	Select "Цена по убыванию" from the dropdown in the "Сортировка" field.
Input data	
Expected result	The products on the page are displayed by price, sorted from High to Low.



## Product list filtration by free shipping.

Priority	Behavior	Туре	Layer
↑ High	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Manual	Actual
ls Mutad			

Is Muted

No

#### Tags

G9-11 Фильтрация списка товаров / Filtering the product list

#### **Steps to reproduce**

Step	1
Action	Go to <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The main page <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a> is opened.
	The state of the s
Step	2
Action	Click on the "Бесплатная доставка" checkbox.

Action	Click on the "Бесплатная доставка" checkbox.
Input data	
Expected result	The "Бесплатная доставка" checkbox is checked.
	More upon Marie upon
	Вси кильперии Вси производители
	© Бесплатная доставка Применть физіри
	Clipsours, demayor.

Step	3
Action	Click on the "Применить фильтры" button
Input data	
Expected result	Products with free shipping are displayed on the page.

Step

Action	Click on the "Бесплатная доставка" checkbox.			
Input data	nput data			
Expected result	The "Бесплатная доставка" checkbox is unchecked.			
	Месс ципе  Во менерия  Во произволяти  Соптитыва достама  Тременной, фил. ун.  Соптитыва достама			
Step	5			
Action	Click on the "Применить фильтры" button			
Input data				
Expected result	Products with paid shipping and free shipping are displayed on the page.			

## Displaying the product list according to the selected filters.

Priority	Behavior	Туре	Layer
<b>↑</b> High	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Manual	Actual
Is Muted			

## Tags

No

G9-11 Фильтрация списка товаров / Filtering the product list

500

The entered data is displayed in the field.

Input data

Expected result

### Steps to reproduce

Step	1
Action	Go to https://qa.demoshopping.ru/
Input data	
Expected result	The main page <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a> is opened.
	The second secon
Step	2
Action	Enter data in the "Мин. цена" field.
Input data	
Expected result	The entered data is displayed in the field.
	Same to the second of the se
Step	3
Action	Enter data in the "Макс. цена" field.



	Giprorra densign
Step	4
Action	Select any options from the "Категория" dropdown list.
Input data	Laptops
Expected result	One option from the "Категория" dropdown list is selected.
	8 Sto  Laptops  Bos repossessarens  Bos repossessarens  Florensin-to-densign  Cirporate densign
Step	5
Action	Select any options from the "Производители" dropdown list.
Input data	Samsung
Expected result	One option from the "Производители" dropdown list is selected.
	SSO  Laptigs  Samung  Georgenhal (goztesia  Tomenno-denigo  Cigronn-denigo
Step	6

Action	Click on the "Бесплатная доставка" checkbox.
Input data	
Expected result	The "Бесплатная доставка" checkbox is checked.
	D  Solution  Servings  Servings  D  Secondariess (Octobers  Thermony develope  Copyment develope

Step	7
Action	Click on the "Применить фильтры" button
Input data	
Expected result	The product list with free shipping is displayed on the page.



#### Reset all selected filters.

Priority	Behavior	Туре	Layer
↑ High	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status

Is Muted

No

#### Tags

G9-11 Фильтрация списка товаров / Filtering the product list

#### Steps to reproduce

Step 1

Action Go to <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>

Input data

Expected result

The main page <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a> is opened.



Step 2

Action Select any filters.

Input data "Мин. цена"=500, "Макс. цена"=1000, "Категория"=Watches, "Производители"=Хіаоті, "Бесплатная доставка" із checked.

Expected result

All filters are selected.



Step 3

Action Click on the "Применить фильтры" button.

Input data

Expected result

The product list is displayed on the page according to the selected filters.



Step 4

Action Click on the "Сбросить фильтры" button.

Input data

Expected result

The product list is displayed on the page without any selected filters.



## Adding a product to cart for authorized users.

PriorityBehaviorTypeLayer↑ HighPositiveFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

#### **Pre-conditions**

The user is authorized in the system. Reset all filters on the main page.

#### **Tags**

G9-13 Добавление товара в корзину / Adding a product to the cart

#### Steps to reproduce

Step 1

Action Go to <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>

Input data

Expected result The main page <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a> is opened.



Step 2

Action Choose any product and click the "Добавить в корзину".

Input data "Name"=Apple Fit 10

Expected result The message "Товар добавлен в корзину" appears at the bottom of the page.



Step 3

Action Click on the "Корзина" button.

Input data

Expected result "Корзина" page is opened. The selected product is added to the "Корзина".



## Adding a product to cart for unauthorized users.

Behavior	Туре	Layer
Negative	Functional	Not set
Milestone	Automation	Status
-	Manual	Actual
	Negative <b>Milestone</b>	Negative Functional  Milestone Automation

Is Muted

No

#### **Pre-conditions**

The user is not authorized in the system. Reset all filters on the main page.

#### Tags

G9-13 Добавление товара в корзину / Adding a product to the cart

#### Steps to reproduce

Expected result

Step	1
Action	Go to https://qa.demoshopping.ru/
Input data	
Expected result	The main page <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a> is opened.
	Across Sales
Step	2
Action	Choose any product and click the "Добавить в корзину".
Input data	

The error message appears at the bottom of the page.



### The quantity of the product is specified incorrectly.

PriorityBehaviorTypeLayer↑ HighNegativeFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

#### **Pre-conditions**

The user is authorized in the system. Reset all filters on the main page.

#### **Tags**

G9-13 Добавление товара в корзину / Adding a product to the cart

#### Steps to reproduce

Step 1

Action Go to https://ga.demoshopping.ru/

Input data

Expected result The main page <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a> is opened.



Step 2

Action Choose any product and enter incorrect data in the spinner.

Input data Spinner=0



## The cart's product quantity counter after adding product.

PriorityBehaviorTypeLayer↑ HighPositiveFunctionalNot setIs FlakyMilestoneAutomationStatusNo-ManualActual

Is Muted

No

#### **Pre-conditions**

The user is authorized in the system. Reset all filters on the main page.

#### **Tags**

**G9-14 Managing Cart Counter Display** 

#### Steps to reproduce

Step 1

Action Go to <a href="https://ga.demoshopping.ru/">https://ga.demoshopping.ru/</a>

Input data

 $\label{thm:continuity:continuity:equation:continuity:equation: bounds} \begin{tabular}{ll} Expected result & The main page $$\underline{https://qa.demoshopping.ru/}$ is opened. \\ \end{tabular}$ 



Step 2

Action Choose any product, enter correct data in the spinner.

Input data "Name"=Apple Fit 10, Spinner=100



Step 3

Action Click the "Добавить в корзину".

#### Input data

#### Expected result

The message "Товар добавлен в корзину" appears at the bottom of the page.



Step

4

Action

Pay attention to the cart's product quantity counter.

Input data

Expected result

The correct number is displayed in the cart's product quantity counter.



## Each page displays a fixed number of products (e.g., 6).

Priority	Behavior	Туре	Layer
↑ High	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Manual	Actual
Is Muted			

No

#### Tags

G9-9 Просмотр списка товаров и деталей продукта / Viewing the product list and product details

#### **Steps to reproduce**

Step	1
Action	Go to https://qa.demoshopping.ru/
Input data	
Expected result	The main page <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a> is opened
	The state of the s
Step	2
Action	Verify number of products on the page.
Input data	
Expected result	Each page displays a fixed number of products (e.g., 6).