Министерство образования Республики Беларусь
Учреждение образования
БЕЛОРУССКИЙ ГОСУДАРСТВЕННЫЙ УНИВЕРСИТЕТ
ИНФОРМАТИКИ И РАДИОЭЛЕКТРОНИКИ

Факультет компьютерных систем и сетей
Кафедра информатики
Дисциплина: Избранные главы информатики

ОТЧЁТ

к лабораторной работе №1
на тему:

«Система контроля версий Git»

Выполнил: студент группы 453502
Шавловский Станислав Андреевич
Проверила: Жвакина Анна Васильевна

Минск 2026

Цель: Познакомиться с возможностями и получить практические навыки работы с системой контроля версий Git.

Задание:

1. *Подготовка рабочего окружения*

   a. Установка Git

```
PS C:\Users\User> git --version
git version 2.53.0.windows.1
```

   b. Выполнение базовых настроек

```
PS C:\Users\User> git config --global user.name Shaulouski_Stanislau
PS C:\Users\User> git config --global user.email Shavlovsijstanislav3211@mail.ru
PS C:\Users\User> git config --global user.name
Shaulouski_Stanislau
PS C:\Users\User> git config --global user.email
Shavlovsijstanislav3211@mail.ru
```

2. *Создание структуры папок (использовать командную строку) и поместить в репозиторий Git на своем локальном компьютере*

   Создание структуры папок:

```
PS C:\Users\User> mkdir 453502_SHAULOUSKI_26
```

```
PS C:\Users\User> cd 453502_SHAULOUSKI_26
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> mkdir IGI
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> mkdir STRWEB
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> cd IGI
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI> mkdir LR1
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI> mkdir LR2
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI> mkdir LR3
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI> mkdir LR4
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI> mkdir LR5
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI> cd ..
PS C:\Users\User\453502_SHAULOUSKI_26> cd STRWEB
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\STRWEB> mkdir LR1
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\STRWEB> mkdir LR2
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\STRWEB> mkdir LR3
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\STRWEB> mkdir LR4
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\STRWEB> cd ..
PS C:\Users\User\453502_SHAULOUSKI_26> cd IGI/LR1
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> mkdir bar
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> mkdir bar\425
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> mkdir bar\bin
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> mkdir bar\bin\577
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> mkdir bar\bin\head
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> mkdir bar\bin\head\755
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> echo 444 > bar\readme.txt
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> mkdir foo
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> mkdir foo\233
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> echo 707 > foo\test.txt
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> mkdir foo\baz
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> mkdir foo\baz\007
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> mkdir foo\baz\example
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> mkdir foo\baz\example\222
```

Результат:

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> cd ..
PS C:\Users\User\453502_SHAULOUSKI_26\IGI> cd ..
PS C:\Users\User\453502_SHAULOUSKI_26> tree /f
Folder PATH listing
Volume serial number is 6C25-74B0
C:.
├───IGI
│   ├───LR1
│   │   ├───bar
│   │   │   │   readme.txt
│   │   │   │
│   │   │   ├───425
│   │   │   └───bin
│   │   │       ├───577
│   │   │       └───head
│   │   │           └───755
│   │   └───foo
│   │       │   test.txt
│   │       │
│   │       ├───233
│   │       └───baz
│   │           ├───007
│   │           └───example
│   │               └───222
│   ├───LR2
│   ├───LR3
│   ├───LR4
│   └───LR5
└───STRWEB
    ├───LR1
    ├───LR2
    ├───LR3
    └───LR4
```

Создание репозитория:

```
PS C:\Users\User\453502_SHAULOUSKI_26> git init
Initialized empty Git repository in C:/Users/User/453502_SHAULOUSKI_26/.git/
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git init
Initialized empty Git repository in C:/Users/User/453502_SHAULOUSKI_26/.git/
PS C:\Users\User\453502_SHAULOUSKI_26> git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        IGI/

nothing added to commit but untracked files present (use "git add" to track)
```

3. *Создайте репозиторий внутри папки LR1 с помощью клонирования проекта с сайта github.com (https://github.com/smartiqaorg/geometric_lib)*

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git clone https://github.com/smartiqaorg/geometric_lib
Cloning into 'geometric_lib'...
remote: Enumerating objects: 35, done.
remote: Total 35 (delta 0), reused 0 (delta 0), pack-reused 35 (from 1)
Receiving objects: 100% (35/35), 4.69 KiB | 1.17 MiB/s, done.
Resolving deltas: 100% (5/5), done.
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> ls


    Directory: C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1


Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
d-----         2/15/2026  12:27 AM                bar
d-----         2/15/2026  12:29 AM                foo
d-----         2/15/2026  12:38 AM                geometric_lib
```

4. *Выполните следующие действия, каждый раз проверяя состояние файлов в локальном репозитории до и после выполнения операции:*
   a. сделать индексацию нескольких файлов в вашем Git-репозитории (git add …)

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        ../

nothing added to commit but untracked files present (use "git add" to track)
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git add bar\readme.txt
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   bar/readme.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        foo/
        geometric_lib/
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git add *.txt
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   bar/readme.txt
        new file:   foo/test.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        geometric_lib/
```

b. внесите изменения в файлы

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> echo "Additional line for task" >> bar\readme
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   bar/readme.txt
        new file:   foo/test.txt

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   bar/readme.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        geometric_lib/
```

c. выполните коммиты к проиндексированным файлам

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git add bar\readme.txt
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git commit -m "Add line to readme.tx
[main (root-commit) dde1781] Add line to readme.txt
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 IGI/LR1/bar/readme.txt
 create mode 100644 IGI/LR1/foo/test.txt
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git status
On branch main
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        geometric_lib/

nothing added to commit but untracked files present (use "git add" to track)
```

d. добавьте и удалите файлы (один и группу файлов с определенным расширением)



```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git add city1.jpg city2.jpg city3.
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   city1.jpg
        new file:   city2.jpg
        new file:   city3.jpg

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        geometric_lib/
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git rm city2.jpg -f
rm 'IGI/LR1/city2.jpg'
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> ls


    Directory: C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1


Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
d-----         2/15/2026  12:27 AM                bar
d-----         2/15/2026  12:29 AM                foo
d-----         2/15/2026  12:38 AM                geometric_lib
-a----         2/15/2026  12:50 AM         541524 city1.jpg
-a----         2/15/2026  12:50 AM         541524 city3.jpg


PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git rm '*.jpg' -f
rm 'IGI/LR1/city1.jpg'
rm 'IGI/LR1/city3.jpg'
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git status
On branch main
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        geometric_lib/

nothing added to commit but untracked files present (use "git add" to trac
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1>
```

e. переименуйте файлы

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git mv foo\test.txt foo\Rename.txt
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        renamed:    foo/test.txt -> foo/Rename.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        geometric_lib/
```

```
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git commit -m "Rename test.txt"
[main 1465f76] Rename test.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 rename IGI/LR1/foo/{test.txt => Rename.txt} (100%)
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git mv foo\Rename.txt foo\test.txt
PS C:\Users\User\453502_SHAULOUSKI_26\IGI\LR1> git commit -m "Return the original name"
[main b318ed1] Return the original name
 1 file changed, 0 insertions(+), 0 deletions(-)
 rename IGI/LR1/foo/{Rename.txt => test.txt} (100%)
```

f. создайте для IGI и STRWEB, а также для каждой ЛР, вложенной в них, отдельные ветки, переместите папки и

файлы на соответствующие ветки

```
PS C:\Users\User\453502_SHAULOUSKI_26> git branch
  IGI
  IGI-LR1
  IGI-LR2
  IGI-LR3
  IGI-LR4
  IGI-LR5
  STRWEB
  STRWEB-LR1
  STRWEB-LR2
  STRWEB-LR3
* STRWEB-LR4
  main
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git checkout main
Switched to branch 'main'
PS C:\Users\User\453502_SHAULOUSKI_26> ls


    Directory: C:\Users\User\453502_SHAULOUSKI_26


Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
d-----         2/15/2026   1:56 AM                IGI
d-----         2/15/2026   1:56 AM                STRWEB
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git checkout IGI
Switched to branch 'IGI'
PS C:\Users\User\453502_SHAULOUSKI_26> LS


    Directory: C:\Users\User\453502_SHAULOUSKI_26


Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
d-----         2/15/2026   1:56 AM                IGI
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git checkout STRWEB
Switched to branch 'STRWEB'
PS C:\Users\User\453502_SHAULOUSKI_26> LS


    Directory: C:\Users\User\453502_SHAULOUSKI_26


Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
d-----         2/15/2026   1:57 AM                STRWEB
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git checkout IGI-LR1
Switched to branch 'IGI-LR1'
PS C:\Users\User\453502_SHAULOUSKI_26> LS


    Directory: C:\Users\User\453502_SHAULOUSKI_26


Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
d-----         2/15/2026   1:57 AM                IGI


PS C:\Users\User\453502_SHAULOUSKI_26> ls IGI/


    Directory: C:\Users\User\453502_SHAULOUSKI_26\IGI


Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
d-----         2/15/2026   1:57 AM                LR1
```

g. выведите историю коммитов: полностью и с ограничением вывода – отобрать только последние, до и после указанной даты, по автору файлов, коммитов (флаги n, since, after, until, before, author, committer, grep) https://code.mu/ru/tool/git/basis/limit-output-commit-history-flags/

```
PS C:\Users\User\453502_SHAULOUSKI_26> git log
commit 9d4efb14b8f38eac29fe68b5daff1e802fc4a993 (HEAD -> main)
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:31:58 2026 +0100

    Add text files to all folders for branching

commit a35d52f9f31cf98d5c4d2e03ca0bc7d9ce761375
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:24:45 2026 +0100

    add geometric_lib

commit 1465f76e65fdd72f1f181df8657f1580c7d104ba
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 00:58:10 2026 +0100

    Rename test.txt

commit dde1781e5222fd71574291d68b7d210412779e1d
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 00:48:32 2026 +0100

:...skipping...
commit 9d4efb14b8f38eac29fe68b5daff1e802fc4a993 (HEAD -> main)
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:31:58 2026 +0100

    Add text files to all folders for branching

commit a35d52f9f31cf98d5c4d2e03ca0bc7d9ce761375
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git log -n 3
commit 9d4efb14b8f38eac29fe68b5daff1e802fc4a993 (HEAD -> main)
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:31:58 2026 +0100

    Add text files to all folders for branching

commit a35d52f9f31cf98d5c4d2e03ca0bc7d9ce761375
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:24:45 2026 +0100

    add geometric_lib

commit 1465f76e65fdd72f1f181df8657f1580c7d104ba
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 00:58:10 2026 +0100

    Rename test.txt
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git log --after="2026-02-01"
commit 9d4efb14b8f38eac29fe68b5daff1e802fc4a993 (HEAD -> main)
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:31:58 2026 +0100

    Add text files to all folders for branching

commit a35d52f9f31cf98d5c4d2e03ca0bc7d9ce761375
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:24:45 2026 +0100

    add geometric_lib

commit 1465f76e65fdd72f1f181df8657f1580c7d104ba
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 00:58:10 2026 +0100

    Rename test.txt

commit dde1781e5222fd71574291d68b7d210412779e1d
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 00:48:32 2026 +0100

    Add line to readme.txt
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git log --before="2024-12-31"
PS C:\Users\User\453502_SHAULOUSKI_26>
PS C:\Users\User\453502_SHAULOUSKI_26> git log --after="2024-02-01" --before="2024-03-01"
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git log --author="Shaulouski"
commit 9d4efb14b8f38eac29fe68b5daff1e802fc4a993 (HEAD -> main)
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:31:58 2026 +0100

    Add text files to all folders for branching

commit a35d52f9f31cf98d5c4d2e03ca0bc7d9ce761375
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:24:45 2026 +0100

    add geometric_lib

commit 1465f76e65fdd72f1f181df8657f1580c7d104ba
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 00:58:10 2026 +0100

    Rename test.txt

commit dde1781e5222fd71574291d68b7d210412779e1d
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 00:48:32 2026 +0100

    Add line to readme.txt
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git log --committer="Shaulouski"
commit 9d4efb14b8f38eac29fe68b5daff1e802fc4a993 (HEAD -> main)
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:31:58 2026 +0100

    Add text files to all folders for branching

commit a35d52f9f31cf98d5c4d2e03ca0bc7d9ce761375
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:24:45 2026 +0100

    add geometric_lib

commit 1465f76e65fdd72f1f181df8657f1580c7d104ba
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 00:58:10 2026 +0100

    Rename test.txt

commit dde1781e5222fd71574291d68b7d210412779e1d
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 00:48:32 2026 +0100

    Add line to readme.txt
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git log --grep="add"
commit a35d52f9f31cf98d5c4d2e03ca0bc7d9ce761375
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:24:45 2026 +0100

    add geometric_lib
PS C:\Users\User\453502_SHAULOUSKI_26>
```

h. исследуйте флаги для git log: p , stat ,shortstat, name-only, name-status, relative-date, pretty, graph,

```
PS C:\Users\User\453502_SHAULOUSKI_26> git log -p -2
commit 9d4efb14b8f38eac29fe68b5daff1e802fc4a993 (HEAD -> main)
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:31:58 2026 +0100

    Add text files to all folders for branching

diff --git a/IGI/LR1/lr1.txt b/IGI/LR1/lr1.txt
new file mode 100644
index 0000000..1deec2e
Binary files /dev/null and b/IGI/LR1/lr1.txt differ
diff --git a/IGI/LR2/lr2.txt b/IGI/LR2/lr2.txt
new file mode 100644
index 0000000..d155131
Binary files /dev/null and b/IGI/LR2/lr2.txt differ
diff --git a/IGI/LR3/lr3.txt b/IGI/LR3/lr3.txt
new file mode 100644
index 0000000..eb8d990
Binary files /dev/null and b/IGI/LR3/lr3.txt differ
diff --git a/IGI/LR4/lr4.txt b/IGI/LR4/lr4.txt
new file mode 100644
index 0000000..aad3a42
Binary files /dev/null and b/IGI/LR4/lr4.txt differ
diff --git a/IGI/LR5/lr5.txt b/IGI/LR5/lr5.txt
new file mode 100644
index 0000000..eaf20cb
Binary files /dev/null and b/IGI/LR5/lr5.txt differ
diff --git a/STRWEB/LR1/strweb1.txt b/STRWEB/LR1/strweb1.txt
new file mode 100644
index 0000000..2eec1cb
Binary files /dev/null and b/STRWEB/LR1/strweb1.txt differ
diff --git a/STRWEB/LR2/strweb2.txt b/STRWEB/LR2/strweb2.txt
new file mode 100644
index 0000000..d6455b3
Binary files /dev/null and b/STRWEB/LR2/strweb2.txt differ
diff --git a/STRWEB/LR3/strweb3.txt b/STRWEB/LR3/strweb3.txt
new file mode 100644
index 0000000..4ddbca9
:...skipping...
commit 9d4efb14b8f38eac29fe68b5daff1e802fc4a993 (HEAD -> main)
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git log --stat
commit 9d4efb14b8f38eac29fe68b5daff1e802fc4a993 (HEAD -> main)
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:31:58 2026 +0100

    Add text files to all folders for branching

 IGI/LR1/lr1.txt        | Bin 0 -> 34 bytes
 IGI/LR2/lr2.txt        | Bin 0 -> 32 bytes
 IGI/LR3/lr3.txt        | Bin 0 -> 32 bytes
 IGI/LR4/lr4.txt        | Bin 0 -> 32 bytes
 IGI/LR5/lr5.txt        | Bin 0 -> 32 bytes
 STRWEB/LR1/strweb1.txt | Bin 0 -> 46 bytes
 STRWEB/LR2/strweb2.txt | Bin 0 -> 46 bytes
 STRWEB/LR3/strweb3.txt | Bin 0 -> 46 bytes
 STRWEB/LR4/strweb4.txt | Bin 0 -> 46 bytes
 9 files changed, 0 insertions(+), 0 deletions(-)

commit a35d52f9f31cf98d5c4d2e03ca0bc7d9ce761375
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:24:45 2026 +0100

    add geometric_lib

 IGI/LR1/geometric_lib | 1 +
 1 file changed, 1 insertion(+)

commit 1465f76e65fdd72f1f181df8657f1580c7d104ba
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
:...skipping...
commit 9d4efb14b8f38eac29fe68b5daff1e802fc4a993 (HEAD -> main)
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:31:58 2026 +0100

    Add text files to all folders for branching

 IGI/LR1/lr1.txt        | Bin 0 -> 34 bytes
 IGI/LR2/lr2.txt        | Bin 0 -> 32 bytes
 IGI/LR3/lr3.txt        | Bin 0 -> 32 bytes
 IGI/LR4/lr4.txt        | Bin 0 -> 32 bytes
 IGI/LR5/lr5.txt        | Bin 0 -> 32 bytes
```

```
IGI/LR1/foo/{test.txt => Rename.txt} | bin
PS C:\Users\User\453502_SHAULOUSKI_26> git log --shortstat
commit 9d4efb14b8f38eac29fe68b5daff1e802fc4a993 (HEAD -> main)
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:31:58 2026 +0100

    Add text files to all folders for branching

 9 files changed, 0 insertions(+), 0 deletions(-)

commit a35d52f9f31cf98d5c4d2e03ca0bc7d9ce761375
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:24:45 2026 +0100

    add geometric_lib

 1 file changed, 1 insertion(+)

commit 1465f76e65fdd72f1f181df8657f1580c7d104ba
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 00:58:10 2026 +0100

    Rename test.txt

 1 file changed, 0 insertions(+), 0 deletions(-)

commit dde1781e5222fd71574291d68b7d210412779e1d
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 00:48:32 2026 +0100

    Add line to readme.txt

 2 files changed, 0 insertions(+), 0 deletions(-)
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git log --name-only
commit 9d4efb14b8f38eac29fe68b5daff1e802fc4a993 (HEAD -> main)
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:31:58 2026 +0100

    Add text files to all folders for branching

IGI/LR1/lr1.txt
IGI/LR2/lr2.txt
IGI/LR3/lr3.txt
IGI/LR4/lr4.txt
IGI/LR5/lr5.txt
STRWEB/LR1/strweb1.txt
STRWEB/LR2/strweb2.txt
STRWEB/LR3/strweb3.txt
STRWEB/LR4/strweb4.txt

commit a35d52f9f31cf98d5c4d2e03ca0bc7d9ce761375
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:24:45 2026 +0100

    add geometric_lib

IGI/LR1/geometric_lib

commit 1465f76e65fdd72f1f181df8657f1580c7d104ba
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 00:58:10 2026 +0100

    Rename test.txt

IGI/LR1/foo/Rename.txt
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git log --name-status
commit 9d4efb14b8f38eac29fe68b5daff1e802fc4a993 (HEAD -> main)
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:31:58 2026 +0100

    Add text files to all folders for branching

A       IGI/LR1/lr1.txt
A       IGI/LR2/lr2.txt
A       IGI/LR3/lr3.txt
A       IGI/LR4/lr4.txt
A       IGI/LR5/lr5.txt
A       STRWEB/LR1/strweb1.txt
A       STRWEB/LR2/strweb2.txt
A       STRWEB/LR3/strweb3.txt
A       STRWEB/LR4/strweb4.txt

commit a35d52f9f31cf98d5c4d2e03ca0bc7d9ce761375
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:24:45 2026 +0100

    add geometric_lib

A       IGI/LR1/geometric_lib

commit 1465f76e65fdd72f1f181df8657f1580c7d104ba
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 00:58:10 2026 +0100

    Rename test.txt

R100    IGI/LR1/foo/test.txt    IGI/LR1/foo/Rename.txt
```

```
commit dde1781e5222fd71574291d68b7d210412779e1d
PS C:\Users\User\453502_SHAULOUSKI_26> git log --relative-date
commit 9d4efb14b8f38eac29fe68b5daff1e802fc4a993 (HEAD -> main)
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   39 minutes ago

    Add text files to all folders for branching

commit a35d52f9f31cf98d5c4d2e03ca0bc7d9ce761375
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   46 minutes ago

    add geometric_lib

commit 1465f76e65fdd72f1f181df8657f1580c7d104ba
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   73 minutes ago

    Rename test.txt

commit dde1781e5222fd71574291d68b7d210412779e1d
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   83 minutes ago

    Add line to readme.txt
```

```
    Add line to readme.txt
PS C:\Users\User\453502_SHAULOUSKI_26> git log --graph --oneline --all
* c846663 (STRWEB-LR4) Keep only STRWEB/LR4 in STRWEB
| * 59c2f43 (STRWEB-LR3) Keep only STRWEB/LR3 in STRWEB
|/
| * 701657e (STRWEB-LR2) Keep only STRWEB/LR2 in STRWEB
|/
| * 74ee202 (STRWEB-LR1) Keep only STRWEB/LR1 in STRWEB
|/
| * a264e04 (IGI-LR5) Keep only IGI/LR5 in IGI
|/
| * f1d7dca (IGI-LR4) Keep only IGI/LR4 in IGI
|/
| * 1eff365 (IGI-LR3) Keep only IGI/LR3 in IGI
|/
| * bdaf695 (IGI-LR2) Keep only IGI/LR2 in IGI
|/
| * a20a337 (IGI-LR1) Keep only IGI/LR1 in IGI
|/
| * 2954c4b (STRWEB) Remove IGI from STRWEB branch
|/
| * 39de253 (IGI) Remove STRWEB
|/
* 9d4efb1 (HEAD -> main) Add text files to all folders for branching
* a35d52f add geometric_lib
* 1465f76 Rename test.txt
* dde1781 Add line to readme.txt
PS C:\Users\User\453502_SHAULOUSKI_26>
```

```
* dde1781 Add line to readme.txt
PS C:\Users\User\453502_SHAULOUSKI_26> git log --pretty=oneline
9d4efb14b8f38eac29fe68b5daff1e802fc4a993 (HEAD -> main) Add text files to all folders for branchi
a35d52f9f31cf98d5c4d2e03ca0bc7d9ce761375 add geometric_lib
1465f76e65fdd72f1f181df8657f1580c7d104ba Rename test.txt
dde1781e5222fd71574291d68b7d210412779e1d Add line to readme.txt
PS C:\Users\User\453502_SHAULOUSKI_26>
```

i. найдите разницу в изменениях для каждого коммита
j. создайте новый файл test.txt и вставьте в него строчку 'номер варианта'. затем сделайте коммит и отмените его

```
PS C:\Users\User\453502_SHAULOUSKI_26> echo "26" > test.txt
PS C:\Users\User\453502_SHAULOUSKI_26> git STATUS
git: 'STATUS' is not a git command. See 'git --help'.
PS C:\Users\User\453502_SHAULOUSKI_26> git status
On branch main
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        test.txt

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\User\453502_SHAULOUSKI_26>
```

```
nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\User\453502_SHAULOUSKI_26> git add test.txt
PS C:\Users\User\453502_SHAULOUSKI_26> git commit -m "Add variant number 26"
[main 8b7c68d] Add variant number 26
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 test.txt
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> ls


    Directory: C:\Users\User\453502_SHAULOUSKI_26


Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
d-----         2/15/2026   1:58 AM                IGI
d-----         2/15/2026   1:58 AM                STRWEB
-a----         2/15/2026   2:14 AM             10 test.txt


PS C:\Users\User\453502_SHAULOUSKI_26>
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git log --oneline -3
8b7c68d (HEAD -> main) Add variant number 26
9d4efb1 Add text files to all folders for branching
a35d52f add geometric_lib
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git reset --soft HEAD~1
PS C:\Users\User\453502_SHAULOUSKI_26> git log --oneline -3
9d4efb1 (HEAD -> main) Add text files to all folders for branching
a35d52f add geometric_lib
1465f76 Rename test.txt
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   test.txt
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git reset  HEAD test.t
PS C:\Users\User\453502_SHAULOUSKI_26> rm test.txt
PS C:\Users\User\453502_SHAULOUSKI_26> ls


    Directory: C:\Users\User\453502_SHAULOUSKI_26


Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
d-----         2/15/2026   1:58 AM                IGI
d-----         2/15/2026   1:58 AM                STRWEB
```

k. проиндексируйте файл в вашем Git-репозитории, затем отмените его индексацию

l. внесите изменения в файл в вашем Git-репозитории и затем верните его в исходное состояние.

```
PS C:\Users\User\453502_SHAULOUSKI_26> cat IGI/LR1/bar/readme.txt
444
Additional line for task
PS C:\Users\User\453502_SHAULOUSKI_26> echo " пункт l" >> IGI/LR1/bar/readme.txt
PS C:\Users\User\453502_SHAULOUSKI_26> cat IGI/LR1/bar/readme.txt
444
Additional line for task
 пункт l
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git status
On branch main
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   IGI/LR1/bar/readme.txt

no changes added to commit (use "git add" and/or "git commit -a")
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git checkout -- IGI/LR1/bar/readme.txt
PS C:\Users\User\453502_SHAULOUSKI_26> cat IGI/LR1/bar/readme.txt
444
Additional line for task
PS C:\Users\User\453502_SHAULOUSKI_26>
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git status
On branch main
nothing to commit, working tree clean
```

5. *Выполните следующие действия с удаленным репозиторием:*
   a. создайте удаленный репозиторий (на github.com)



   b. просмотрите информацию о нем, внесите изменения и опять просмотрите (remote, fetch).

```
PS C:\Users\User\453502_SHAULOUSKI_26> git remote add origin https://github.com/StanislavShavlovs
ky/453502_SHAULOUSKI_26.git
PS C:\Users\User\453502_SHAULOUSKI_26> git remote -v
origin  https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git (fetch)
origin  https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git (push)
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git remote show origin
* remote origin
  Fetch URL: https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git
  Push  URL: https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git
  HEAD branch: (unknown)
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git remote set-url origin https://github.com/StanislavShav
lovsky/453502_SHAULOUSKI_26-changed.git
PS C:\Users\User\453502_SHAULOUSKI_26> git remote -v
origin  https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26-changed.git (fetch)
origin  https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26-changed.git (push)
```

   c. измените несколько файлов в вашем проекте и перенесите их в удаленный репозиторий,

```
PS C:\Users\User\453502_SHAULOUSKI_26> echo "Take changes for GitHub" >> IGI/LR1/bar/readme.txt
PS C:\Users\User\453502_SHAULOUSKI_26> echo " Another change in another file " >> IGI/LR1/foo/tes
t.txt
PS C:\Users\User\453502_SHAULOUSKI_26> echo "New file" > NewFile.txt
PS C:\Users\User\453502_SHAULOUSKI_26> git status
On branch main
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   IGI/LR1/bar/readme.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        IGI/LR1/foo/test.txt
        NewFile.txt

no changes added to commit (use "git add" and/or "git commit -a")
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git add .
PS C:\Users\User\453502_SHAULOUSKI_26> git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   IGI/LR1/bar/readme.txt
        new file:   IGI/LR1/foo/test.txt
        new file:   NewFile.txt
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git commit -m "Change files for push to GitHub repo "
[main 5f2831f] Change files for push to GitHub repo
 3 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 IGI/LR1/foo/test.txt
 create mode 100644 NewFile.txt
PS C:\Users\User\453502_SHAULOUSKI_26>
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git push -u origin main
Enumerating objects: 48, done.
Counting objects: 100% (48/48), done.
Delta compression using up to 16 threads
Compressing objects: 100% (19/19), done.
Writing objects: 100% (48/48), 3.18 KiB | 271.00 KiB/s, done.
Total 48 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (4/4), done.
To https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

d. переименуйте свой удаленный репозиторий

```
PS C:\Users\User\453502_SHAULOUSKI_26> git remote -v
origin  https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git (fetch)
origin  https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git (push)
PS C:\Users\User\453502_SHAULOUSKI_26> git remote rename origin OriginRenamed
PS C:\Users\User\453502_SHAULOUSKI_26> git remote -v
OriginRenamed   https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git (fetch)
OriginRenamed   https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git (push)
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git remote rename OriginRenamed origin
PS C:\Users\User\453502_SHAULOUSKI_26> git remote -v
origin  https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git (fetch)
origin  https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git (push)
PS C:\Users\User\453502_SHAULOUSKI_26>
```

e. получите данные из удаленного репозитория

```
PS C:\Users\User\453502_SHAULOUSKI_26> git fetch origin
PS C:\Users\User\453502_SHAULOUSKI_26> git branch -r
  origin/HEAD -> origin/main
  origin/main
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git pull origin main
From https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26
 * branch            main       -> FETCH_HEAD
Already up to date.
```

f. просмотреть историю изменений

```
PS C:\Users\User\453502_SHAULOUSKI_26> git log --oneline --graph --all --decorate
* 5f2831f (HEAD -> main, origin/main, origin/HEAD) Change files for push to GitHub repo
| * c846663 (STRWEB-LR4) Keep only STRWEB/LR4 in STRWEB
|/
| * 59c2f43 (STRWEB-LR3) Keep only STRWEB/LR3 in STRWEB
|/
| * 701657e (STRWEB-LR2) Keep only STRWEB/LR2 in STRWEB
|/
| * 74ee202 (STRWEB-LR1) Keep only STRWEB/LR1 in STRWEB
|/
| * a264e04 (IGI-LR5) Keep only IGI/LR5 in IGI
|/
| * f1d7dca (IGI-LR4) Keep only IGI/LR4 in IGI
|/
| * 1eff365 (IGI-LR3) Keep only IGI/LR3 in IGI
|/
| * bdaf695 (IGI-LR2) Keep only IGI/LR2 in IGI
|/
| * a20a337 (IGI-LR1) Keep only IGI/LR1 in IGI
|/
| * 2954c4b (STRWEB) Remove IGI from STRWEB branch
|/
| * 39de253 (IGI) Remove STRWEB
|/
* 9d4efb1 Add text files to all folders for branching
* a35d52f add geometric_lib
* 1465f76 Rename test.txt
:....skipping...
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git log -n 5 --stat
commit 5f2831f9d020dbca5d3525f84280230621a0723d (HEAD -> main, origin/main, origin/HEAD)
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 17:31:20 2026 +0100

    Change files for push to GitHub repo

 IGI/LR1/bar/readme.txt | Bin 64 -> 114 bytes
 IGI/LR1/foo/test.txt   | Bin 0 -> 70 bytes
 NewFile.txt            | Bin 0 -> 22 bytes
 3 files changed, 0 insertions(+), 0 deletions(-)

commit 9d4efb14b8f38eac29fe68b5daff1e802fc4a993
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:31:58 2026 +0100

    Add text files to all folders for branching

 IGI/LR1/lr1.txt        | Bin 0 -> 34 bytes
 IGI/LR2/lr2.txt        | Bin 0 -> 32 bytes
 IGI/LR3/lr3.txt        | Bin 0 -> 32 bytes
 IGI/LR4/lr4.txt        | Bin 0 -> 32 bytes
 IGI/LR5/lr5.txt        | Bin 0 -> 32 bytes
 STRWEB/LR1/strweb1.txt | Bin 0 -> 46 bytes
 STRWEB/LR2/strweb2.txt | Bin 0 -> 46 bytes
 STRWEB/LR3/strweb3.txt | Bin 0 -> 46 bytes
 STRWEB/LR4/strweb4.txt | Bin 0 -> 46 bytes
 9 files changed, 0 insertions(+), 0 deletions(-)

commit a35d52f9f31cf98d5c4d2e03ca0bc7d9ce761375
Author: Shaulouski_Stanislau <Shavlovsijstanislav3211@mail.ru>
Date:   Sun Feb 15 01:24:45 2026 +0100
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git log --oneline --graph --all --decorate --remotes=origi
n
* 5f2831f (HEAD -> main, origin/main, origin/HEAD) Change files for push to GitHub repo
| * c846663 (STRWEB-LR4) Keep only STRWEB/LR4 in STRWEB
|/
| * 59c2f43 (STRWEB-LR3) Keep only STRWEB/LR3 in STRWEB
|/
| * 701657e (STRWEB-LR2) Keep only STRWEB/LR2 in STRWEB
|/
| * 74ee202 (STRWEB-LR1) Keep only STRWEB/LR1 in STRWEB
|/
| * a264e04 (IGI-LR5) Keep only IGI/LR5 in IGI
|/
| * f1d7dca (IGI-LR4) Keep only IGI/LR4 in IGI
|/
| * 1eff365 (IGI-LR3) Keep only IGI/LR3 in IGI
|/
| * bdaf695 (IGI-LR2) Keep only IGI/LR2 in IGI
|/
| * a20a337 (IGI-LR1) Keep only IGI/LR1 in IGI
|/
| * 2954c4b (STRWEB) Remove IGI from STRWEB branch
|/
| * 39de253 (IGI) Remove STRWEB
|/
* 9d4efb1 Add text files to all folders for branching
* a35d52f add geometric_lib
* 1465f76 Rename test.txt
* dde1781 Add line to readme.txt
PS C:\Users\User\453502_SHAULOUSKI_26>
```

g. создайте дополнительную ветку 1 в удаленном репозитории, перенесите в нее два файла из другой ветки, удалите один из файлов

```
PS C:\Users\User\453502_SHAULOUSKI_26> git checkout -b Task5g
Switched to a new branch 'Task5g'
PS C:\Users\User\453502_SHAULOUSKI_26> git checkout main -- IGI/LR1/bar/readme.txt IGI/LR1/foo/te
st.txt
PS C:\Users\User\453502_SHAULOUSKI_26> git add IGI/LR1/bar/readme.txt IGI/LR1/foo/test.txt
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git branch -m Branch1
PS C:\Users\User\453502_SHAULOUSKI_26> git branch
* Branch1
  IGI
  IGI-LR1
  IGI-LR2
  IGI-LR3
  IGI-LR4
  IGI-LR5
  STRWEB
  STRWEB-LR1
  STRWEB-LR2
  STRWEB-LR3
  STRWEB-LR4
  main
PS C:\Users\User\453502_SHAULOUSKI_26> git push -u origin Branch1
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'Branch1' on GitHub by visiting:
remote:      https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26/pull/new/Branch1
remote:
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git push -u origin Branch1
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'Branch1' on GitHub by visiting:
remote:      https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26/pull/new/Branch1
remote:
To https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git
 * [new branch]      Branch1 -> Branch1
branch 'Branch1' set up to track 'origin/Branch1'.
PS C:\Users\User\453502_SHAULOUSKI_26> git push origin --delete Task5g
To https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git
 - [deleted]         Task5g
```

h. создайте дополнительную ветку 2 в удаленном репозитории, перенесите в нее два файла из вашего проекта, слить изменения в основную ветку, удалить дополнительную ветку 2

```
PS C:\Users\User\453502_SHAULOUSKI_26> git checkout Branch2
Switched to branch 'Branch2'
Your branch is up to date with 'origin/Branch2'.
PS C:\Users\User\453502_SHAULOUSKI_26> echo "Test merge file" > Merge.txt
PS C:\Users\User\453502_SHAULOUSKI_26> git status
On branch Branch2
Your branch is up to date with 'origin/Branch2'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        Merge.txt

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\User\453502_SHAULOUSKI_26> git add Merge.txt
PS C:\Users\User\453502_SHAULOUSKI_26> git commit -m "add Merge.txt in Branch2"
[Branch2 996e3ed] add Merge.txt in Branch2
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Merge.txt
PS C:\Users\User\453502_SHAULOUSKI_26> git push -u origin Branch2
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git push -u origin Branch2
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 395 bytes | 395.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git
   5f2831f..996e3ed  Branch2 -> Branch2
branch 'Branch2' set up to track 'origin/Branch2'.
PS C:\Users\User\453502_SHAULOUSKI_26> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\User\453502_SHAULOUSKI_26> git merge Branch2
Updating 5f2831f..996e3ed
Fast-forward
 Merge.txt | Bin 0 -> 36 bytes
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Merge.txt
PS C:\Users\User\453502_SHAULOUSKI_26> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git
   5f2831f..996e3ed  main -> main
PS C:\Users\User\453502_SHAULOUSKI_26>
```

```
PS C:\Users\User\453502_SHAULOUSKI_26> git branch -d Branch2
Deleted branch Branch2 (was 996e3ed).
PS C:\Users\User\453502_SHAULOUSKI_26> git push origin --delete Branch2
To https://github.com/StanislavShavlovsky/453502_SHAULOUSKI_26.git
 - [deleted]         Branch2
PS C:\Users\User\453502_SHAULOUSKI_26>
```

6. Сгенерируйте в DeepSeek файл html и файл css для сайта визитки компании или человека с областью занятости на выбор. Создайте публичный репозиторий на github и загрузите туда оба сгенерированных файла.
   Ссылка на сайт - https://stanislavshavlovsky.github.io/TeacherAnna/