Test Case ID	Type	Test Priority	Summary	Pre-conditions	№	Test Steps	Test Data	Expected Result	Status Pass/ Fail	Bug report ID
TC-1	Functional (negative)	Medium	Checking the user list without authorization	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. The user is not registered 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation	1 2 3 4 5	Click "Add a request" Create a new request "User list (no auth)" Choose the GET method Enter URL in URL field Click "SEND"	User list (no auth) https://dummyapi.io/data/v1/user	New request tab appears New request "User list (no auth)" created GET method are displayed URL are displayed The list of users has not been received. Status 403 is displayed	Pass	
TC-2	Functional (positive)	Medium	Checking that the status code will be 403 when an unauthorized person tries to log in	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. New request "User list (no auth)" created and opened 5. GET method are displayed 5. The user is not registered 5. Base URL https://dummyapi.io/data/v1/user displayed in the request string	1 2 3 4	Click on the "Tests" tab Change the status code value to 403 in the script template Click "SEND" Go to the "Tests Results" tab and select "All"	403	The Tests tab is open Template status code changed to 403 The request has been sent The "Test Result" tab is open and "All" selected Status 403 is displayed Test passed.	Pass	
TC-3	Functional (negative)	Medium	Checking that the status code will be 200 when an unauthorized person tries to log in	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. New request "User list (no auth)" created and opened 5. GET method are displayed 5. The user is not registered 5. Base URL https://dummyapi.io/data/v1/user displayed in the request string	1 2 3 4	Click on the "Tests" tab Change the status code value to 200 in the script template Click "SEND" Go to the "Tests Results" tab and select "All"	200	The Tests tab is open Template status code changed to 200 The request has been sent The "Test Result" tab is open and "All" selected Status 403 is displayed An unauthorized user should not receive data according to the documentation.	Pass	
TC-4	Functional (positive)	Medium	Checking the user list with authorization	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. The user is not registered 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation	1 2 3 4 5 6 7 9 10 11 12 13	Click "Add a request" Create a new request "User list" Choose the GET method Enter URL in URL field Open the Chrome browser Enter the link to https://dummyapi.io/ in the search bar Click to Sign in → Sign in with Google Copy the App ID and open the "Authorization" tab in the "User list" request Select authorization type → API Key Enter the data in the fields: Key Value Add to Click "SAVE" Click "SEND"	User list https://dummyapi.io/data/v1/user https://dummyapi.io/ test_by_me63@gmail.com app-id 659999dd7asb40db1420b612 Header	New request tab appears New request "User list" created GET method are displayed URL are displayed The Chrome browser was opened The website https://dummyapi.io/ was opened. Successful sign in. App ID is displayed. The App ID is copied and the "Authorization" tab is opened in the User list request API Key is selected The data saved User list is displayed Status code is 200	Pass	
TC-5	Functional (Equivalence partitioning)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation	1 2 3 4 5 6 7	Click "Add a request" Create a new request "Pagination" Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	Pagination https://dummyapi.io/data/v1/user 499 23	New request tab appears New request "Pagination" created GET method are displayed URL are displayed The data saved Received a response with a list of 23 items on the 500th page (page number starts from zero) Status code is 200	Pass	
TC-6	ise testing; negative)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized	1 2 3	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page	https://dummyapi.io/data/v1/user -10	GET method are displayed URL are displayed		

Stanislava Pleshkova Workbook

	Functional (Equivalence partitioning&pairw			5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	 4 5	 limit Click "SAVE" Click "SEND"	 -5	 The data saved Received a response with a list of 5 items on the first page (page number starts from zero). The system does not generate an error, but automatically displays the minimum listing limit on the first page, which is appropriate for the user. Status code is 200	Pass	
TC-7	Functional (Equivalence partitioning&pairwise testing; negative)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user 499 -5	GET method are displayed URL are displayed The data saved Received a response with a list of 5 items on the page 500 (page number starts from zero). The system does not generate an error, but automatically displays the minimum listing limit on the 500th page, which is appropriate for the user. Status code is 200	Pass	
TC-8	Functional (Equivalence partitioning&pairwise testing; negative)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user 1005 -5	GET method are displayed URL are displayed The data saved Received a response with a list of 5 items on the 1000th page (page number starts from zero). The system does not generate an error, but automatically displays the minimum listing limit on the last page, which is appropriate for the user. Status code is 200	Pass	
TC-9	Functional (Equivalence partitioning&pairwise testing; negative	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user 1005 23	GET method are displayed URL are displayed The data saved Received a response with a list of 23 items on the 1000th page (page number starts from zero). The system does not generate an error, but automatically displays the list of 23 items on the last page, which is appropriate for the user. Status code is 200	Pass	
TC-10	Functional (Equivalence partitioning&pairwise testing; negative	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user -10 23	GET method are displayed URL are displayed The data saved Received a response with a list of 23 items on the first page (page number starts from zero). The system does not generate an error, but automatically displays the list of 23 items on the first page, which is appropriate for the user. Status code is 200	Pass	
TC-11	itioning&pairwise testing; negative)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation	1 2 3 limit	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page 55	 https://dummyapi.io/data/v1/user 1005	GET method are displayed URL are displayed	Pass	

Stanislava Pleshkova Workbook

	Functional (Equivalence part			5. New request "Pagination" created and opened	4 5	Click "SAVE" Click "SEND"		The data saved Received a response with a list of 50 (maximum) items on the 1000th page (page number starts from zero). The system does not generate an error, but automatically displays the list of 50 items on the last page, which is appropriate for the user. Status code is 200		
TC-12	Functional (Equivalence partitioning&pairwise testing; negative)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user -10 55	GET method are displayed URL are displayed The data saved Received a response with a list of 50 (maximum) items on the first page (page number starts from zero). The system does not generate an error, but automatically displays the list of 50 items on the first page, which is appropriate for the user. Status code is 200	Pass	
TC-13	Functional (Equivalence partitioning&pairwise testing; negative)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user 499 55	GET method are displayed URL are displayed The data saved Received a response with a list of 50 (maximum) items on the page 500 (page number starts from zero). The system does not generate an error, but automatically displays the list of 50 items on the 500th page, which is appropriate for the user. Status code is 200	Pass	
TC-14	Boundary values analysis for limits (lower limit)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user 0 4	GET method are displayed URL are displayed The data saved Received a response with a list of 5 items on the first page (page number starts from zero). The system does not generate an error, but automatically displays the minimum listing limit on the first page, which is appropriate for the user. Status code is 200	Pass	
TC-15	Boundary values analysis for limits (lower limit)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user 0 5	GET method are displayed URL are displayed The data saved Received a response with a list of 5 items on the first page (page number starts from zero). Status code is 200	Pass	
TC-16	Boundary values analysis for limits (lower limit)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user 0 6	GET method are displayed URL are displayed The data saved Received a response with a list of 6 items on the first page (page number starts from zero). Status code is 200	Pass	

Stefanislava Pribeshkova Workbook

TC-17	Boundary values analysis for limits (upper limit)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user 0 49	GET method are displayed URL are displayed The data saved Received a response with a list of 49 items on the first page (page number starts from zero). Status code is 200	Pass	
TC-18	Boundary values analysis for limits (upper limit)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user 0 50	GET method are displayed URL are displayed The data saved Received a response with a list of 50 items on the first page (page number starts from zero). Status code is 200	Pass	
TC-19	Boundary values analysis for limits (upper limit)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user 0 51	GET method are displayed URL are displayed The data saved Received a response with a list of 50 items on the first page (page number starts from zero). The system does not generate an error, but automatically displays the maximum listing limit on the first page, which is appropriate for the user. Status code is 200	Pass	
TC-20	Boundary values analysis for pages (lower limit)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user -1 5	GET method are displayed URL are displayed The data saved Received a response with a list of 5 items on the first page (page number starts from zero). The system does not generate an error, but automatically displays the 5 listing limit on the first page, which is appropriate for the user. Status code is 200	Pass	
TC-21	Boundary values analysis for pages (lower limit)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user 0 5	GET method are displayed URL are displayed The data saved Received a response with a list of 5 items on the first page (page number starts from zero). Status code is 200	Pass	
TC-22	ary values analysis for pages (lower limit)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE"	 https://dummyapi.io/data/v1/user 1 5	GET method are displayed URL are displayed The data saved	Pass	

Stanislava Pleshkova Workbook

	Bound				5	Click "SEND"		Received a response with a list of 5 items on the second page (page number starts from zero). Status code is 200		
TC-23	Boundary values analysis for pages (upper limit)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user 998 5	GET method are displayed URL are displayed The data saved Received a response with a list of 5 items on the page 999 (page number starts from zero). Status code is 200	Pass	
TC-24	Boundary values analysis for pages (upper limit)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user 999 5	GET method are displayed URL are displayed The data saved Received a response with a list of 5 items on the 1000th page (page number starts from zero). Status code is 200	Pass	
TC-25	Boundary values analysis for pages (upper limit)	Low	Displaying a list of elements on a page	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user copied from the test documentation 5. New request "Pagination" created and opened	1 2 3 4 5	Choose the GET method Enter URL in URL field Open the "Params" tab and enter the data in the field: page limit Click "SAVE" Click "SEND"	 https://dummyapi.io/data/v1/user 1000 5	GET method are displayed URL are displayed The data saved Received a response with a list of 5 items on the page 1001 (page number starts from zero). The system does not generate an error, but automatically displays the 5 listing limit on the page 1000, which is appropriate for the user. Status code is 200	Pass	
TC-26	Functional (positive)	Medium	Creating a new user in the system	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. User is authorized 5. Base URL https://dummyapi.io/data/v1/user/create copied from the test documentation	1 2 3 4

	Functional (positive)			2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. New request "Create user" created and opened 5. POST method are displayed 6. User is authorized 7. Base URL https://dummyapi.io/data/v1/user/create copied from the test documentation	2 3 4 5 6 7 8	Choose the POST method Enter URL in URL field Click on the "Tests" tab Select the "Status code is 200" template in the Snippets and and edit it to a 403 status code Click "SAVE" Click "SEND" Go to the "Tests Results" tab and select "All"	https://dummyapi.io/data/v1/user/create 403	POST method are displayed URL are displayed The Tests tab is open The script for the "Status code is 403" template displayed in the "Tests" tab The data saved The request has been sent The "Test Result" tab is open and "All" selected Status 200 is displayed All the data was entered correctly and the status code should be 200.	Pass	
TC-29	Functional (positive)	Medium	Checking that the request body has the "id" string	1. The Postman program has been launched. 2. The tester is logged in to Postman. 3. The new DUMMYAPI collection has been created 4. New request "Create user" created and opened 5. POST method are displayed 6. User is authorized 7. Base URL https://dummyapi.io/data/v1/user/create copied from the test documentation	1 2 3 4 Click "SEND" Go to the "Tests Results" tab and select "All"	Choose the request "Create user" Choose the POST method Enter URL in URL field Click on the "Tests" tab Select the "Response body: Contains string" template in the Snippets and change it by adding: to.include("id") Click "SAVE"	Create user https://dummyapi.io/data/v1/user/create to.include("id")	"Create user" request is chosen. POST method are displayed URL are displayed The Tests tab is open The script for the "Response body: Contains string" template opens in the "Tests" tab. These functions have been changed and new data has been added: to.include("id") The data saved The request has been sent The "Test Result" tab is open and "All" selected Status 200 is displayed	Pass	

Stanislava Pieshkova Workbook