LOW HEIGHT HYDRAULIC CYLINDERS (RMC)



RMC-100B



RMC-50B



RMC-30B



RMC-20B





RMC-10B



RMC- 5B

Model	RMC-5B	RMC-10B	RMC-20B	RMC-30B	RMC-50B	RMC-100B
Tonnage(T)	5	10	20	30	50	100
Stroke(mm)	8	11	12	14	16	16
Oil capacity(cc)	12	16	34	58	102	200
Closed height(mm)	45	45	52	58	68	88
G . W . (kg)	1.0	1.5	2.6	3.9	6.3	14.5
Volume(cm)	6.5 x 4.8 x 4	15 x 6.5 x 5	16.5 x 8.5 x 6	18.5 x 10 x 6.5	21 x 12 x 7.5	25 x 17 x 10





HYDRAULIC CYLINDERS SERIES (RC)



RC-1050

RC-3050

RC-2050



RC-5050

RC-10050



RC-10100

RC-30100

RC-20100



RC-50100

RC-100100



RC-10150

RC-30150

RC-20150



RC-50150

RC-100150

Function

- Light weight, easy to carry.
- Baked enamel finish for increased corrosion resistance.
- All the raw material specially heat-treated and processed by imported CNC lathes.
- Imported high quality seal to provide better protection to the cylinder, making the cylinder not easy to wear out.

HYDRAULIC CYLINDERS SERIES (RC)

Model	Tonnage(T)	Stroke(mm)	Oil capacity (cc)	Closed height (mm)	G.W.(kg)
RC - 10150	10	150	217	226	5.6
RC - 20150	20	150	423	230	9.8
RC - 30150	30	150	627	233	11.7
RC - 50150	50	150	953	243	18
RC - 100150	100	150	1869	282	40.5
RC - 200150	200	150	3810	282	82
RC - 250150	250	150	5443	348	142
RC - 300150	300	150	6783	367	165
RC - 400150	400	150	8585	415	245
RC - 500150	500	150	10959	445	349
RC - 600150	600	150	12829	471	431
RC - 800150	800	150	17910	524	665
RC - 1000150	1000	150	21772	577	937
RC - 250300	250	300	10886	498	196
RC - 300300	300	300	13565	517	224
RC - 400300	400	300	17168	565	318
RC - 500300	500	300	21908	595	451
RC - 600300	600	300	25646	621	546
RC - 800300	800	300	35820	674	825
RC - 1000300	1000	300	43544	727	1145
RCH - 1050L	10	50	80	146	2.0
RCH - 10100L	10	100	160	196	2.7
RCH - 10150L	10	150	240	246	3.3
RCH - 2050L	20	50	150	166	4.0
RCH - 20100L	20	100	300	224	4.8
RCH - 20150L	20	150	430	266	5.6
RCH - 3050L	30	50	215	176	5.5
RCH - 30100L	30	100	423	226	6.3
RCH - 30150L	30	150	638	276	7.5
RCH - 5050L	50	50	325	181	8.2
RCH - 50100L	50	100	650	231	9.3
RCH - 50150L	50	150	985	281	12
RCH - 10050L	100	50	635	216	17
RCH - 100100L	100	100	1278	266	20.3
RCH - 100150L	100	150	1980	316	22.9

HYDRAULIC CYLINDERS SERIES (RC)

Model	Tonnage(T)	Stroke(mm)	Oil capacity (cc)	Closed height (mm)	G.W.(kg)
RC - 1050	10	50	72	97	2.5
RC - 2050	20	50	141	105	5
RC - 3050	30	50	210	108	5.5
RC - 5050	50	50	318	113	9
RC - 10050	100	50	623	136	19
RC - 20050	200	50	1280	182	55
RC - 25050	250	50	1820	248	105
RC - 30050	300	50	2260	267	126
RC - 40050	400	50	2861	315	195
RC - 50050	500	50	3653	345	283
RC - 60050	600	50	4276	371	354
RC - 80050	800	50	5790	424	560
RC - 100050	1000	50	7528	477	799
RC - 10100	10	100	145	147	4.5
RC - 20100	20	100	282	165	7.5
RC - 30100	30	100	418	167	9
RC - 50100	50	100	635	173	13
RC - 100100	100	100	1246	232	34
RC - 200100	200	100	2543	232	67

