

```
md_rustam@DESKTOP-CPK0PUB:~/Project$ mkdir nginx-custom
cd nginx-custom
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ ls -l
total 0
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ vi Dockerfile
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ vi index.html
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ vi docker-compose.yml
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ mkdir html
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ echo "<h2>Mounted Content</h2>" > html/index.html
```

```
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ tree
```

```
├── Dockerfile
├── docker-compose.yml
├── html
│   └── index.html
└── index.html
```

```
2 directories, 4 files
```

```
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ cat Dockerfile
# Use official Nginx base image
FROM nginx:latest
```

```
# Copy custom HTML file into image
COPY index.html /usr/share/nginx/html/index.html
```

```
# Expose port 80
EXPOSE 80
```

```
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ cat docker-compose.yml
services:
  web:
    build: .
    container_name: custom-nginx
    ports:
      - "9090:80"    # changed host port
    volumes:
      - ./html:/var/opt/nginx
```

```
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ cat index.html
<!DOCTYPE html>
<html>
<head>
  <title>Custom Nginx</title>
</head>
<body>
  <h1>Hello from Custom Nginx!</h1>
  <p>This is a custom Docker image deployed via Docker Compose.</p>
</body>
</html>
```

```
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ cat html/index.html
<h2>Mounted Content</h2>
```

```
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ docker images
```

```
IMAGE ID DISK USAGE CONTENT SIZE EXTRA
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ docker ps -a
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ docker ps
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ |
```

```
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ docker compose up -d --build
[+] Building 1.6s (9/9) FINISHED
=> [internal] load local bake definitions 0.0s
=> => reading from stdin 522B 0.0s
=> [internal] load build definition from Dockerfile 0.0s
=> => transferring dockerfile: 203B 0.0s
=> [internal] load metadata for docker.io/library/nginx:latest 1.2s
=> [internal] load .dockerignore 0.0s
=> => transferring context: 2B 0.0s
=> [internal] load build context 0.0s
=> => transferring context: 32B 0.0s
=> [1/2] FROM docker.io/library/nginx:latest@sha256:42f2d24ae18df9b5251dlcc45548085656d2335e9338fd150a24e415462d151f 0.0s
=> => resolve docker.io/library/nginx:latest@sha256:42f2d24ae18df9b5251dlcc45548085656d2335e9338fd150a24e415462d151f 0.0s
=> CACHED [2/2] COPY index.html /usr/share/nginx/html/index.html 0.0s
=> exporting to image 0.2s
=> => exporting layers 0.0s
=> => exporting manifest sha256:3cee4b5924c1f8444eedb001ab79fb11f394e7445027a0ca0052923795fa5a7f 0.0s
=> => exporting config sha256:9a2d9388db3cb5156b15f752474487882e5fbde2f8075e40fc96537b5a0fa5a6 0.0s
=> => exporting attestation manifest sha256:886225d048d6d70a0126320e7f6ebf90d6d24a262ca4a005108000716458ef0d 0.0s
=> => exporting manifest list sha256:8283595e625f38c46a7c1df1fd365699900d5b89a0a6052ee3f84fc7e135409c 0.0s
=> => naming to docker.io/library/nginx-custom-web:latest 0.0s
=> => unpacking to docker.io/library/nginx-custom-web:latest 0.0s
=> resolving provenance for metadata file 0.0s
[+] up 2/2
✓Image nginx-custom-web Built 1.7s
✓Container custom-nginx Started 0.3s
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ |
```

```
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ docker images
IMAGE ID DISK USAGE CONTENT SIZE EXTRA
nginx-custom-web:latest 8283595e625f 238MB 63.1MB U
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ docker ps
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES
aala0fb3bf89 nginx-custom-web "/docker-entrypoint..." 12 minutes ago Up 12 minutes 0.0.0.0:9090->80/tcp, [::]:9090->80/tcp custom-nginx
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ |
```

```
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ sudo lsof -i :8080
[sudo: authenticate] Password:
COMMAND PID USER FD TYPE DEVICE SIZE/OFF NODE NAME
docker-pr 1560 root 8u IPv4 9804 0t0 TCP *:http-alt (LISTEN)
docker-pr 1567 root 8u IPv6 9805 0t0 TCP *:http-alt (LISTEN)
```

```
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ netstat -tulnp | grep 8080
(No info could be read for "-p": geteuid()=1000 but you should be root.)
tcp 0 0 0.0.0.0:8080 0.0.0.0:* LISTEN -
tcp6 0 0 :::8080 :::* LISTEN -
```

```
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ curl http://localhost:9090
<!DOCTYPE html>
<html>
<head>
<title>Custom Nginx</title>
</head>
<body>
<h1>Hello from Custom Nginx!</h1>
<p>This is a custom Docker image deployed via Docker Compose.</p>
</body>
</html>
```

```


md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ docker logs custom-nginx
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: Getting the checksum of /etc/nginx/conf.d/default.conf
10-listen-on-ipv6-by-default.sh: info: Enabled listen on IPv6 in /etc/nginx/conf.d/default.conf
/docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2026/06/21 11:23:34 [notice] 1#1: using the "epoll" event method
2026/06/21 11:23:34 [notice] 1#1: nginx/1.31.2
2026/06/21 11:23:34 [notice] 1#1: built by gcc 14.2.0 (Debian 14.2.0-19)
2026/06/21 11:23:34 [notice] 1#1: OS: Linux 6.6.114.1-microsoft-standard-WSL2
2026/06/21 11:23:34 [notice] 1#1: getrlimit(RLIMIT_NOFILE): 1024:1048576
2026/06/21 11:23:34 [notice] 1#1: start worker processes
2026/06/21 11:23:34 [notice] 1#1: start worker process 29
2026/06/21 11:23:34 [notice] 1#1: start worker process 30
2026/06/21 11:23:34 [notice] 1#1: start worker process 31
2026/06/21 11:23:34 [notice] 1#1: start worker process 32
2026/06/21 11:23:34 [notice] 1#1: start worker process 33
2026/06/21 11:23:34 [notice] 1#1: start worker process 34
2026/06/21 11:23:34 [notice] 1#1: start worker process 35
2026/06/21 11:23:34 [notice] 1#1: start worker process 36
172.21.0.1 - - [21/Jun/2026:11:32:54 +0000] "GET / HTTP/1.1" 200 202 "-" "curl/8.18.0" "-"
172.21.0.1 - - [21/Jun/2026:11:33:33 +0000] "GET / HTTP/1.1" 200 202 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/149.0.0.0 Safari/537.36" "-"
2026/06/21 11:33:33 [error] 30#30: *2 open() "/usr/share/nginx/html/favicon.ico" failed (2: No such file or directory), client: 172.21.0.1, server: localhost, request: "GET /favicon.ico HTTP/1.1", host: "localhost:9090", referer: "http://localhost:9090/"
172.21.0.1 - - [21/Jun/2026:11:33:33 +0000] "GET /favicon.ico HTTP/1.1" 404 555 "http://localhost:9090/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/149.0.0.0 Safari/537.36" "-"
172.19.96.1 - - [21/Jun/2026:11:34:10 +0000] "GET / HTTP/1.1" 200 202 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/149.0.0.0 Safari/537.36" "-"
172.19.96.1 - - [21/Jun/2026:11:34:10 +0000] "GET /favicon.ico HTTP/1.1" 404 555 "http://172.19.101.31:9090/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/149.0.0.0 Safari/537.36" "-"
2026/06/21 11:34:10 [error] 32#32: *4 open() "/usr/share/nginx/html/favicon.ico" failed (2: No such file or directory), client: 172.19.96.1, server: localhost, request: "GET /favicon.ico HTTP/1.1", host: "172.19.101.31:9090", referer: "http://172.19.101.31:9090/"

```

← → ↻ ⓘ localhost:9090

Hello from Custom Nginx!

This is a custom Docker image deployed via Docker Compose.



Hello from Custom Nginx!

This is a custom Docker image deployed via Docker Compose.

```

md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ docker login

USING WEB-BASED LOGIN

Info → To sign in with credentials on the command line, use 'docker login -u <username>'

```

```

Waiting for authentication in the browser...

WARNING! Your credentials are stored unencrypted in '/home/md_rustam/.docker/config.json'.
Configure a credential helper to remove this warning. See
https://docs.docker.com/go/credential-store/

Login Succeeded
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS                               NAMES
a1a0fb3bf89   nginx-custom-web "/docker-entrypoint..." 17 minutes ago Up 17 minutes 0.0.0.0:9090->80/tcp, [::]:9090->80/tcp custom-nginx
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ docker tag nginx-custom-web StartDocHub/nginx-custom:latest
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS                               NAMES
a1a0fb3bf89   nginx-custom-web "/docker-entrypoint..." 20 minutes ago Up 20 minutes 0.0.0.0:9090->80/tcp, [::]:9090->80/tcp custom-nginx

```

```
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
aala0fb3bf89	nginx-custom-web	"/docker-entrypoint..."	45 minutes ago	Up 45 minutes	0.0.0.0:9090->80/tcp, [::]:9090->80/tcp	custom-nginx

```
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ docker images
```

IMAGE	ID	DISK USAGE	CONTENT SIZE	EXTRA
nginx-custom-web:latest	8283595e625f	238MB	63.1MB	U
stardochub/nginx-custom:latest	8283595e625f	238MB	63.1MB	U

```
md_rustam@DESKTOP-CPK0PUB:~/Project/nginx-custom$ docker push stardochub/nginx-custom:latest
The push refers to repository [docker.io/stardochub/nginx-custom]
9d766ce31bdf: Pushed
ac5e3151b8c0: Pushed
99181f19640f: Pushed
868d78dceaed: Pushed
8da80f8205ea: Pushed
3461bb328618: Pushed
72c03230f136: Pushed
c82e83b01f69: Pushed
7759b6714d4d: Pushed
latest: digest: sha256:8283595e625f38c46a7c1df1fd365699900d5b89a0a6052ee3f84fc7e135409c size: 856
```