

MERCON Logistics — ICCES API Integration

Version: 1.1 (Unified)

Date: July 2026

Prepared For: MERCON Logistics Services Company

Source: International Channel Electronics Services Co. Ltd. (ICCES)

1. Overview

ICCES provides secondary vehicle GPS tracking for the MERCON platform. The ICCES hardware GPS devices are installed on vehicles and provide real-time location data, alerts, and vehicle telemetry as a secondary tracking source alongside the primary Driver Mobile GPS.

Tracking Source	Role	Technology
Driver Mobile GPS	Primary	Google Maps via Driver App
ICCES Vehicle GPS	Secondary	Hardware GPS device via ICCES API

2. API Authentication

- Authentication mechanism: Basic Auth
- Format: Base64 encoded <user>:<password>:<account>
- No additional restrictions for accessing the API

3. Vehicle List Retrieval

Retrieves the list of all registered vehicles and their current status.

Endpoint: <https://fleet.icces.com:8443/iccWebService1.2>

Method: GET

Response Fields

Field	Type	Description
deviceID	string	Unique device identifier
description	string	Vehicle description / name
equipmentType	string	Vehicle make/model
equipmentStatus	string	Vehicle status (e.g., "available")

deviceCode	string	Device manufacturer (e.g., "teltonika")
lastValidLatitude	number	Last known latitude
lastValidLongitude	number	Last known longitude
lastValidSpeedKPH	number	Last known speed in KPH
lastValidHeading	number	Last known heading in degrees
lastOdometerKM	number	Odometer reading in kilometers
lastUpdateTime	number	Unix timestamp of last update
lastGPSTimestamp	number	Unix timestamp of last GPS reading
lastBatteryLevel	number	Battery level
lastIgnitionOnTime	number	Last ignition on timestamp
lastIgnitionOffTime	number	Last ignition off timestamp
isActive	number	1 = active, 0 = inactive
statusCode	number	Status code
statusDescription	string	Status text (e.g., "STOPPED", "MOVING")
statusColor	string	Hex color for status
maxSpeedLimit	number	Speed limit in KPH
driverID	string	Assigned driver ID
driverDisplayName	string	Driver display name
simPhoneNumber	string	SIM phone number
imeiNumber	string	Device IMEI number
vehicleLastWeight	number	Last recorded weight

Sample Response

```
[
  {
    "deviceID": "06670881",
    "groupID": "",
    "lastUpdateTime": 1745211401,
    "creationTime": 1602400373,
    "description": "5124 NDD (Zeya)",
    "equipmentType": "MITSUBISHI PAJERO",
    "equipmentStatus": "available",
    "deviceCode": "teltonika",
    "lastValidLatitude": 24.6927619,
    "lastValidLongitude": 46.7997806,
    "isActive": 1,
    "lastOdometerKM": 105870.573,
    "lastGPSTimestamp": 1745211084,
    "lastBatteryLevel": 0.0,
    "lastValidHeading": 0.0,
    "maxSpeedLimit": 80.0,
    "statusCode": 61717,
    "statusDescription": "STOPPED",
    "statusColor": "#CC0000",
    "driverID": "test",
    "driverDisplayName": "Driver 1",
    "simPhoneNumber": "830060089397",
    "imeiNumber": "356173068851885",
    "lastValidSpeedKPH": 0.0,
    "vehicleLastWeight": 0.0
  }
]
```

4. Live Tracking Data

Retrieves detailed event/tracking data for a specific device on a specific date.

Endpoint: <https://fleet.icces.com:8443/iccWebService1.2>

Method: POST

Request Body

```
{
  "eventDate": "2016-12-14",
  "reportType": "EVENT_DETAILS",
  "deviceID": "xxxxxxx"
}
```

Success Response

```
{
  "status": "success",
  "message": "Data is available",
  "data": [
    {
      "eventList": [
        {
          "deviceId": "351777090213198",
          "deviceDescription": "Jawaid Khan 3738 ULB",
          "statusCode": "61714",
          "statusCodePta": "MOVING",
          "statusDescription": "MOVING",
          "latitude": 26.26708888888889,
          "longitude": 50.19336888888889,
          "speedKPH": 21.0,
          "heading": 249.0
        }
      ]
    }
  ]
}
```

Error Response

```
{
  "status": "error",
  "message": "ERROR DETAIL"
}
```

5. Alerts and Alarms

Retrieves active alerts and alarms for all tracked vehicles.

Endpoint: <https://fleet.icces.com:8443/iccWebService1.2>

Method: GET

Response Fields

Field	Type	Description
deviceId	string	Device identifier
deviceDescription	string	Vehicle description
licensePlate	string	Vehicle license plate
driverName	string	Driver name
latitude	string	Alert location latitude
longitude	string	Alert location longitude

speedKPH	string	Speed at time of alert
speedLimitKPH	string	Speed limit setting
status	string	Alert type
address	string	Location address
timestamp	string	Unix timestamp of alert

Sample Response

```
[
  {
    "driverNickname": "",
    "licensePlate": "9108 EAD",
    "address": "Riyadh, Saudi Arabia",
    "deviceDescription": "9108 EAD (Mamoun)",
    "speedKPH": "69.0",
    "speedLimitKPH": "60.0",
    "latitude": "24.759",
    "driverName": "Mamoun Beidas",
    "deviceId": "08085338",
    "status": "OVER_SPEEDING",
    "longitude": "46.6473966",
    "timestamp": "1574589764"
  }
]
```

Alert Types

Alert Type	Description
OVER_SPEEDING	Vehicle exceeding maximum speed limit (if max speed > 0 in Vehicle Admin)
ACCIDENT	Accident detected
TEMPER_WEIGHT	Weight sensor disconnected
MOVING_DEVICE_DISCONNECTED	Moving and device disconnected (battery voltage < minimum external volts)
PARKED_DEVICE_DISCONNECTED	Parked and device disconnected (battery voltage < minimum external volts)
DEVICE_NOT_WORKING	No data received from device for one hour
LOW_BATTERY	Internal battery level $\leq$ 3.0

6. Integration Notes for MERCON

- ICCES is the secondary GPS tracking source; Driver Mobile GPS is always primary
- Vehicle list should be synced periodically to maintain fleet records
- Live tracking data can be displayed alongside mobile GPS on the Operator Dashboard
- Alerts (especially OVER_SPEEDING and ACCIDENT) should be surfaced as notifications to operators
- DEVICE_NOT_WORKING alerts should trigger an "ICCES GPS Offline" notification to operators

- All ICCES data should be stored in trip history for audit purposes