

**Explore** 


 $\wedge$ 

# Al Studio - Published Service 1.0.0 OAS 3.0

Servers

https://localhost:49214

# invocations MLflow model invocation



Input from model signature

6/27/25, 6:42 PM Swagger UI

Execute

```
{
  "inputs": {
     "query": [
         "Suggest a budget-friendly resort vacation."
     ]
  },
  "params": {
      "show_score": true
  }
}
```

Clear

# Responses

# Curl

```
curl -X 'POST' \
  'https://localhost:49214/invocations' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "inputs": {
        "query": [
            "Suggest a budget-friendly resort vacation."
      ]
    },
    "params": {
        "show_score": true
    }
}'
```

# Request URL

https://localhost:49214/invocations

#### Server response

#### Code Details

200

### Response body

```
"Similarity": 0.9267330767711609
"Unnamed: 0": 8539,
"Topic": 1,
"Pledge": "For a budget-friendly heritage, consider a package with getaway options and resort activities.",
"Similarity": 0.9248955876870355
"Unnamed: 0": 6983,
"Topic": 1,
"Pledge": "For a budget-friendly excursion, consider a luxury with mountains options and vacation activities.",
"Similarity": 0.9248507335388553
"Unnamed: 0": 5119,
"Topic": 1,
"Pledge": "For a budget-friendly celebration, consider a getaway with beach options and resort activities.",
"Similarity": 0.9239006775335208
"Unnamed: 0": 3385,
"Topic": 1,
"Pledge": "For a budget-friendly adventure, consider a resort with getaway options and vacation activities.",
"Similarity": 0.9233371571394203
                                                                                                         Download
```

#### Response headers

```
access-control-allow-origin: https://localhost:49214
content-length: 907
content-type: application/json
date: Fri,27 Jun 2025 21:41:43 GMT
server: envoy
vary: Origin
x-envoy-upstream-service-time: 650
```

#### Responses

6/27/25, 6:42 PM Swagger UI

Code	Description	Links
200	Successful operation	No links
	Media type	
	application/json	
	Controls Accept header.	
	Example Value Schema	
	{     "List of Pledges and Similarities": "string"	

```
ModelOutput

ModelOutput
```