


Security Score



Security Score 58/100

Risk Rating




Grade



Severity Distribution (%)

High Medium
Info Secure



Privacy Risk



User/Device Trackers

Findings



 4 3

Hotspot
1

high Domain config is insecurely configured to permit clear text traffic to these domains in scope

[NETWORK](#)

medium Base config is configured to trust system certificates

[NETWORK](#)

medium Service (com.pagermanager.app.wear.WearMessageListenerService) is not Protected. [android:exported=true]

[MANIFEST](#)

medium Service (androidx.glance.appwidget.GlanceRemoteViewsService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_REMOTEVIEWS [android:exported=true]

[MANIFEST](#)

medium Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]

[MANIFEST](#)

medium Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]

[MANIFEST](#)

medium Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]

[MANIFEST](#)

medium App can read/write to External Storage. Any App can read data written to External Storage.

[CODE](#)

medium The App uses an insecure Random Number Generator.

[CODE](#)

medium IP Address disclosure

[CODE](#)

medium Files may contain hardcoded sensitive information like usernames, passwords, keys etc.

[CODE](#)

medium MD5 is a weak hash known to have hash collisions.

[CODE](#)

medium App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.

[CODE](#)

medium SHA-1 is a weak hash known to have hash collisions.

[CODE](#)

medium App creates temp file. Sensitive information should never be written into a temp file.

[CODE](#)

medium This app may contain hardcoded secrets

[SECRETS](#)

info The App logs information. Sensitive information should never be logged.

[CODE](#)

info This App uses SQL Cipher. SQLCipher provides 256-bit AES encryption to sqlite database files.

[CODE](#)

info This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.

[CODE](#)

info App can write to App Directory. Sensitive Information should be encrypted.

[CODE](#)

secure Base config is configured to disallow clear text traffic to all domains

[NETWORK](#)

secure This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.

[CODE](#)

secure This application has no privacy trackers

[TRACKERS](#)

hotspot Found 3 critical permission(s)

[PERMISSIONS](#)

MobSF Application Security Scorecard generated for  (Pager Rat 0.9.5) 