
Benjamini-Hochberg FDR Correction — All Hypothesis Tests
(Raw vs. Adjusted p-values, dashed line = significance threshold)
Hypothesis Test
E18: Reduction across families in Clifford+T (KW, H13)
E17: Reduction across topologies (paired omnibus, H12)
E16: Reduction across window sizes (paired omnibus, H11)
E15: Reduction across compilers (paired omnibus, H10)
E12: Reduction across optimization levels (paired omnibus, H8)
E11: Reduction across circuit families (KW, H7)
E10 Universal: Greedy vs Hybrid (paired Wilcoxon)
E10: Reduction across optimizers (paired omnibus)
E10: Reduction across circuit families (Kruskal-Wallis)
E5: Reduction across depths (Kruskal-Wallis)
E4: Runtime across optimizers (paired omnibus)
E4: Reduction across optimizers (paired omnibus)
E3: Reduction across qubit counts (Kruskal-Wallis)
E2: Entanglement-reduction correlation (Pearson)
E1: Reduction across depths (Kruskal-Wallis)
SIG
SIG
SIG
SIG
SIG
SIG
SIG
SIG
SIG
α = 0.05
Raw p-value
BH-adjusted p-value
BH-FDR correction applied to 15 tests; 11 significant at q=0.05. Design-appropriate effect sizes reported in fdr_correction_results.csv.
10^−9
10^−7
10^−5
10^−3
10^−1
p-value (log scale)