




HTTP :




TCP :

No.	Time	Source	Destination	Protocol	Length	Info
226	10.534867900	192.168.100.126	192.168.100.214	TLSv1.2	164	Application Data
227	10.579187400	192.168.100.214	192.168.100.126	TCP	54	51285 → 8009 [ACK] Seq=331 Ack=331 Win=250 Len=0
228	10.846445600	2001:16a3:dc8:4500::...	2600:1f13:37c:1400::...	TCP	86	[TCP Retransmission] 51551 → 80 [SYN] Seq=0 Win=65535
230	11.111755400	192.168.100.214	34.223.124.45	TCP	66	[TCP Retransmission] 51552 → 80 [SYN] Seq=0 Win=65535
231	11.352561200	192.168.100.214	34.223.124.45	TCP	58	80 → 51552 [SYN, ACK] Seq=0 Ack=1 Win=26883 Len=0 MSS=
232	11.352880100	192.168.100.214	34.223.124.45	TCP	54	51552 → 80 [ACK] Seq=1 Ack=1 Win=65535 Len=0
233	11.353392400	192.168.100.214	34.223.124.45	HTTP	396	GET / HTTP/1.1
238	11.927925700	192.168.100.214	192.168.100.126	TLSv1.2	164	Application Data
239	11.974744700	192.168.100.126	192.168.100.214	TLSv1.2	164	Application Data
241	12.021062100	192.168.100.214	192.168.100.126	TCP	54	52093 → 8009 [ACK] Seq=331 Ack=331 Win=251 Len=0
252	14.421893000	192.168.100.214	34.223.124.45	TCP	396	[TCP Retransmission] 51552 → 80 [PSH, ACK] Seq=1 Ack=
253	14.663080900	34.223.124.45	192.168.100.214	TCP	54	80 → 51552 [ACK] Seq=1 Ack=343 Win=26800 Len=0



UDP :



Task 1: Fill in the following table and provide reasons.

	TCP or UDP	Reasons
Reliability and Connection Establishment	TCP	because it use handshake to establish connection first, so it make sure of delivery
Data Integrity and Ordering	TCP	it uses sequence number to make sure data come in the right order, also it has more security

Task 2: Identify the use Cases and Performance of TCP and UDP.

	TCP	UDP
Use cases	HTTP, SMTP, FTP	video streaming, live and online gaming
Performance	slow, due to handshake but more reliable	fast and better for real-time application

