AttributeError at /newanalytics/ 'AnonymousUser' object has no attribute 'email' Request Method: GET Request URL: http://localhost:8000/newanalytics/ Diango Version: 3.1.6 Exception Type: AttributeError Exception Value: 'AnonymousUser' object has no attribute 'email' Exception Location: /usr/local/lib/python3.9/site-packages/django/utils/functional.py, line 241, in inner Python Executable: /usr/local/opt/python@3.9/bin/python3.9 Python Version: 3.9.1 Server time: Tue, 06 Apr 2021 10:02:26 +0000 Traceback Switch to copy-and-paste view /usr/local/lib/python3.9/site-packages/django/core/handlers/exception.py, line 47, in inner response = get_response(request) ► Local vars /usr/local/lib/python3.9/site-packages/django/core/handlers/base.py, line 181, in _get_response response = wrapped callback(request, *callback args, **callback kwargs) ▶ Local vars /Users/starscorplo/security_project/security_monitoring_project/securecheck/views.py, line 404, in newanalytics email = current_user.email 404. ▶ Local vars /usr/local/lib/python3.9/site-packages/django/utils/functional.py, line 241, in inner return func(self._wrapped, *args) ► Local vars Request information **USER** AnonymousUser No GET data **GET** No POST data **POST** No FILES data **FILES**

COOKIES No cookie data

SHLVL

META

Variable Value CONTENT_LENGTH CONTENT TYPE 'text/plain' DJANGO_SETTINGS_MODULE 'security_monitoring_project.settings' 'CGI/1.1 GATEWAY_INTERFACE '/Users/starscorplo' HOME HTTP_ACCEPT $\verb|'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8||$ HTTP_ACCEPT_ENCODING 'gzip' HTTP ACCEPT LANGUAGE 'en-IN,* HTTP CONNECTION 'Keep-Alive 'localhost:8000' HTTP_HOST HTTP_USER_AGENT ('Mozilla/5.0 (Macintosh; Intel Mac OS X) AppleWebKit/534.34 (KHTML, like 'Gecko) Qt/4.8.7 Safari/534.34') LC_CTYPE 'UTF-8' LOGNAME 'starscorplo' OLDPWD '/Users/starscorplo/security_project/security_monitoring_project/security_monitoring_project' ('/usr/local/bin:/usr/bin:/usr/sbin:/sbin:/Applications/VMware ' 'Fusion.app/Contents/Public:/Applications/Visual Studio ' 'Code.app/Contents/Resources/app/bin:/usr/local/mysql-8.0.23-macos10.15-x86_64/bin:/usr/local/mysql/bin') PATH PATH_INFO '/newanalytics/' '/Users/starscorplo/security_project/security_monitoring_project' PWD QUERY STRING '127.0.0.1' REMOTE ADDR REMOTE_HOST REQUEST METHOD 'GET' RUN_MAIN 'true' SCRIPT NAME '1.0.0.127.in-addr.arpa' SERVER_NAME SERVER_PORT '8000' SERVER_PROTOCOL 'HTTP/1.1' SERVER_SOFTWARE 'WSGIServer/0.2' SHELL '/bin/zsh'

'1'

```
Variable
                         Value
SSH AUTH SOCK
                         /private/tmp/com.apple.launchd.9btyL82QRD/Listeners'
                         'xterm-256color'
TERM
TERM_PROGRAM
                         'Apple_Terminal'
TERM_PROGRAM_VERSION
                         '440'
TERM_SESSION_ID
                         '692B4A85-26EE-4FC7-83C5-104D2F2CB1E1'
TMPDIR
                         '/var/folders/11/2nfp2_gj6kx11kwrxc3tqwgw0000gn/T/'
                         'UTC'
TZ
USER
                         'starscorplo'
XPC_FLAGS
                         '0x0'
XPC_SERVICE_NAME
                        '0'
                         '/usr/local/bin/python3'
___CFBundleIdentifier
                        'com.apple.Terminal'
 ____CF_USER_TEXT_ENCODING '0x1F5:0:2'
wsgi.errors
                        <_io.TextIOWrapper name='<stderr>' mode='w' encoding='utf-8'>
wsgi.file_wrapper
                        <class 'wsgiref.util.FileWrapper'>
                        <django.core.handlers.wsgi.LimitedStream object at 0x105f99040>
wsgi.input
wsgi.multiprocess
                        False
wsgi.multithread
                        True
                        False
wsgi.run once
wsgi.url_scheme
                         'http
wsgi.version
                        (1, 0)
```

Settings

Using settings module ${\tt security_monitoring_project.settings}$

```
Setting
                                        Value
ABSOLUTE_URL_OVERRIDES
                                        {}
ADMINS
                                        []
ALLOWED HOSTS
                                        [1
APPEND SLASH
                                        True
AUTHENTICATION_BACKENDS
                                        ['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS
AUTH_USER_MODEL
                                        'auth.User'
BASE_DIR
                                        PosixPath('/Users/starscorplo/security_project/security_monitoring_project')
CACHES
                                        {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE MIDDLEWARE ALIAS
                                         default'
CACHE_MIDDLEWARE_KEY_PREFIX
CACHE_MIDDLEWARE_SECONDS
                                        600
CSRF_COOKIE_AGE
                                        31449600
CSRF_COOKIE_DOMAIN
                                        None
CSRF COOKIE HTTPONLY
                                        False
CSRF_COOKIE_NAME
                                         'csrftoken
CSRF_COOKIE_PATH
                                        '/'
CSRF_COOKIE_SAMESITE
                                        'Lax'
CSRF COOKIE SECURE
                                        False
CSRF FAILURE VIEW
                                        'django.views.csrf.csrf failure'
CSRF_HEADER_NAME
                                        'HTTP_X_CSRFTOKEN'
CSRF TRUSTED ORIGINS
                                        []
CSRF_USE_SESSIONS
                                        False
                                       DATABASES
                                                       'USER 'root'}}
DATABASE ROUTERS
                                        2621440
DATA_UPLOAD_MAX_MEMORY_SIZE
DATA_UPLOAD_MAX_NUMBER_FIELDS
                                        1000
DATETIME_FORMAT
                                        'N j, Y, P'
                                       'N ], Y, P'
['%Y-%m-%d %H:%M:%S',
'%Y-%m-%d %H:%M'%S.%f',
'%M-%d/%Y %H:%M'%S',
'%m/%d/%Y %H:%M:%S.%f',
'%m/%d/%Y %H:%M'%S.%f',
'%m/%d/%Y %H:%M:%S.%f',
'%m/%d/%Y %H:%M:%S',
'%m/%d/%Y %H:%M:%S.%f',
'%m/%d/%Y %H:%M:%S.%f',
'%m/%d/%Y %H:%M'%S.%f',
'%m/%d/%Y %H:%M'%S.%f',
DATETIME INPUT FORMATS
                                         'N j, Y'
DATE FORMAT
DATE_INPUT_FORMATS
                                        ['%Y-%m-%d'
                                          %m/%d/%Y'
                                          '%m/%d/%y'
                                          '%b %d %Y',
'%b %d, %Y',
'%b %d, %Y',
                                         '%d %b %Y',
'%d %b, %Y',
'%B %d %Y',
'%B %d, %Y',
'%d %B %Y',
'%d %B, %Y']
DEBUG
                                        True
DEBUG_PROPAGATE_EXCEPTIONS
                                        False
DECIMAL_SEPARATOR
DEFAULT_CHARSET
                                        'utf-8'
DEFAULT EXCEPTION REPORTER
                                        'diango.views.debug.ExceptionReporter
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE
                                        'django.core.files.storage.FileSystemStorage
```

```
Setting
                                           Value
DEFAULT FROM EMAIL
                                            'webmaster@localhost'
DEFAULT_HASHING_ALGORITHM
                                           'sha256'
DEFAULT_INDEX_TABLESPACE
DEFAULT_TABLESPACE
DISALLOWED_USER_AGENTS
                                           f 1
EMAIL BACKEND
                                            'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST
                                           'smtp.gmail.com'
EMAIL_HOST_PASSWORD
EMAIL_HOST_USER
                                           'vedant.tare@gmail.com'
EMAIL_PORT
                                           587
EMAIL_SSL_CERTFILE
EMAIL_SSL_KEYFILE
EMAIL_SUBJECT_PREFIX
                                           '[Django] '
EMAIL_TIMEOUT
                                           None
EMAIL_USE_LOCALTIME
                                           False
EMAIL_USE_SSL
                                           False
EMAIL USE TLS
                                           True
FILE_UPLOAD_DIRECTORY_PERMISSIONS None
                                           ['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_HANDLERS
FILE_UPLOAD_MAX_MEMORY_SIZE
                                           2621440
FILE_UPLOAD_PERMISSIONS
FILE_UPLOAD_TEMP_DIR
                                           None
FIRST_DAY_OF_WEEK
                                           0
FIXTURE_DIRS
                                           []
FORCE_SCRIPT_NAME
                                           None
FORMAT_MODULE_PATH
FORM_RENDERER
                                           'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS
                                           ['securecheck.apps.SecurecheckConfig',
'django.contrib.admin',
'django.contrib.auth',
'django.contrib.contenttypes',
'django.contrib.sessions',
'django.contrib.messages',
'django.contrib.staticfiles']
INSTALLED_APPS
INTERNAL_IPS
```

```
Setting
                                                                                  Value
                                                                                  [('af',
('ar',
LANGUAGES
                                                                                                     'Afrikaans'),
                                                                                       'af', 'Afrikaans'),
'ar', 'Arabic'),
'ar-dz', 'Algerian Arabic'),
'ast', 'Asturian'),
'az', 'Azerbaijani'),
'bg', 'Bulgarian'),
'be', 'Belarusian'),
'bn', 'Bengali'),
'br' 'Preton').
                                                                                                       'Breton'),
'Bosnian'),
'Catalan'),
                                                                                         br
                                                                                         ca',
                                                                                                      'Czech'),
'Welsh'),
                                                                                         cs'
                                                                                          су
                                                                                        'da', 'Danish'),
'de', 'German'),
'dsb', 'Lower Sorbian'),
'el', 'Greek'),
'en', 'English'),
'en-au', 'Australian English'),
'en-gb', 'British English'),
'eo', 'Esperanto'),
'es', 'Spanish'),
'es-ar', 'Argentinian Spanish'),
'es-ar', 'Mexican Spanish'),
'es-mi', 'Nicaraguan Spanish'),
'es-ni', 'Nicaraguan Spanish'),
'es-ve', 'Venezuelan Spanish'),
'et', 'Estonian'),
                                                                                         ˈdaˈ
                                                                                                       'Danish
                                                                                         'es-ve', 'Venezuela'
'et', 'Estonian'),
'eu', 'Basque'),
'fa', 'Persian'),
                                                                                         et',
'eu',
'fa',
                                                                                                      'Finnish'),
'French'),
'Frisian'),
                                                                                         fi
                                                                                          fr
                                                                                         'fr',
'fy',
                                                                                                       'Irish'),
'Scottish Gaelic'),
                                                                                         ga',
gd',
                                                                                         'gl',
'he',
                                                                                                      'Galician'),
'Hebrew'),
'Hindi'),
                                                                                                      'Hindi'),
'Croatian'),
'Upper Sorbian'),
'Hungarian'),
'Armenian'),
'Interlingua'),
                                                                                         hsb',
                                                                                         hu',
                                                                                         hy',
                                                                                         'ia
                                                                                                      'Indonesian'),
'Igbo'),
'Ido'),
'Icelandic'),
                                                                                         'id',
                                                                                         'io
                                                                                         is',
                                                                                                      'Icelandic')
'Italian'),
'Japanese'),
'Georgian'),
'Kabyle'),
'Kazakh'),
'Khmer'),
'Kannada'),
'Korean')
                                                                                         it',
                                                                                         kab
                                                                                         kk',
                                                                                         km',
                                                                                         kn'
                                                                                                       'Korean'),
'Kyrgyz'),
'Luxembourgish'),
                                                                                         ky
lb
                                                                                         1t
                                                                                                       'Lithuanian'),
                                                                                         'lv'
                                                                                                       'Latvian'),
'Macedonian'),
                                                                                         mk
                                                                                                       Macedonian'),
'Malayalam'),
'Mongolian'),
'Marathi'),
'Burmese'),
'Norwegian Bokmål'),
'Nepali'),
'Dutch').
                                                                                         ml
                                                                                         mn
                                                                                         my'
nb'
                                                                                                       'Dutch'),
'Norwegian Nynorsk'),
'Ossetic'),
'Punjabi'),
                                                                                         'nl'
                                                                                         'nn'
                                                                                         os',
                                                                                         pa',
                                                                                                       'Polish'),
                                                                                         pt', 'Portuguése'),
pt-br', 'Brazilian Portuguese'),
ro', 'Romanian'),
ru', 'Russian'),
                                                                                      ('ro',
('ru',
                                                                                                     Russian ),
'Slovak'),
'Slovenian'),
'Albanian'),
'Serbian'),
atn', 'Serbian Latin'),
                                                                                         sk',
                                                                                         'sq',
                                                                                       'sr', Serbi'
'sr-latn', 'Serbi'
'sv', 'Swedish'),
'sw', 'Swahili'),
'ta', 'Tamil'),
                                                                                                      'Telugu')
'Tajik'),
'Thai'),
                                                                                         'tg',
'th',
                                                                                                      'Turkish'),
                                                                                         tr
                                                                                         'tt', 'Tatar'),
'udm', 'Udmurt'),
'uk', 'Ukrainian'),
                                                                                    ('uk', 'Ukrainian'),
('ur', 'Urdu'),
('uz', 'Uzbek'),
('vi', 'Vietnamese'),
('zh-hans', 'Simplified Chinese'),
('zh-hant', 'Traditional Chinese')]
                                                                                  ['he', 'ar', 'ar-dz', 'fa', 'ur']
LANGUAGES BIDI
LANGUAGE CODE
                                                                                    'en-us
LANGUAGE_COOKIE_AGE
                                                                                  None
LANGUAGE_COOKIE_DOMAIN
                                                                                  None
LANGUAGE_COOKIE_HTTPONLY
                                                                                  False
LANGUAGE_COOKIE_NAME
                                                                                   'django_language'
LANGUAGE_COOKIE_PATH
LANGUAGE_COOKIE_SAMESITE
                                                                                  None
LANGUAGE_COOKIE_SECURE
                                                                                  False
LOCALE_PATHS
                                                                                  []
LOGGING
                                                                                  {}
LOGGING_CONFIG
                                                                                  'logging.config.dictConfig'
LOGIN_REDIRECT_URL
                                                                                  '/accounts/profile/
                                                                                  '/accounts/login/'
LOGIN URL
```

```
Setting
                                     Value
LOGOUT REDIRECT URL
                                     None
MANAGERS
                                     []
MEDIA_ROOT
                                     '/Users/starscorplo/security_project/security_monitoring_project/media'
MEDIA_URL
                                     '/media/
MESSAGE STORAGE
                                     'django.contrib.messages.storage.fallback.FallbackStorage'
                                     ['django.middleware.security.SecurityMiddleware'
MIDDLEWARE
                                      'django.contrib.sessions.middleware.SessionMiddleware',
'django.middleware.common.CommonMiddleware',
'django.middleware.gorf.Corfijoshiddleware',
                                       'django.middleware.csrf.CsrfViewMiddleware
                                       django.contrib.auth.middleware.AuthenticationMiddleware',
django.contrib.messages.middleware.MessageMiddleware',
                                      'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION MODULES
                                     {}
MONTH_DAY_FORMAT
                                     'F j'
NUMBER_GROUPING
                                     0
PASSWORD HASHERS
PASSWORD RESET TIMEOUT
PASSWORD_RESET_TIMEOUT_DAYS
PREPEND WWW
                                     False
ROOT URLCONF
                                     'security_monitoring_project.urls'
SECRET KEY
SECURE_BROWSER_XSS_FILTER
                                     False
SECURE_CONTENT_TYPE_NOSNIFF
                                     True
SECURE_HSTS_INCLUDE_SUBDOMAINS
                                     False
SECURE_HSTS_PRELOAD
                                     False
SECURE HSTS SECONDS
SECURE_PROXY_SSL_HEADER
                                     None
SECURE_REDIRECT_EXEMPT
                                     []
SECURE REFERRER POLICY
                                     'same-origin'
SECURE_SSL_HOST
                                     None
SECURE_SSL_REDIRECT
                                     False
SERVER EMAIL
                                     'root@localhost'
SESSION_CACHE_ALIAS
                                     'default
SESSION COOKIE AGE
                                     1209600
SESSION COOKIE DOMAIN
                                     None
SESSION_COOKIE_HTTPONLY
                                     True
SESSION_COOKIE_NAME
                                     'sessionid'
SESSION_COOKIE_PATH
                                     '/'
SESSION_COOKIE_SAMESITE
                                     'Lax'
SESSION COOKIE SECURE
                                     False
SESSION ENGINE
                                     'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE
                                     False
SESSION_FILE_PATH
                                     None
SESSION_SAVE_EVERY_REQUEST
                                     False
SESSION_SERIALIZER
                                     'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS MODULE
                                     'security_monitoring_project.settings'
SHORT_DATETIME FORMAT
                                     'm/d/Y P
SHORT_DATE_FORMAT
                                     'm/d/Y'
SIGNING_BACKEND
                                     'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS
                                     []
STATICFILES_DIRS
                                     []
                                     ['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES FINDERS
STATICFILES_STORAGE
                                     'django.contrib.staticfiles.storage.StaticFilesStorage
STATIC_ROOT
STATIC URL
                                     '/static/
                                     TEMPLATES
                                        'DIRS': [],
'OPTIONS': {'context_processors': ['django.template.context_processors.debug',
                                     'django.template.context processors.request',
                                     'django.contrib.auth.context_processors.auth',
                                     'django.contrib.messages.context_processors.messages']}}]
TEST_NON_SERIALIZED_APPS
                                     []
TEST_RUNNER
                                      django.test.runner.DiscoverRunner'
THOUSAND SEPARATOR
                                     ٠,
                                     'P'
TIME FORMAT
                                     ['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_INPUT_FORMATS
TIME_ZONE
                                     'UTC
USE I18N
                                     True
USE L10N
                                     True
USE_THOUSAND_SEPARATOR
                                     False
USE TZ
                                     True
USE_X_FORWARDED_HOST
                                     False
USE_X_FORWARDED_PORT
                                     False
WSGI APPLICATION
                                     'security_monitoring_project.wsgi.application'
X FRAME OPTIONS
                                     'DENY
YEAR MONTH FORMAT
                                     'F Y'
```

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django will display a standard page generated by the handler for this status code.