

Technical Report

Xunhui Zhang, Ayushi Rastogi, Yue Yu

March 11, 2020

This is the technical report for MSR 2020 data show case paper “On the Shoulders of Giants: A New Dataset for Pull-based Development Research”.

1 Data Distribution

1.1 Categorical Metrics

1.1.1 Binary Metrics

Figure 1 shows the data distribution of dichotomous metrics, and Table 1 presents the proportion of each level.

Table 1: Proportion of each binary categorical feature

Feature	Proportion	Feature	Proportion
same_country	True(81.7%); False(18.3%)	same_affiliation	True(90.4%); False(9.6%)
contrib_gender	Male(90.2%); Female(9.8%)	test_inclusion	True(19.5%); False(80.5%)
contrib_follow_integrator	True(7.1%); False(92.9%)	first_pr	True(14.3%); False(85.7%)
comment_conflict	True(1.2%); False(98.8%)	core_member	True(67.9%); False(32.1%)
ci_test_passed	True(69%); False(31%)	ci_exists	True(74.7%); False(25.3%)
ci_first_build_status	Success(75.5%); Failure(24.5%)	bug_fix	True(61.5%); False(38.5%)
ci_last_build_status	Success(87.9%); Failure(12.1%)	hash_tag	True(21.6%); False(78.4%)
at_tag	True(20.5%); False(79.5%)		

1.1.2 Multi-level Metrics

Figure 2 shows the data distribution of each multi-level categorical metrics. For *contrib_country*, *inte_country*, *contrib_affiliation* and *inte_affiliation*, we show the top 6 factors, and treat other factors as others. Table 2 shows the proportion of each level.

1.2 Continuous Metrics

Figure 3, 4, 5, 6 show the data distribution of continuous metrics with square root scale.






Figure 1: The distribution of dichotomous metrics

Table 2: Proportion of each multi-level categorical feature


Feature	Proportion
contrib_country	US(44.7%); UK(10.6%); France(5.3%); China(3.7%); Japan(3.0%); Switzerland(2.6%); others(30.1%)
inte_country	US(49.4%); UK(11.1%); France(5.5%); China(2.9%); Switzerland(2.7%); Japan(2.4%); others(26.0%)
contrib_affiliation	red_hat(13.2%); Google(5.5%); Microsoft(3.7%); Mozilla(3.0%); SUSE(1.6%); IBM(1.6%); others(71.4%)
inte_affiliation	red_hat(12.8%); Google(5.6%); Microsoft(4.1%); Mozilla(3.8%); Facebook(1.8%); SaltStack(1.7%); others(70.2%)
contrib_first_emo	negative(8.5%); positive(15.4%); neutral(76.1%)
inte_first_emo	negative(5.5%); positive(26.8%); neutral(67.7%)
language	JavaScript(29.7%); Python(27.6%); Java(19.5%); Ruby(11.1%); Go(8.4%); Scala(3.7%)




(a) contrib_country




(b) inte_country




(c) contrib_affiliation




(d) inte_affiliation



(e) contrib_first_emo




(f) inte_first_emo




(g) language


Figure 2: The distribution of multi-level categorical metrics




(a) files_added




(b) files_deleted




(c) files_modified




(d) files_changed




(e) src_churn




(f) test_churn




(g) churn_addition




(h) churn_deletion




(i) num_commits




(j) commit_comments




(k) issue_comments




(l) pr_comments




(m) num_comments




(n) part_num_issue




(o) part_num_pr



(p) part_num_commit




(q) part_num_code




(r) num-participants


Figure 3: The distribution of continuous metrics




(a) lifetime_minutes




(b) mergetime_minutes




(c) pr_succ_rate




(d) src_files




(e) doc_files




(f) other_files




(g) files_touched




(h) social_strength




(i) prev_pullreqs




(j) sloc




(k) team_size




(l) perc_external_contribs




(m) test_lines_per_kloc




(n) test_cases_per_kloc



(o) asserts_per_kloc




(p) open_issue_num




(q) open_pr_num


Figure 4: The distribution of continuous metrics




(a) watchers




(b) fork_num




(c) project_age




(d) pushed_delta




(e) description_length




(f) ci_latency




(g) ci_build_num




(h) ci_failed_perc




(i) perc_neg_emotion




(j) perc_pos_emotion




(k) perc_neu_emotion




(l) first_response_time




(m) acc_commit_num




(n) account_creation_days




(o) prior_review_num



(p) prior_interaction



(q) requester_succ_rate



(r) followers

Figure 5: The distribution of continuous metrics




Figure 6: The distribution of continuous metrics