

StatPlanet Admin Installation Guide on IIS7 server in Windows

Software Pre-requisites (Ref. <https://laravel.com/docs/5.6/installation>)

- Apache
- MySQL (Create a Database for Application, having username and password)
- PHP >= 7.1.3
- OpenSSL PHP Extension
- PDO PHP Extension
- Mbstring PHP Extension
- Tokenizer PHP Extension
- XML PHP Extension
- Ctype PHP Extension
- JSON PHP Extension
- Download composer from URL: "<https://getcomposer.org/>".

Application Installation

1. Copy and extract statplanet.zip to the wwwroot/statplanet folder(ROOT-PATH).
2. Open Command prompt, and go to path wwwroot/statplanet.
3. Run command from the above path "composer install".
 1. In any PHP Extension is required, then enable it in the php.ini file. For egs:- Fileinfo Extension.
4. Change the storage folder permission to everyone.
5. If you found any cache issue in application then clear the cache using the following two commands, which can be run from terminal in the ROOT-PATH of the application:
 1. php artisan cache:clear
 2. php artisan config:cache
 3. php artisan view:clear
6. Add the project to IIS as an application and set its location path and port to run the website.
7. In the IIS application click on handler mapping and add managed handler (please see inline screenshot for the below points sequence in next page).
 1. Enter request path - *.css for css and *.js,
 2. Type - System.Web.StaticFileHandler
 3. Name – CSS/JS fix
8. For JSON click on Add MIME Type and insert
 1. Name – CSS/JS fix,
 2. Request - *.json
 3. Type – application/json
9. For any error code resolution with IIS server you can refer to the official link from Microsoft: <https://support.microsoft.com/en-in/help/942055/http-error-500-19-error-when-you-open-an-iis-7-0-webpa>.
10. Run following command from the above path:-
 1. php artisan migrate
 2. php artisan [db:seed](#)
11. Rich File Manager Settings can be managed in filemanager.config.json file on wwwroot/statplanet/public/RichFileManager/config/filemanager.config.json.
 - Change the current IP already set in connectorUrl to the new app url.
 - Refer <https://github.com/servocoder/RichFileManager/wiki/Configuration-options> for more information.
12. Splash Screen settings can be changed in wwwroot/statplanet/config/constant.php.

StatPlanet Admin Installation Guide on IIS7 server in Windows

