

a Programs × repeats

Generated

8 + baseline



Same code

9 baseline slots



386 common MATH-500 tasks · 3 repeats/slot

b Discover → freeze → validate

R1 R2 R3



3 folds


Compare arms: $D = G_{\text{gen}} - G_{\text{clone}}$

Discovery ×2: freeze choices
per-task member + best fixed

Held-out repeat: gain G

c Coverage

Oracle · execution-matched




Repeat-mean oracle headroom · pp



d Repeatability

Residual r · 95% CI



Persistent scores vs baseline


Any member · 3/3 repeats · tasks



*Extraction-sensitive

e Useful selection

Clone-adjusted held-out gain · pp



Complementarity unresolved

Frozen feature selector



Baseline
386 / 386 tasks

0.00 pp
gain

a Programs × repeats

- 8 generated + baseline



- 9 same-code slots



386 common MATH-500 tasks · 3 repeats/slot

b Discover → freeze → validate

R1 R2 R3



3 folds


Compare arms: $D = G_{\text{gen}} - G_{\text{clone}}$

Discovery ×2: freeze choices
per-task member + best fixed

Held-out repeat: gain G

c Coverage

Oracle · execution-matched




Repeat-mean oracle headroom · pp



d Repeatability

Residual r · 95% CI



Persistent scores vs baseline


Any member · 3/3 repeats · tasks



*Extraction-sensitive

e Useful selection

Clone-adjusted held-out gain · pp



Complementarity unresolved

Frozen feature selector



Baseline
386 / 386 tasks

0.00 pp
gain