


386 complete MATH-500 tasks · 3 repeats/slot

● **8 generated**
+ baseline




■ **9 identical**
baseline slots

Held-out calibration · rotate 3 folds



(a) Coverage

Oracle · execution-matched



Repeat-mean headroom (pp)



(b) Repeatability

Residual r · 95% CI




Persistent tasks · any member

Baseline / member · 3/3 repeats



(c) Useful selection

Clone-adjusted gain D (pp)



Specialization unresolved

📁 **Frozen feature selector** gain
→ **Baseline** (386/386) **0.00 pp**

386 complete MATH tasks · 3 fresh repeats

8 generated + baseline



Selected example #138 · R1–R3

● correct ○ wrong


9 identical baseline slots



● correct ○ wrong


● correct ○ wrong

Held-out calibration · rotate 3 folds



(a) Coverage

Oracle · execution-matched



(b) Repeatability

Residual r · 95% CI




Persistent scores vs baseline

Tasks · any member · 3/3 repeats



(c) Useful selection

Clone-adjusted gain D (pp)



Specialization unresolved

Frozen feature selector gain
Baseline (386/386) 0.00 pp

386 complete MATH-500 tasks · 3 repeats/slot

● **8 generated**
+ baseline




■ **9 identical**
baseline slots

Success p · schematic —□— Baseline -.-●- Member

Dominance




Crossover



(a) Coverage

Oracle · execution-matched



(b) Repeatability

Residual r · 95% CI



Persistent scores vs baseline

Tasks · any member · 3/3 repeats



(c) Useful selection

Clone-adjusted held-out gain (pp)

2 repeats: freeze per-task + best fixed

Test 3rd: gain G · rotate 3 folds

$D = G(\text{gen}) - G(\text{clone})$ -0.26

95% CI



Specialization unresolved

☑ **Frozen feature selector** gain

→ **Baseline** (386/386) 0.00 pp