

V7 — illustrated alternatives

A • Refined columns

386 complete MATH-500 tasks · 3 repeats/slot


8 generated
+ baseline



9 identical
baseline slots



3-fold repeat validation




2 repeats: freeze choices
per-task + best fixed member

Held-out repeat: gain G

(a) Coverage

Oracle · execution-matched



Repeat-mean headroom (pp)



(b) Repeatability

Residual r · 95% CI




Persistent scores vs baseline

Tasks · any member · 3/3 repeats



(c) Useful selection

Clone-adjusted held-out gain (pp)



95% CI [-1.45, +0.95]

Specialization unresolved

Frozen feature selector gain

Baseline (386/386) 0.00 pp

B • Evidence rows

386 complete MATH-500 tasks

3 repeats/slot

8 generated + baseline



Matched executions

Same fixed solver

9 identical baseline slots



(a) Coverage

Execution-matched oracle (%)

27 executions: 98.70% both



Repeat-mean headroom (pp)



(b) Repeatability

Residual r · 95% CI



Persistent scores vs baseline

Tasks · any member · 3/3 repeats



(c) Useful selection

2 repeats: freeze choices

per-task + best fixed

→ Test third · rotate 3 folds

Clone-adjusted held-out gain (pp)

-0.26; 95% CI [-1.45, +0.95]



Specialization unresolved

Frozen feature selector

Baseline

386/386 tasks

0.00 pp gain

C • Illustrated board

(a) Matched programs and rolls

386 complete MATH-500 tasks · 3 repeats/slot




8 generated + baseline




9 identical baseline slots

(b) Coverage opportunities

Oracle · execution-matched




Headroom (pp)



Repeat-mean

(c) Repeatable scored differences


Residual r · 95% CI



*Extraction-sensitive

Persistent vs baseline

100 losses




Tasks · any member · 3/3

(d) Useful selection

2 repeats: freeze per-task + best fixed

Test 3rd repeat · rotate all 3 folds



Frozen feature selector → baseline 386/386

0.00 pp gain