

386 complete MATH-500 tasks · 3 repeats/slot


● **8 generated**
+ baseline



■ **9 identical**
baseline slots



3-fold repeat validation




2 repeats: freeze choices
per-task + best fixed member

Held-out repeat: gain G

(a) Coverage

Oracle · execution-matched



● **2.33**
■ **2.16**

(b) Repeatability

Residual r · 95% CI




Persistent scores vs baseline

Tasks · any member · 3/3 repeats



(c) Useful selection

Clone-adjusted held-out gain (pp)



Specialization unresolved

☑ **Frozen feature selector** gain

→ **Baseline** (386/386) **0.00 pp**

386 complete MATH-500 tasks
3 repeats/slot

● **8 generated + baseline**



Matched executions
Same fixed solver

■ **9 identical baseline slots**

(a) **Coverage**

Execution-matched oracle (%)

27 executions: 98.70% both



Repeat-mean headroom (pp)



(b) **Repeatability**

Residual r · 95% CI

0.789

0.006



Persistent scores vs baseline

Tasks · any member · 3/3 repeats



(c) **Useful selection**

2 repeats: freeze choices

per-task + best fixed

→ Test third · rotate 3 folds

Clone-adjusted held-out gain (pp)

-0.26; 95% CI [-1.45, +0.95]



Frozen feature selector


Baseline **0.00**

386/386 tasks

pp gain

(a) Matched programs and rolls


386 complete MATH-500 tasks · 3 repeats/slot



● 8 generated + baseline ■ 9 identical baseline slots

(b) Coverage opportunities

Oracle · execution-matched



(c) Repeatable scored differences

Residual r · 95% CI



Persistent vs baseline

100 losses



■ 1 win*

Tasks · any member · 3/3

*Extraction-sensitive

(d) Useful selection



2 repeats: freeze per-task + best fixed

Test 3rd repeat · rotate all 3 folds

$D = -0.26$ pp

95% CI $[-1.45, +0.95]$



Specialization unresolved

Clone-adjusted held-out gain

Frozen feature selector → baseline 386/386

0.00 pp gain