

Undrained triaxial test

Analyst name: _____

Date: _____

Sample identification: _____

Weight of wet sample $W_w =$ _____ g

Weight of dry sample $W_d =$ _____ g

Initial height of sample $h_0 =$ _____ cm

Initial sample diameter $D_0 =$ _____ cm

Soil specific gravity $G_s =$ Confining pressure $\sigma_3 =$ _____ kPaBack pressure $\sigma_b =$ _____ kPa

Saturation coefficient $B = \frac{\text{Back pressure } p_b}{\text{Atmospheric pressure } p_a} \times 100\%$

Rate of loading $v =$ _____ mm/min

Volume change during consolidation $\Delta V_c =$ _____ cm^3

[illegible]

INDEX

A-line, 77

AASHTO classification system, 116–119
 Absolute error, 490
 Abstracts (see Report writing)
 Accuracy of measurement, 489
 Acknowledgments (see Report writing)
 Active cell, 509
 Activity of clays, 80
 values, 81
 Adsorbed water, 75
 Alcohol method, 84
 Alternate consolidation tests, 314
 American Society for Testing and Materials, 4–6
 Analog/Digital (A/D)
 converter, 363
 Analogy (see Electrical analogy)
 Andreasen pipette, 55–57
 Angular distortion, 253
 Apparent failure envelope, 399
 Appendix (see Report writing)
 Array formulas, 513
 ASTM, 4–6
 Atterberg limits, 75–100
 ASTM, 4, 6
 values, 80
 Average, 484
 Axial strain, 252

Back pressure, 377, 446, 454

Balloon density apparatus, 166, 167
 Banding sand, 377
 Beam-and-weight mechanism, 343
 Bernoulli equation, 179
 Bimodal distribution, 485
 Blow counts, 88
 Body forces, 235
 Boiling, 181
 Boulders, 10
 Boundary conditions, 219
 British Standard Institutions (BS), 4
 Brownian motion, 34
 Built-in functions, 512
 Bulk modulus
 soils, 278–280
 water (see Water)
 Bulk unit weight (see Unit weight)
 Buoyancy analysis, 65–73
 Buoyant unit weight (see Unit weight)

Calcium carbide method, 4

Cambridge notation, 248, 367
 Capillary rise, 204
 Casagrande
 apparatus, 77, 86
 method, 213
 Cauchy representation of stress, 238–239, 245
 Cavitation, 377
 CD triaxial test (see Triaxial test)
 Cells, 509
 Chemically combined water, 76
 Chlorite, 76
 Clay fraction, 14, 81, 184, 392

Clay, 10, 14, 75–76, 80
 Clay-silt-sand mixtures, 14
 Coarse-grained soils, 10, 116, 189
 Cobbles, 10
 Coefficient
 B, 444, 454
 compressibility, 299, 309
 consolidation, 310–312, 317, 320–333
 values, 181–182, 314
 correlation, 315
 curvature, 12, 14
 lateral earth pressure at rest, 265, 282
 permeability, 179, 181–184, 195, 203–204
 values, 184–186
 Cofferdam, 230
 Cohesion, 363, 367, 373, 390–392
 values, 393
 Cohesionless soils, 369
 Cohesive soils, 369
 Colloids, 34
 Columns, 509
 Combined grain size analysis, 71
 Compacted soils, 125
 Compaction, 147–165
 ASTM, 5, 6
 curve, 148
 energy, 149
 Complementary seepage
 problem, 211
 Compression index, 301, 304
 values 304–306
 Computer data acquisition, 363
 Concentration, 35
 Conclusion (see Report writing)
 Conduction theory, 207
 Conductivity, 208
 Cone penetrometer apparatus, 77
 Confined compression test, 268, 282–283
 Consistency of clays, 79
 CONSO, 327, 371
 Consolidated tests (see Triaxial tests)
 Consolidation phase (see Triaxial tests)
 Consolidation test, 296–375
 ASTM, 5, 6
 cell, 298, 343–4
 loading device, 343
 theory, 308–310
 Consolidometer, 203
 Constant head permeability
 test, 182, 189–201
 Constant rate of strain
 consolidation, 315, 318
 Constant-pressure tank, 192
 Constitutive equations, 264
 Constrained modulus, 278, 282–283, 299
 Contour plot, 225
 Conversion
 factors, 540
 units, 497
 Correlations, 123–125

compressibility, 304–306
 consolidation, 314
 friction angle, 379–381, 426–427
 permeability, 181–182
 secondary compression, 319–320
 shear modulus, 285, 287, 291
 shrinkage, 103–104
 undrained shear strength, 393–398
 Coulomb friction theory, 361
 COUNT, 474
 Counterweight system, 433
 Creating charts, 515
 Creep, 263
 Critical hydraulic gradient, 180
 Critical state
 line, 371, 373, 387
 parameters, 388
 theory, 386–389
 Critical void ratio, 425
 CRS consolidation, 315, 318
 CU triaxial tests (see Triaxial test)
 Cumulative distribution, 11, 483
 Current (electrical), 209
 Cutting edges, 411

D10, 12, 27, 28, 181

D30, D60, 12, 27, 28
 Darcy's Law, 179
 Data modeling, 471
 Datum, 179
 Deaired water, 191, 454
 Deformation, 252
 Degree of consolidation, 311
 Degree of saturation, 131, 445
 DENSI, 50, 62, 69
 Density, 1, 4, 6
 Dial indicator, 343
 Diffusivity, 543
 Dimensional analysis, 495
 Dimensions, 495
 Direct shear test, 5, 269, 421–442
 box, 430
 device, 269, 430
 Direction shear cell, 274
 Discharge velocity, 178, 195
 Discretization, 218
 Dispersing agent, 44, 46, 56, 67
 Dispersion apparatus, 42
 Displacement transducer, 343
 Displacement-controlled
 loading, 361, 432
 Distributed granular stress, 245
 Distribution, 483
 Disturbed samples, 2, 291, 393
 Double direct shear apparatus, 269
 Double drainage, 311
 Double layer, 76
 Drag coefficient, 32–3
 Drag force, 31–2
 Drainage distance, 310
 Drainage filters, 17
 Drained shear strength (see Shear strength)
 Drained triaxial test (see triaxial test)
 Dry sieving, 22, 24

- Dry unit mass, 130
- Dry unit weight (see Unit weight)
- Dry-pluviation method, 193
- Dynamic elastic properties, 290
 - values, 285–288
- Earth gravity, 235**
- Effective cohesion and friction (see Cohesion and Friction angle)
- Effective stress, 244
- Elastic properties, 261, 277–278
 - relations, 278
 - values, 283
- Elastic-perfectly plastic, 262
- Elastic-strain hardening, 263
- Elasticity, 277
- Elastoplasticity, 261
- Electric potential, 208
- Electrical analogy, 207–216
- Elevation head, 179
- Elongation, 253
- Engineering classification of soils (see Soil classification)
- Equilibrium
 - forces and moments, 237
 - stresses, 237
- Equipotential lines, 209
- Error analysis, 489–494
- Excess pore water pressure, 307
- Experimental apparatus and procedure (see Report writing)
- Experimental errors, 489
- Exponential distribution, 485
- Extractor, 155, 160–161
- Extruding specimens, 413
- Failure**
 - envelope, 366–390
 - plane, 405, 418
 - surfaces, 366, 383
 - theory, 361–370
- Falling head permeability test, 183, 202–206
- Field compaction, 166–167
- Field sampling, 2, 416
- Field testing, 2
- Fillunger-Terzaghi Postulate, 244
- Filter papers, 362, 447
- Filter requirements, 17
- Fines, 10
- Fine-grained soils, 42, 116
- Finite difference, 217–233
 - direct method, 223
 - relaxation, 223–224
- Finite element, 264
- FIT1, 474
- FIT2, FIT3, 161, 474
- Fixed wall permeameter, 190
- Flexible wall permeameter, 190
- Floating-ring, 360
- Flocculated, 44
- Flow line, 90, 178, 222
- Flow net, 222, 228, 232
- Fluid unit weight, 179
- Fluid velocity, 177
- Format, 514
- Formula, 510, 512
- Frequency
 - distributions, 15
 - plot, 483
- Friction
 - angle, 363, 366, 390, 426
 - coefficient, 363
 - values, 373, 378, 393
- Front matter (see Report writing)
- Fuller, 12
- Fully saturated, 130, 444–446
- Gap-graded, 12**
- GDFIT2, GDFIT3, 164
- Generalized square-root-time method, 326
- Grain size analysis, 9–73
- Granular stress, 244
- Gravel, 10
- Grid, 218
- Grooving tool, 86
- Groundwater drainage, 17
- Grouting and chemical injection, 17
- Hazen's Formula, 181, 197**
- Histogram, 483
- Hollow torsional shear test, 275
- Homogeneity, 278
- Hooke's law, 277
- Hydraulic
 - conductivity, 177
 - gradient, 179, 194, 195, 236
- Hydrostatic pressure, 239
- Hydrometer analysis, 42–54
 - ASTM, 4, 6
 - 152H, 4, 38
- Illite, 76, 78**
- Impervious boundary, 209
- In-situ
 - density, 5
 - stresses, 265
 - testing, 2
- Infinitesimal
 - rotations, 254
 - strains, 252–254
- Initial compression, 313
- Initial stresses, 265
- INTER, 28, 50, 477
- INTERCEPT, 472, 523
- Interfaces, 220
- INTERL, 50, 477
- Intermediate principal stress, 381
- International System of units, 496
- Interpolation, 475
- Interpretation of results (see Report writing)
- Interstitial water, 76
- Introduction (see Report writing)
- Inviscid, 263
- Irreversible, 261
- Isotropic compression, 371
- Isotropic consolidation, 384, 456
- Isotropic test, 266, 279–280
- Isotropy, 278
- Iteration, 223
- Kaolinite, 76, 78**
- Kozeny-Carman's formula, 182, 197
- Laboratory testing of soils, 266**
- Lade and Duncan, 382
- Laplace's equation, 207
- Linear regression, 471, 530
- Linear shrinkage, 102
- Linear behavior, 261
- LINEST, 472, 513, 523, 530
- Liquefaction, 377
- Liquid limit, 77, 66–95
 - values, 80
- Liquid state, 76
- Liquidity index, 79, 388
- Load ring, 411, 430, 449
- Load-controlled loading, 361
- Loading device, 411, 432, 449
 - compliance, 365
- Local strain measurement, 289, 290
- Log-time method, 321
- Lognormal distribution, 486
- London clay, 367
- Long-term settlement, 297
- LVDT transducer, 411, 430
- M, 50**
- Macrosheet user-defined function, 501
- Major principal stress, 239, 242
- Marine clays, 306
- Matsuoka and Nakai, 382
- Maximum dry unit weight, 155
- Maximum void ratio, 131
- Mean, 468
- Mechanical shaker, 23
- Medium, 10
- Membrane stretcher, 449
- Meniscus correction, 45
- Mercury, 106
- Mexico City clay, 300
- Microwave oven, 4, 84
- Minimum void ratio, 131
- Minor principal stress, 239, 242
- MINVERSE, 475
- MIT notation, 246, 367
- Mixture of water and soil particles, 36
- Modified compaction test, 155, 160
- Modified flow function, 228
- Modified secondary compression index, 319
- Mohr circle, 241
- Mohr representation, 239, 245
- Mohr strain space, 258
- Mohr stress space, 241
- Mohr-Coulomb failure surface, 365, 382
- Mohr-Coulomb theory, 361
- Montmorillonite, 76, 78
- Mortar, 22
- Mounting pins, 436
- Nevada sand, 287, 289**
- NGI simple shear apparatus, 274
- Nickel-based paint, 212
- NMULT, 475
- Nonlinear optimization, 329, 478
- Nonlinear behavior, 261
- Normal distribution, 486
- Normal stresses, 236
- Normally consolidated, 302–303, 385
- Nuclear methods, 166–167
- Oedometer, 268, 343**
- Ohm's law, 207, 208, 209
- One-dimensional tests, 297
- One-point liquid limit test, 92–95
- Optimum water content, 148, 151, 155
- OPTIMUM2, OPTIMUM3, 161, 164

- Organic soils, 44, 116
- Organization of report (see Report writing)
- Oven drying, 75
- Overburden stress, 265
- Overconsolidated, 302–303, 385
- Overconsolidation ratio, 285, 302, 368
- Oxidation process, 44
- p'-q stress paths, 348, 370**
- p-q representation, 248
- Paraffin wax, 112
- Partially saturated specimens, 445
- Passive earth pressure, 423
- Peak failure, 361, 424
- Peak friction angle, 366, 424, 438
- Peat, 116
- Percent coarser by weight, 11
- Percent finer by weight, 11
- Perfectly plastic, 262
- Permeability, 177–206
 - ASTM, 5
 - anisotropy, 186
 - correlation, 181–182
 - influence of compaction, 150
 - values, 184–186
- Permeameter, 190, 194, 202
- Pestle, 22
- Pycnometer, 5
- Piezometric head, 179
- Piezometric tap, 190
- Pipette analysis, 6, 55–64
 - BS, 6
- Piping, 181
- Plane strain compression test, 275
- Plastic limit, 77, 96–100
 - values, 80
- Plastic state, 76
- Plasticity chart, 77
- Plasticity index, 78, 184, 374
- Pneumatic device, 359, 361
- Poisson ratio, 277, 283, 285
 - values, 286
- Pole of Mohr circle, 243
- Polynomial regression, 472, 525, 538
- Poorly graded soils, 12
- Pore water pressure, 179, 244
- Porosity, 131, 135
- Porous boundaries, 308
- Porous stones, 190, 415, 416
- Power relation, 368
- Preconsolidation pressure, 302, 303, 384
- Pressure head, 179
- Pressure transducer, 451
- Pretreatment of sample, 43, 44
- Primary compression (consolidation), 313
- Principal directions, 242
- Principal strain, 257
- Principal stress, 238, 242, 247
- Prong plate, 106
- Pull-down menus, 510
- Quick, 181, 382**
- Rammer, 155, 158**
- Range, 484
- Rate independent, 263
- Rate of deformation, 297
- Rate of loading, 426, 436, 446–447, 457
- Rate of settlement, 366
- Rate-dependent, 263
- References (see Report writing)
- Regression analysis, 474
- Relative density, 131
- Relative error, 490
- Relaxation, 263
- Relaxation method, 223
- Remolded, 291, 414
- Report writing, 499–507
- Residual failure, 461
- Residual friction angle, 366, 424
 - values, 378–380
- Residual shear strength, 361, 425
- Resistance, 208
- Resistive paper, 212
- RESULT, 517
- Results of experiment (see Report writing)
- Reynolds number, 32
- Riffle, 22
- Rigid-body rotation, 254
- Rigid-perfectly plastic, 262
- Road subbase materials, 17
- Rows, 509
- Rubber balloon method, 166
- Rubber membrane, 451, 465
- s-t representation, 246, 364**
- Sacramento River sand, 279, 282–283, 371–373, 375–377
- Sample splitter, 22
- Sampling tube, 411
- San Francisco bay mud, 298
- Sand bath method, 84
- Sand cone method, 166–175
- Sand, 10
- Saturated unit weight (see Unit weight)
- Saturation, 444, 454, 457, 466
 - burette, 455
 - line, 148
- Secant moduli, 281, 283
 - shear modulus, 283, 285
 - Young's modulus, 280, 290
- Secondary compression, 313, 319–320, 333
 - index, 319
 - ratio, 313
 - values, 320
- Sedimentation analysis, 31–70
 - cylinder, 43
- Seepage, 1
 - flow, 221, 228
 - quantity, 177
 - theory, 207, 217
- Selection
 - aggregate materials, 17
 - fill materials, 16
- Semisolid state, 76
- Sensitivity, 306, 396, 398, 426
- SHANSEP, 390
- Shear modulus, 277, 283,
 - correlations, 285, 287, 291
 - initial and secant, 283
- Shear strain, 253
- Shear strength envelope, 366
- Shear strength, 2, 360–403
 - coarse-grained soils, 370–386
 - envelope, 366
- fine-grained soils, 383, 390–391
- Shear stress, 236, 240
- Shear zone, 424
- Sheet-pile wall, 225
- Shear strain, 253
- Shrinkage limit, 77, 101, 104, 106–115
 - ASTM, 4
 - correlations, 103–104
 - mercury method, 106–111
 - shrinkage ratio, 101
 - wax method, 112–115
 - values, 104
- SI unit system, 496
- Sieve analysis, 9–30
 - ASTM, 4
 - BS, 6
 - sieves, 22
- Sign convention
 - stress, 240
 - strain, 258
- Silt, 10
- Simple shear test, 273, 283
- Single drainage, 311
- SLOPE, 472, 523
- Soaking, 25
- Sodium hexametaphosphate, 43
- Soil classification, 1, 116–126
 - AASHTO, 117–119
 - ASTM, 4
 - USCS, 116–118
- Soil hydrometer, 42
- Solid state, 76
- Solid unit mass, 130
- SOLVER, 331, 480
- Specific gravity, 36, 132, 142
 - values, 133–134
- Specific surface, 10
- Specific surface area, 182
- Split mold, 155, 157, 451
- Spreadsheet, 509
- Spring analogy, 307
- Square-Root-Time method, 323
- Stagnation pressure, 32
- Standard (Proctor) compaction test, 150, 155, 158
- Standard deviation, 484
- Statistics, 482–488
- Steady state line, 371
- Stokes, Law, 31
- Strain hardening, 261
- Strain softening, 261
- Strain, 215–260
 - tensor, 256
- Stream function, 222
- Stress, 235–250
 - invariant, 247
 - vector, 236
- Stress-path, 267–274, 385
- SUM, 474
- SUMPRODUCT, 474
- Suspension, 34
- Swelling
 - index, 301, 304
 - line, 302, 384
 - slope, 384, 388
 - values, 305
- Taylor expansion, 218**
- Teflon sphere, 65
- Temperature correction, 46
- Terminal velocities, 36

- Three-dimensional Mohr-Coulomb failure surface, 225, 365
 - strain, 259
 - stress, 246
- Torsional shear test, 269, 275
- Total head, 179, 227
- Total stress failure criterion, 398
- Total stress, 244
- Total unit mass, 130
- TREND**, 523
- Trendline, 523, 525
- Tresca surface, 365
- Triangular classification, 14
- Triaxial test, 270–273, 280–282, 404, 443–469
 - ASTM 5–6
 - cell, 449, 452, 465
 - compression, 270, 385
 - consolidated drained (CD), 272, 444, 447, 449–469
 - consolidated undrained (CU), 272, 449–469
 - consolidation, 456
 - equipment, 450
 - extension, 270
 - unconsolidated undrained (UU), 272, 449–469
- Trimming, 136, 411, 412, 465
- True triaxial apparatus, 275
- U-line**, 78
- U.S. standard sieves, 24
- Uncertainty, 489
- Unconfined compression test, 5, 6, 269, 280, 404–420
- Unconfined compressive strength, 405, 417
- Unconfined seepage, 213
- Unconsolidated (see Triaxial test)
- Undisturbed samples, 2, 291, 412
- Undrained shear strength, 387–389, 391, 394–405, 404–405, 408
- Undrained triaxial test (see Triaxial test)
- Unified soil classification system, 116–118
- Uniform soils, 12
- Unimodal distribution, 16, 485
- Unit conversion, 534
- Unit mass (see Unit weight)
- Unit weight, 135–136, 542
 - bulk, 130, 166, 173
 - buoyant, 130
 - dry, 130, 134, 166, 173
 - saturated, 130
 - values, 135
- Units, 5, 495
- UNITS**, 498
- User-defined functions, 517
- UU triaxial tests (see triaxial tests)
- Vacuum line**, 452
- Vertical settlement, 299
- Virgin compression line, 301, 387
- Virgin consolidation line, 384
- VISCO**, 50, 62, 69
- Viscosity (see Water)
- Viscous behavior, 263
- Visual Basic user-defined function, 518
- Void ratio, 130, 135, 184
 - values, 134–135
- Voltage, 209
- Volume-change burette, 455
- Volumetric strain, 253, 259, 298
- Von Mises surface, 365
- Water**,
 - bulk modulus, 445–446
 - unit mass, 39
 - viscosity, 31, 39, 181
- Water content, 75, 84–85, 131
 - ASTM, 4, 6
- Water pressure, 227
- Wax unit weight, 138
- Weald clay, 383, 387
- Weibull distribution, 486
- Weight-volume relationships, 129
- Well-graded soils, 12
- Wet sieving, 22, 25
- Wet-pluviation method, 193
- Wire saw, 362
- Workbooks, 509
- Worksheet, 509
- Yield stress**, 261
- Young's modulus, 277, 283, 458
 - initial and secant, 281–282
 - relation to undrained shear strength, 398–399
 - values, 285

SOFTWARE INSTRUCTIONS

What's on the Disk?

The floppy disk included with this book contains all the Excel examples of this book as well as the necessary user-defined functions, i.e., 23 Excel workbook files totaling 1.4 Mb. It is recommended to copy these workbook files, as you need them, onto your hard disk or another floppy disk so that you preserve the original files. The workbook files are readable by Excel (versions 5.0 and later) on a Windows 3.X, Windows 95, Windows NT, or Macintosh-based computer. The 1.44MB floppy disk is DOS formatted. It can also be read by Macintosh computers that have PC Exchange, DOS mounter, or similar software. If your Macintosh displays the alert box *This is not a Macintosh disk, Do you want to initialize it?*, eject the disk, and use Apple File Exchange to transfer the files from the DOS-format disk onto the Macintosh hard drive.

What are these workbooks on the Disk?

The table below gives the correspondence between the workbook files on the floppy disk and the examples in the chapters of the book.

Chapter number	Chapter name	Workbook file
1-2	Sieve analysis	Sieve.xls
1-4	Hydrometer analysis	Hydro.xls
1-5	Pipette analysis	Pipette.xls
1-6	Buoyancy analysis	Buoyan.xls
1-7	Combined grain size analysis	Combine.xls
2-3	Liquid limit test	Liquid.xls
2-5	Plastic limit test	Plastic.xls
2-7 & 2-8	Shrinkage limit analyses with mercury and wax	Shrink.xls
2-9	Engineering classification of soils	Classi.xls
3-2	Unit weight of cohesive soils	Uweight.xls
3-3	Determination of specific gravity	Specific.xls
3-5	Compaction tests	Compac.xls
3-6	Sand cone method	Cone.xls
4-2	Constant head permeability test	Permcons.xls
4-3	Falling head permeability test	Permfall.xls
4-4	Electrical analogy of seepage problems	Elect.xls
4-5	Finite difference solutions of seepage problems	Finite.xls
6-2	Consolidation test	Consol.xls
7-3	Unconfined compression test	Unconf.xls
7-5	Direct shear test	Direct.xls
7-7 & 7-8	Triaxial drained and undrained tests	Triaxial.xls
9-3	Worked examples	Examples.xls

The additional workbook AREADME.XLS describes the contents of these workbooks, and provides users with a few suggestions on how to use them.

The workbooks include the datasheets at the end of the book. The datasheets can be used during the laboratory experiments to take notes and record measurements by hand. The workbooks also include all the tables and graphs of the examples in the book so that the users can process their own data. From within Excel, it is recommended to open the workbook of the selected experiment, and to create a new worksheet in the same workbook by using **Move or Copy Sheet ...** of the **Edit** menu, and checking the **Copy File** option. In this new worksheet, you may enter your own data in place of the old input data which is italicized. You may also use **Ctrl** to display the formulas and not erase them by mistake. You may add and remove lines in the tables of data, provided that you check the formulas and the names of defined variables. The graphs should automatically be modified as you enter new data.

Some worksheets need user-defined functions to perform calculations. These functions should be in Macros or Modules, in the same workbook as the worksheet. Macros are written in the spreadsheet programming language, and Modules are written in Visual Basic, a more advanced computer language. The Visual Basic functions of Modules have been assigned a name starting with **VB** (e.g., **VB1**), and have the same arguments as Macros in most cases. The examples in the workbooks are using Macros. To use VB functions instead of Macros, the users will have to add **VB** in front of the Macro names in the formulas, and modify their arguments when required.

An error message may be displayed when using the workbook **FINITE.XLS**. This is not a problem because this workbook uses circular references for iterative calculations.

YOU SHOULD CAREFULLY READ THE FOLLOWING TERMS AND CONDITIONS BEFORE OPENING THIS DISKETTE PACKAGE. OPENING THIS DISKETTE PACKAGE INDICATES YOUR ACCEPTANCE OF THESE TERMS AND CONDITIONS. IF YOU DO NOT AGREE WITH THEM, YOU SHOULD PROMPTLY RETURN THE PACKAGE UNOPENED, AND YOUR MONEY WILL BE REFUNDED.

IT IS A VIOLATION OF COPYRIGHT LAWS TO MAKE A COPY OF THE ACCOMPANYING SOFTWARE EXCEPT FOR BACKUP PURPOSES TO GUARD AGAINST ACCIDENTAL LOSS OR DAMAGE.

Prentice-Hall, Inc. provides this program and licenses its use. You assume responsibility for the selection of the program to achieve your intended results, and for the installation, use, and results obtained from the program. This license extends only to use of the program in the United States or countries in which the program is marketed by duly authorized distributors.

LICENSE

You may:

- a. use the program;
- b. copy the program into any machine-readable form without limit;
- c. modify the program and/or merge it into another program in support of your use of the program.

LIMITED WARRANTY

THE PROGRAM IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU (AND NOT PRENTICE-HALL, INC. OR ANY AUTHORIZED DISTRIBUTOR) ASSUME THE ENTIRE COST OF ALL NECESSARY SERVICING, REPAIR, OR CORRECTION.

SOME STATES DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO THE ABOVE EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE.

Prentice-Hall, Inc. does not warrant that the functions contained in the program will meet your requirements or that the operation of the program will be uninterrupted or error free.

However, Prentice-Hall, Inc., warrants the diskette(s) on which the program is furnished to be free from defects in materials and workmanship under normal use for a period of ninety (90) days from the date of delivery to you as evidenced by a copy of your receipt.

LIMITATIONS OF REMEDIES

Prentice-Hall's entire liability and your exclusive remedy shall be:

1. the replacement of any diskette not meeting Prentice-Hall's "Limited Warranty" and that is returned to Prentice-Hall with a copy of your purchase order, or

2. if Prentice-Hall is unable to deliver a replacement diskette or cassette that is free of defects in materials or workmanship, you may terminate this Agreement by returning the program, and your money will be refunded.

IN NO EVENT WILL PRENTICE-HALL BE LIABLE TO YOU FOR ANY DAMAGES, INCLUDING ANY LOST PROFITS, LOST SAVINGS, OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE SUCH PROGRAM EVEN IF PRENTICE-HALL, OR AN AUTHORIZED DISTRIBUTOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, OR FOR ANY CLAIM BY ANY OTHER PARTY.

SOME STATES DO NOT ALLOW THE LIMITATION OR EXCLUSION OF LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

GENERAL

You may not sublicense, assign, or transfer the license or the program except as expressly provided in this Agreement. Any attempt otherwise to sublicense, assign, or transfer any of the rights, duties, or obligations hereunder is void.

This Agreement will be governed by the laws of the State of New York.

Should you have any questions concerning this Agreement, you may contact Prentice-Hall, Inc., by writing to:

Prentice Hall
College Division
Upper Saddle River, NJ 07458

YOU ACKNOWLEDGE THAT YOU HAVE READ THIS AGREEMENT, UNDERSTAND IT, AND AGREE TO BE BOUND BY ITS TERMS AND CONDITIONS. YOU FURTHER AGREE THAT IT IS THE COMPLETE AND EXCLUSIVE STATEMENT OF THE AGREEMENT BETWEEN US THAT SUPERSEDES ANY PROPOSAL OR PRIOR AGREEMENT, ORAL OR WRITTEN, AND ANY OTHER COMMUNICATIONS BETWEEN US RELATING TO THE SUBJECT MATTER OF THIS AGREEMENT.

ISBN: 0-13-374935-5

NOTICE TO CONSUMERS

**THIS BOOK CANNOT BE RETURNED
FOR CREDIT OR REFUND IF THE
PERFORATION ON THE VINYL
DISK HOLDER IS BROKEN OR
TAMPERED WITH.**

Diskette version 1.0 (1/1/97)

Microsoft Excel Data files for Windows and Macs.
DOS formatted 1.4 Mb disk for Windows and Macs.

© 1997 by Prentice-Hall, Inc.
Upper Saddle River, New Jersey, 07458

ISBN 0-13-374935-5



DISK INCLUDED
DO NOT DEMAGNETIZE

PRENTICE HALL
Upper Saddle River, NJ 07458
<http://www.prenhall.com>

BARDET NEW

EXPERIMENTAL SOIL MECHANICS-W/3"DISK
97 PH
0-13-374935-5 0-13-374935-5

0100265197ND

9 780133 749359 98000

17 B