



Massachusetts Bay Transportation Authority

Deval L. Patrick
Governor

Timothy P. Murray
Lt. Governor

Bernard Cohen
Secretary and MBTA Chairman

Daniel A. Grabauskas
General Manager

DIRECTIVE

TO: Distribution

FROM: Charles L. O'Reilly
Assistant General Manager
for Design and Construction

DATE: August 8, 2007

RE: Adhesive Anchors

As previously communicated at the Design and Construction staff meeting held early in July, the use of adhesive anchors in overhead vertical applications (ceiling and/or roof attachments) and in horizontal applications (sidewall attachments) are prohibited from use.

Project Managers are required to verify that adhesive anchors, in the above referenced identified applications, have not been used and will not be used in the future.

Where adhesive anchors are present, an assessment to determine if an immediate threat (due to creep potential) exists, and when required, reinforce or replace the anchors with an alternate anchorage system.

DISTRIBUTION:

Mary Ainsley
Dominic Anidi
Sajal Banerjee
Kenneth Belovarac
Joseph Connor
Horace Cooper
Rusty DeRoma
George Doherty
Jack Donovan
James Eng

John Favorito
John Furlong
Paul Hadley
George Hines
James Jackson
Esther Johnson
Scott Kelley
Maggie Lackner
Marjorie Madden
Tikam Matai

John McAuliffe
Thomas Nee
Elizabeth Ozthail
Mahendra Patel
Thomas Rovero
John Schwarz
George Shanks
John Schwarz
Wei-Lee Shia

cc: E. Hunter

Driven by Customer Service