A clearer story.
Room to read.


A working review prototype and annotated screenshots of every Sam and Maya chapter, their brief views, and the surrounding site. The live production site is unchanged.

The proposed mobile flow


Read a story chapter → Open its brief section → Read and inspect → Back to the same chapter.

Vertical gestures scroll the page. A sideways swipe on the persona cards changes person. Chapter changes are deliberate: use the chapter selector or Previous / Next. The brief opens full height inside the same page; its own contents scroll naturally, and its accessibility controls remain at the bottom. The story does not advance while someone is reading.


> Design decision for review: mobile separates storytelling from close reading. Desktop retains the paired story and brief. This is a prototype of that change, rather than a production release.



Before: competing scroll surfaces
The story, chapter links, device toggles and brief share one small screen. Touch events are forwarded between nested frames.



1. Story first
1 — choose the persona. 2 — choose a chapter. 3 — open the matching brief section. Downward scrolling continues the page.



2. Read in place
1 — return to the same story position. 2 — the brief gets the available screen height. 3 — original reading controls stay docked below.

What was causing inconsistent scrolling?

Finding	Consequence	Prototype correction
Touch movement was cancelled and forwarded as pixel deltas between two frames and the page.	Native momentum was lost. Gestures could change the story while the reader expected to move the brief.	Mobile uses native page, card and reader scrolling. No manual touch forwarding on coarse-pointer mobile screens.
Wheel deltas in pixels, lines and pages were treated as the same unit vertically.	Mouse wheels and trackpads could move the story at very different rates.	Normalize forwarded wheel values: 16px per line, one frame viewport per page. Leave native reader scrolling to the browser.

Finding	Consequence	Prototype correction
The parent journey used an arbitrary 0.8 × window-height chapter distance.	Story movement and embedded-frame movement had different scales.	Desktop chapter distance now matches the actual case viewport, giving a one-to-one scroll distance.
Maya’s overview programmatically jumped to a later task row.	The mobile reader could open already scrolled down.	On mobile, start at the top. The desktop task alignment remains.


Native momentum should remain device-specific; making touch and mouse movement identical by forcing one fixed speed would make the experience less predictable. The goal is consistent ownership and distance, while preserving each device’s familiar behaviour.

The surrounding site


The original visual sequence remains. These captures let us review the whole mobile journey, including the opening, explanatory sections, menu and alternative reading page. Original long animation sections are not redesigned in this prototype.




Opening
Original navigation and Finding Clarity opening. Native page scrolling drives the visual sequence.




Understanding ambiguity
Sam’s miniature persona card remains here, after the case studies. Tap to flip; no hover required.




Reading and interpretation
The original reading passage continues below the personas.




Complexity
The original explanatory section remains part of the page.




Brief structure
The visual assembly section follows the written explanations.



Menu drawer
Close returns to the page. The OER link remains in the drawer.



Alternative reading page
A normal-flow reading alternative remains available.




Desktop comparison
Story and brief stay side by side. The top page progress strip remains.


Sam — every chapter

SAM / 01 OF 05

Schedule




Story view
Read the context, choose a different chapter, or open this part of the brief.




Brief view
One next step on the bus. The schedule is readable full height and scrolls if needed.

The task




Story view
Read the context, choose a different chapter, or open this part of the brief.




Brief view
The essential website task. Supporting detail stays closed until requested.

AI use




Story view
Read the context, choose a different chapter, or open this part of the brief.




Brief view
The example AI policy links to the completed AI Usage Log through Student Actions.

SAM / 04 OF 05

Assessment




Story view
Read the context, choose a different chapter, or open this part of the brief.




Brief view
Open a rubric criterion and compare the descriptions. This remains a simulation.

SAM / 05 OF 05

Submission




Story view
Read the context, choose a different chapter, or open this part of the brief.




Brief view
A completed checklist illustrates preparation; it does not imply a grade.

Maya — every chapter

Overview




Story view
Read the context, choose a different chapter, or open this part of the brief.




Brief view
The brief opens at the top, rather than jumping to a later row.

Research




Story view
Read the context, choose a different chapter, or open this part of the brief.




Brief view
Literature review instructions and expandable resources; library links stay simulated.

Reflection




Story view
Read the context, choose a different chapter, or open this part of the brief.




Brief view
Completed individual journals can be inspected with student and entry selectors.

Feedback




Story view
Read the context, choose a different chapter, or open this part of the brief.




Brief view
Completed formative feedback and a private teaching note. Long records use native reader scrolling.

Rubric



Story view
Read the context, choose a different chapter, or open this part of the brief.




Brief view
Criteria may address several learning outcomes. Individual evidence remains distinct from group work.

Walkthrough




Story view
Read the context, choose a different chapter, or open this part of the brief.




Brief view
A walkthrough screenshot can expand, with the written brief continuing below it. No video is recorded.

Controls and themes


The original brief controls are retained. Audio and incidental demo actions stay disabled. Student Actions opens beside its trigger; on mobile it sits above the bottom toolbar. The master theme applies to the story and the reader.




Contents
Search or choose a relevant scenario section. Returning updates the story chapter when supported.



Display options
Reading preferences stay within the brief.




Student Actions
The menu belongs to the bottom toolbar, not a separate page.




AI Usage Log
Completed example entries; visitors inspect rather than submit work.



Dark story
The dot field and typography inherit the dark palette.



Dark reader
The reader and surrounding sheet share the dark theme.



320px width
The portrait, chapter selector and copy reflow on a narrower screen.

What has been checked

Chromium mobile touch emulation at 390 × 844, narrow layout at 320 × 740, orientation changes, and desktop at 1440 × 900. Every Sam and Maya chapter was opened and captured. Scrollable reader sections accepted touch movement; short sections needed no scroll. Native persona swiping, outer-page isolation while reading, return-position restoration, and no horizontal page overflow were checked.

Forwarded desktop wheel test: 16 pixel units → 16px; 1 line → 16px; 1 page → the case viewport height. No JavaScript errors were recorded in the chapter walkthrough.

> Still to validate together: the mobile story-to-reader transition, real iPhone Safari momentum and toolbar resizing, and real Android touch behaviour. Emulation cannot prove the feel of a physical device. Desktop's remaining pinned visual sections are retained for comparison.