

Akademija tehničko-umetničkih strukovnih studija Beograd Odsek Visoka škola za informacione i komunikacione tehnologije Smer Internet tehnologije

DOKUMENTACIJA

Predmet: Web programiranje 1

Tema: <u>Hammerfall fun page</u>

Student: Profesor:

Stefan Marković 65/16 Nenad Kojić

Beograd, 2022.

SADRŽAJ

UVOD	2
Korišćene tehnologije	2
Opis funkcionalnosti	2
HTML	
CSS	13
JavaScript	21
jQuery	32

UVOD

Korišćene tehnologije:

1) Korišćeni jezik: JavaScript;

2) Korišćene biblioteke: JavaScipt, jQuery, JSON;

3) Dodatno: HTML, CSS

4) Koršćeno okruženje: Visual Studio

Statički deo sajta je urađen bez gotovih template.

Opis funkcionalnosti

Ulaskom na sajt dinamički se ispisuje Meni. Kako korisnik skroluje sajt, header ostaje fiksiran iprati kretanje korisnika. U donjem desnom uglu se pojavljuje link koji korisniku omogućava povratak na početak.


Prelaskom miša preko polja, pojavljuju se slike pomoću jQuery-ja.

Diskografija se takođe dinamički ispisuje. U slučaju prelaska mišem preko albuma, pojavljuje se(pomoću jQueryja) naziv i opis albuma. Klikom na opciju "Read more" korisniku se prikazuju najpoznatiji naslovi ponuđenog albuma.

Pri kraju sajta postoji slajder.

Forma objave komentara je vid regularnih izraza gde se proverava ispravnost unetih podataka. U ovom slučaju: Ime, Prezime, email i komentar. U slučaju neispravno unetih podataka, polje sa pogrešnim podacima menja boju u crvenu.

Organizaciona šema



Sajt je sastavljen od jedne stranice sa nekoliko linkova koji skroluju na različiti deo web stranice.

Podela na divove





class="blog"

id≊"aboutPhoto"

Welcome fans, to the Kindgom of Hammerfall!

Let the Hammer Fall!

Country of origin: Sweden
Location: Gothenburg
Formed year: 1993
Status: Active

Genre: Heavy/Power Metal Lyrical themes: Fantasy/Medieval battles


Formed in Göteborg, Sweden, in 1993 by guitarist Oscar Dronjak. Early line-ups included members from In Flames and Dark Tranquillity, most rotably Jesper Strömblad, who continued to write songs together with Oscar and singer Joacim Cans despite leaving before the first album was released. Glory To The Brave (1997) and Legacy Of Kings (1998) cemented the band as the pioneers of modern Eighties heavy


id="aboutPhotoText"


metal.

id="discography"

Discography
























id="discography"

id="about us"

Born August 14th 1974, in Lindome just outside Gothenburg.

I wanted to ROCK!!! Naturally, I picked up one of my fathers guitars and tried to learn the songs of my idols, like Accept, Metallica and Iron Maiden among others.

I started playing with my friends and realized that most bands were looking for bass players. There were guitarist and drummers everywhere, but no one really cared for the bass.


Shortly thereafter Oscar asked if I wanted to join HammerFall, and you know the story: record deal, Glory to the Braveand I quit 10 years passed and I played with a couple of bands: None, DeathDestruction, Cans and Evergrey, but didnt play on any albums. When Joacim called me and asked if I was interested in rejoining HammerFall, I didnt hesitate. I never regretted that I left, but I would never forgive myself if I didnt take this

class="signature"

class="quote"

Fredrik Larsson Bass and backing vocals






KODOVI

HTML

```
File Edit View Git Project Build Debug Test Analyze Tools Extensions Window Help 🌠 Full Screen
                        index.html + X style.css main.js
obrisi.html
             jquery.js
                                                          Program.cs
             <!DOCTYPE html>
           -<head>
                 <title>Hammerfall-fun page</title>
                 <meta charset="UTF-8" />
                 <meta name="description" content="This is Hammerfall fun page, one of the most famous Swedish power metal bands." />
                 <meta name="keyword" content="music, power metal, metal music, Sweden, albums" />
                 <meta name="author" content="Stefan Markovic 65/16" />
                 <link rel="shortcut icon" href="img/logo.png" />
                 <link rel="stylesheet" href="css/style.css" />
                 <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-awesome/4.4.0/css/font-awesome.min.css">
           </head>
                 <body>
           <header>
                         <div id="page">
                             <div id="header">
                                 <div id="logo">
                                     <a href="index.html"><img src="img/logo.png" alt="Logo" id="log"></a>
                                  <div id="navigation">
                              <div id="home-wrapper">
                                 <div class="title">
                                     <h1>Hammerfall</h1>
                                     Legacy of Kings
                                 <div class="photo">
                                     <img src="img/TEAM.jpg" alt="Image of band" />
```



```
Fantasy/Medieval battles
                (/table>
           Formed in Göteborg, Sweden, in 1993 by guitarist Oscar Dronjak.
            Early line-ups included members from In Flames and Dark Tranquillity,
           most notably Jesper Strömblad, who continued to write songs together with Oscar and singer
            Joacim Cans despite leaving before the first album was released.
           Glory To The Brave (1997) and Legacy Of Kings (1998) cemented the band as the pioneers of modern Eighties heavy metal.
    <div class="cleaner"></div>
<div id="discography">
    <h2>Discography</h2>
    <div class="cleaner"></div>
    <div class="col-6" id="show">
     <div id="about_us">
                    _
<div class="text-left">
                        <div class="quote">
                           <i class="fa fa-quote-left"></i></i>
```



```
<div id="author">
              <h2>AUTHOR</h2>
              <div id="imageAuthor">
                  <img src="img/author.png" alt="author_img">
              <div id="textAuthor">
                     Stefan Marković was born 25.01.1991 AD in Belgrade.
                     Graduated History at Faculty of Philosophy, the University of Belgrade in 2015.AD,
                     finished Master studies in Medieval history in the same Institute, 2016. AD. Currently he studies Internet
                     Technologies at the College of Informational and Communicational Technologies in Belgrade.
                     <br/>Shr/>As a Web developer, has a knowledge of HTML, CSS, JS.<br/>Shr/>Also has knowledge about DBA, C#, JSON.
                  <div class="chart">
                     <div class="name"><img id="jspic" src="img/jsicon.png" alt="jspicture"></div>>div><div class="bar"></div>
                         <span id="value1">60</span>
              <div class="cleaner"></div>
      <div id="footer">
          <span id="links">
          <span id="copyright">Stefan Markovic 65/16 &copy; 2021 All rights reserved.
          <a href="#" id="scrollUp">
                 <i class="fa fa-chevron-up"></i></i>
          </div>
          <script type="text/javascript" src="js/main1.js"></script>
          <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
          <script type="text/javascript" src="js/jquery.js"></script>
     </body>
</html>
```

CSS

Style.css

```
⊡*{
         margin:0;
         padding:0;
                                              33 ⊡.title h1
         box-sizing: border-box;
                                                   text-transform: uppercase;
   ⊟#page
                                              37
                                              38 ⊡.photo img
         margin: 0px auto;
                                                       width:100%;
11
                                              41
                                                       height:40%;
12
   ∃#header {
                                              42
                                                       background-position: center;
         position:fixed;
13
                                                       background-size: cover;
                                              43
         width: 100%;
                                                       margin: 20px;
15
16 ∃#logo img {
17
         float:left;
                                              47
         height: 5%;
                                              48 ⊟ul {
         width: 5%;
                                                       list-style: none;
20
         margin: 2%;
                                                       margin-top: 15px;
         position: relative;
21
23
   ∃.title
24
                                              54 ⊟ul li {
                                                            display:inline-block;
         position: absolute;
                                                            padding:10px;
         text-align:center;
                                                            text-transform: uppercase;
         margin: 20% 44%;
                                                            font-family: Constantia;
         color: white;
                                                            font-weight: bold;
         font-family: Serif;
                                                            font-size: 16px;
```

```
63 ⊟#navigation ul {
         float: right;
         position: relative;
         align-items: center;
68
   ∃#navigation >li{
70
         margin-left:20px;
71
72
74 ∃#main{
         width:100%;
76
78 ⊟#discography{
         width: 100%;
         margin:50px auto;
         background:rgb(0,0,0);
81
82
84 ∃#discography h2{
         text-align:center;
         color:beige;
         font-weight: bold;
         margin:2px;
```

```
∃.cleaner{
         clear:both;
94 ⊟a{
         text-decoration:none;
         color: white:
         transition: 0.3s;
100 ⊟#aboutPhoto img{
         max-width: 35%;
         margin-left: 40px;
103
         margin-top: 20px;
         /*width: 30%;*/
         float:left;
105
float: right;
109
         max-width: 40%;
110
         margin-top: 20px;
111
112
113
114 ∃#aboutPhotoText p {
115
     text-align: justify;
     margin-right: 40px;
116
117
118
```

```
119 ∃.albums {
          display:inline-block;
120
          float:left;
121
122
          margin: 10px;
          position: relative;
123
124
125
126 ⊡.albums img{
          transition:1s;
127
          padding: 15px;
128
          width: 350px;
129
130
131
132 ∃.aboutAlbum{
133
          position: absolute;
134
          width: 100%;
          bottom: 0;
135
          text-align:center;
136
          color: saddlebrown;
137
          background: rgb(255,255,255);
138
          opacity:65%;
139
          width: 90%;
          margin:5%;
          font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;
142
143
          font-weight: bold;
          transition: 0.5s;
144
          display:none;
```

```
146
                                               170 ⊡.text-left {
147 ∃.aboutAlbum a{
                                                          float: left;
                                               171
          color:darkblue;
148
                                                          width: 50%;
                                               172
149
                                                          padding-right: 15px;
                                               173
150
                                                          padding-left: 40px;
                                               174
151 ⊟#about us {
                                               175
                                                          margin: 20px;
152
          background-color:rgb(21,21,24);
                                                          text-align: justify;
                                               176
153
          width:100%;
                                               177
154
          margin-top:10px;
                                               178
155
                                               179
156
                                               180 ⊡.signature img{
157 ⊟#about_us p{
                                                          width: 35%;
                                               181
158
          color:rgb(255,255,255);
                                                          margin: 50px 0 20px 0;
                                               182
159
                                                          opacity:0.35;
                                               183
161 □ #about us h5{
                                               185 	☐.profile-photo {
          color:rgb(255,255,255);
162
                                                          max-height: 400px;
                                                          float: right;
                                               187
                                                          padding-right: 15px;
165 ⊟#about_us i{
                                                          margin-top: 20px;
          color:rgb(255,255,255);
                                               190
          text-align:left;
                                               192 	☐.profile-photo img{
                                                          width:75%;
                                                          border-radius:80%;
                                               194
                                               195
                                               196
                                               197 ⊟#slider img{
                                                          width:100%;
                                               198
                                               199
```

```
201 □#contact{
          background-image:url('masterpiece.jpg');
204 ∃#forms{
          padding:60px 40px;
          background-color:rgb(16,16,18);
          opacity:0.9;
208
          #forms h4 {
210 🗆
              color:rgb(255,255,255);
211
212
              text-transform: uppercase;
              font-weight: bold;
213
214
              margin-bottom: 40px;
              font-family: 'Times New Roman', Times, serif;
215
              margin-left: 40px;
216
217
218 ⊡.text-tabs{
219
          margin-bottom:15px;
220
221
222 ∃.validation{
          border: 1px solid black;
223
224
          font-size:16px;
          background:transparent;
225
          height:50px;
226
          border-radius:0;
227
          margin-bottom: 20px;
228
```

```
230
231 ⊡.validation {
          color:wheat;
232
233
234
235 ∃#send{
          margin-top:20px;
236
          padding:5px;
237
          color:wheat;
238
          background-color:#ff2b4a;
239
          font-size:16px;
240
          text-transform:uppercase;
241
242
243
244 ∃#author{
245
          width:100%;
          z-index:20;
246
          left:0;
247
          top:0;
248
          background-color:rgb(255,255,255);
249
          padding: 20px;
250
      }
251
252
253 ∃#author h2{
254
          text-align: center;
255
256
257
```

```
258 ⊟#author #jspic{
                                            288
                                            289 ⊟#links{
          width: 40px;
                                                      text-align:center;
260
          height:30px;
                                            290
                                            291
262
                                            292
263 = #imageAuthor img{
                                            293 ⊟#links ul li{
          max-width:30%;
264
                                                      display: inline-block;
                                            294
          border-radius: 100%;
                                            295
                                                      color: white;
          float:right;
                                            296
          padding: 20px;
                                            297
          margin-right:20px;
                                            298 ≡#copyright{
269
                                                      display: block;
270
                                                      text-align: center;
                                            300
271 ∃#textAuthor{
                                            301 }
          float: left;
                                            302
          margin:30px;
                                            303 □.danger{
274
          padding: 30px;
                                                      border:2px solid red;
          text-align:justify;
                                            305
          font-family: 'Times New Roman';
276
                                            306
          font-size:16px;
                                            307 ⊡.value{
          width:50%;
278
                                                      visibility:hidden;
279
          border:2px solid black;
                                            309
280
                                            310
281
                                            311 ⊡.menuHover {
282 ∃#footer {
                                                      color: black;
                                            312
          background:rgb(0,0,0);
                                            313
                                                      font-size:20px;
284
          color: white;
                                                      text-decoration:underline;
                                            314
          width: 100%;
                                            315
          padding: 25px;
```

```
317 ∃.chart {
                                                  347
          background: gray;
          justify-content: flex-start;
319
                                                  349 ⊟@keyframes load {
320
          border-radius: 100px;
                                                  350 ⊟
                                                            0% {
321
          align-items: center;
                                                                width: 0;
          position: relative;
322
          padding: 10px 5px;
                                                  353
                                                            100% {
          display: flex;
                                                  354
                                                                width: 60%;
         height: 40px;
         width: 500px;
327
328
                                                  358 ∃#scrollUp{
329 🖃 .chart span {
                                                             position: fixed;
                                                             display: none;
           margin-left: 7px;
                                                             background: rgba(0, 0, 0, 0.2);
                                                  361
           color: black;
332
                                                             color: #fff;
                                                  362
           font-weight: bolder;
333
                                                  363
                                                             padding: 7px 13px 8px 13px;
                                                             font-size: 14px;
                                                             border-radius: 2px;
                                                  365
    □ . name{
                                                             right: 14px;
         padding:3px;
                                                  367
                                                             bottom: 14px;
                                                             transition: background 0.5s;
    .bar {
                                                  370
341
          animation: load 3s normal forwards;
                                                  371 ≡#scrollUp:focus {
          box-shadow: 0 10px 40px -10px #fff;
342
                                                             background: rgba(0, 0, 0, 0.2);
                                                  372
343
          border-radius: 100px;
                                                  373
                                                             color: #fff;
          background: black;
                                                  374
                                                             outline: none;
          height: 30px;
                                                  375
          width: 0:
                                                 376
                                                      ⊞#scrollUp:hover {
                                                 377
                                                             background: #2dc997;
                                                 378
                                                             color: #fff;
                                                 379
                                                 380
```

JavaScript

main.js

Dinamičko ispisivanje menija pomoću for-in petlje. Podaci od meniju se nalaze u 2 niza (niz sa nazivima koji će biti ispisani korisniku i niza linkova na koje će voditi korisnika klikom na taster). Ovaj vid unosa sa dva odvojena niza, u daljim kodovima zameniće JSON.

```
//navigation menubar

var navBar = document.querySelector("#navigation ul");

var navNames = ["Home", "Discography", "About", "Author"];
var navLinks = ["index.html", "#discography", "#about_us", "#author"];

for(var index in navNames){
    navBar.innerHTML += `<a href="${navLinks[index]}"> ${navNames[index]} </a>
```

Dinamičko ispisivanje sadržaja

```
//photo
//photo
var photo = document.createElement("img");
photo.setAttribute("src", "img/hammerfall.jpg");
photo.setAttribute("alt", "frontman of band");
console.log(photo);
var aboutImage = document.getElementById("aboutPhoto");
aboutImage.appendChild(photo);

var text1 = document.getElementById("aboutPhotoText");
var infos = document.createElement("span");
```

Funkcija za kreiranje fiksiranog menija koji se kreće zajedno sa skrolovanjem stranice

Funkcija za dinamičko ispisivanje Diskografije. Podaci o objektima su uneti u JSON, potom pomoću dve funkcije se kreira galerija svih albuma Hammerfalla. Prva funkcija for-of petljom kreira elemente slike kao i sakriveni deo teksta o kom će detaljnije biti reči prilikom obrade jQuery fajla. Druga funkcija služi da klasičnom petljom objavi spisak naslova iz niza objekata "songs"

```
//DISCOGRAPHY
var gallery = document.querySelector("#discography");

| var gallery = document.querySelector("#discography");
| var discography = [
|
```

```
"name": "Renegade",
         "image": {
             "src": "Renegade",
             "alt": "Renegade - album cover"
         "songs": ["Templars of Steel", "Renegade", "Living in Victory", "Always Will Be", "The Way of the Warrior", "A Legend Reborn
         "name": "Crimson Thunder",
         "image": {
             "src": "CrimsonThunder",
          "songs": ["Riders of the Storm", "Hearts on Fire", "On the Edge of Honour", "Crimson Thunder", "Dreams Come True", "Angel of
          "name": "Chapter V -Unbeat, Unbound, Unbroken",
         "image": {
₫
              "src": "ChapterV",
             "alt": "Chapter V - album cover"
          songs": ["Secrets", "Blood Bound", "Never, Ever", "Born to Rule", "The Templar Flame", "Imperial"]"
  "name": "Threshold",
              "image": {
                  "src": "Threshold",
                 "alt": "Threshold - album cover"
              "songs": ["Threshold", "The Fire Burns Forever", "Reign of the Hammer", "Titan"]
             "id": 7,
"name": "No sacrifice, No victory",
              "image": {
                  "src": "NoVictory",
                 "alt": "NoVictory - album cover"
              "songs": ["Any Means Necessary", "Life Is Now", "Legion", "No Sacrifice, No Victory"]
             "id": 8,
              "name": "Infected",
              "image": {
                  "src": "infected",
                 "alt": "Infected - album cover"
              "songs": ["Patient Zero", "I Refuse", "Redemption"]
```

```
function writeAlbums() {
           for (let index of discography) {
               gallery.innerHTML += `<div class ="albums">
           <img src="img/New folder/${index.image.src}.jpg" alt="${index.image.alt}">
           <div class="aboutAlbum">
               <h3>${index.name}</h3>
               <button>Read more</button>
               <div class="moreAbout"><h3>Best songs:</h3>${writeSong(index.songs)}</div>
           </div></div>;
       writeAlbums()

_function writeSong(item) {
           let html = '';
           for (let i = 0; i < item.length; i++) {</pre>
               html += `${item[i]}`
           return html;
                  "id": 11,
135
                  "name": "Dominion",
136
                  "image": {
137
                       "src": "Dominion",
138
                       "alt": "Dominion - album cover"
139
                  "songs": ["Dominion", "One Against the World", "Scars of a Generation"]
142
143
```

Nakon unetih podatak u JSON, kreće ispisivanje pomoću funkcije.

Druga funkcija, kao što je već pomenuto ranije, služi da omogući pojedinačan unos svakog člana niza, kako bi izgledalo kao da je u pitanju spisak najpoznatijih pesama svakog albuma.

```
157
          writeAlbums()
158
159
        □function writeSong(item) {
               let html = '';
               for (let i = 0; i < item.length; i++) {</pre>
        Ėξ
                                                                                     Legacy of Kings
                    html += `${item[i]}`
                                                                                       Read more
                                                                                      Best songs:
                                                                                     Heeding the Call
               return html;
                                                                                      Legacy of Kings
                                                                                    Let the Hammer Fall
166
                                                                                       Dreamland
                                                                                    Remember Yesterday
```

Naredni kod omogućava kreiranje slajdera. Kod nakon određenog vremenskog perioda (na

```
//SLIDER
        setInterval(slider, 4000);
170
        var counter = 1;
       function slider() {
171
            document.querySelector("#slider img").src = "img/slide" + counter + ".jpg";
172
            counter++;
            if (counter == 5) {
174
175
                counter = 1;
176
177
178
```

svake 4 sekunde) rotira četiri fotografije.

Dinamičko ispisivanje forme pomoću for-of petlje

```
| Indication writeForm() {
| Var tabs = ["Name", "Last_Name", "Email"]; | Var forms = document.getElementById("forms"); | Var writing = "ch4>Send a comment</hd>
| Var writing = "ch4>Send a comment</hd>
| Var writing = "ch4>Send a comment</hd>
| Var writing += "cdiv class="text-tabs" | Var writing += "cdiv class="value">Value ${index} is not correct</hd>
| Var writing += "cdiv class="text-tabs" | Var wri
```

Brojač karaktera – Nakon što je prethodnim kodom kreirana *text area*, naredni kod pomoću metode *addEventListener* "osluškuje" i sabira broj otkucanih karaktera (za razliku od "*keydown*", događaj "*keyup*" računa jedino ukoliko je korisnik pustio taster). U ovom slučaju, ograničenje je na 200 karaktera. Ovim kodom, se ispod tekstualnog polja u realnom vremenu dinamički ispisuje koliko je ukupno karaktera uneto.

```
//BROJAČ KARAKTERA
//BROJAČ
```

Regularni izrazi – klikom na taster "send" proverava se tačnost unetih podataka. U ovom slučaju, to su ime, prezime korisnika, email i poruka u komentaru. Ime se može sastojati samo od slovnih karaktera, počinje sa prvim velikim slovom i sastoji se najviše od 16 karaktera. Prezime, slično imenu, sastoji se jedino od slovnih karaktera, počinje sa prvim velikim slovom i ima najviše 18 karaktera. Email kao forma se svakako razlikuje. Pored slovnih karaktera daje mogućnost korišćenja tačke, neophodan je simbol @ nakon čega sleduju 2 reči razdvojene tačkom (npr.,,gmail.com", "yahoo.com", itd), druga reč je ograničena na 2 do 4 karaktera. U slučaju teksta u komentaru, neophodno je uneti makar dva karaktera.

```
//REGULAR EXPRESSION
□document.querySelector("#send").addEventListener("click", function (e)
     e.preventDefault()
     findErrors()
□function findErrors() {
     var wrong = [];
     let fistName, lastName, email, comments;
     firstName = document.querySelector("#Name");
     lastName = document.querySelector("#Last_Name");
     email = document.querySelector("#Email");
     coment = document.querySelector("#comment");
     console.log(firstName, lastName);
     let firstNameRegex = /^[A-ZĆČŽŠĐ][a-zčćžšđ]{2,14}$/;
     let lastNameRegex = /^[A-ZĆČŽŠĐ][a-zčćžšđ]{2,18}$/;
     let emailRegex = /^[\w-\.]+@([\w-]+\.)+[\w-]{2,4}$/;
     let commentRegex = /.{2,200}/;
     let firstNameDone = false;
     let lastNameDone = false;
     let emailDone = false;
     let commentDone = false;
     function checkAll(itemValue, itemRegex, itemDone) {
          if (itemRegex.test(itemValue.value)) {
              itemDone = true;
              if (itemValue.classList.contains("danger"))
                  itemValue.classList.remove("danger")
```

neispravnosti nekog od tekstualnih polja, nakon klika tastera "Send" border (granice) neispravnog tekstualnog polja će promeniti boju u crvenu.

U slučaju



```
else

241

242

itemDone = false;

if (!itemValue.classList.contains("danger"))

244

245

246

247

248

checkAll(firstName, firstNameRegex, firstNameDone)

checkAll(lastName, lastNameRegex, lastNameDone)

checkAll(email, emailRegex, emailDone)

checkAll(coment, commentRegex, commentDone)

251

checkAll(coment, commentRegex, commentDone)

252

};
```

Ispisivanje "progress bar"- dinamički se povećava procenat "znanja" JavaScripta na simboličnih 60%.

Pomoću klasične for petlje povećava procente

Samoevaluacija: Ovaj je zanimljivi kod ima jednu manu, koja je prilično kasno uočena. On će se aktivirati i uspešno realizovati kod, ali sa otvaranjem stranice. Korisnik će teško videti dinamiku rasta procenta. Kodu nedostaje "eventListener" koji će čekati da korisnik uđe polje diva gde se kod nalazi kako bi User experience bio potpun.

```
//PERCETAGE growing

| function increase() {
| let percentageGrow = 50;
| let maxPercent = parseInt(document.getElementById("value1").innerHTML, 10);
| for(let i = 0; i <= maxPercent; i++) {
| setTimeout(function () {
| document.getElementById("value1").innerHTML = i + "%";
| hercentageGrow * i);
| let maxPercent = parseInt(document.getElementById("value1").innerHTML = i + "%";
| hercentageGrow * i);
| hercent
```

As a Web developer, has a knowledge of HTML, CSS, JS. Also has knowledge about DBA, C#, JSON.



Dinamičko ispisivanje futera, pomoću JSON-a i for-of petlje.

```
//FOOTER
  var links = document.querySelector("#links ul");
□const linked = [{
      "id": 1,
      "link": "https://twitter.com/hammerfall",
      "icons": "fa fa-twitter"
  },
∮{
      "id": 2,
      "link": "https://www.instagram.com/hammerfall_official/",
      "icons": "fa fa-instagram"
∮{
      "id": 3,
      "link": "https://www.youtube.com/channel/UC3Yk2TmVkqi_Kmgct5yZaHA", "icons": "fa fa-youtube"
  },
⊟{
      "id": 4,
      "link": "https://www.facebook.com/hammerfall",
      "icons": "fa fa-facebook"
Θ{
      "id": 5,
      "link": "documentation.pdf",
      "icons": "fa fa-file"
 [];
⊟for (let index of linked) {
      links.innerHTML += `<a href="${index.link}"> <i class="${index.icons}"></i></a>|
```

jQuery


Funkcija hovera omoćava da prilikom prelaska kursorom preko fotografije u galeriji ("Discography) polako se pojavlju podaci o albumu. Izlaskom kursora iz polja, opis se ponovo

```
// jQuery

// jQu
```

povlači. Važno je navesti da navedeni kod radi zasebno za svaki od polja, tj ulaskom u polje jedne fotografije ne utiče na isti kod u susednim.







Animacija iskačućih fotografija koje se pojavljuju nakon ulaska u njihovo polje. Ovaj kod koriste dve fotografije na različitim delovima sajta. Zanimljivo je navesti, pošto je u pitanju isti kod za dve odvojene situacije, primenjen je isti kod samo različitim parametrima. To je primer code reuse.

Primena sakrivanja i otkrivanja dodatnog teksta u galeriji. Ovaj kod drži sakriven deo teksta do trenutka kad korisnik pristupi i klikne dugme "*Read more*", ponovnim klikom na isto

dugme tekst se ponovo sakriva. Isto kao i kod ranijeg koda, ovo nema uticaja na druge klase, koje imaju sličan kod, već samo na polje objekta čiji taster je korsnik kliknuo.



Promena boje i veličine slova u meniju. Iako ova animacija može da se izvede bez upotrebe JS-a, tj. kroz CSS, u ovom slučaju jQuery ulaskom u polje linka privremeno aktivira klasu .menuHover u CSS-u. Izlaskom iz polja, jQuery ponovo uklanja pomenutu klasu i vraća prvobitni izgled linka

33

```
//MENU HOVER

| $("#navigation li a").hover(function(){
| $(this).addClass("menuHover")
| }
| function(){
| $(this).removeClass("menuHover")
| }
| }
```



Klikom na mali taster u donjem desnom uglu ekrana, omogućava povratak korisnika na početak ("*Scroll to Top"*). Navedeni taster se ne pojavljuje odmah, već čeka da korisnik skroluje određeni broj redova, nakon čega se pojavljuje (*fade in*) isto tako i nestaje ukoliko se korisnik vrati na rastojanje

manje rastojanje od vrha stranice (manje od 50).