Web Technology Practical HTML & CSS



Okay, let's make a website with Divs

 We'll pick a popular website and try and replicate some of it in HTML and CSS.

♠ Home Moments Motifications Messages

What's happening?

Bibliosan 2.0 @Bibliosan20 - Feb 9


Which website?

Report on alternative funding mechanisms for scientific research and on **David Corsar** emerging reputation systems for scholars publications.jrc.ec.europa.eu/repository/bit 231 Rand Fishkin 🙆 @randfish Digital Catabult Retweeted Steven wood @wood_steven - 18m IoTTechExpo: @DigiCatapult shares opportunities, challenges & advice from the Find people you know event for #IoT #startups bit.ly/1SLDxEm @iottechexpo Mark Zuckerberg Geovation @Geovation · 6m New Hub blog! Laura Alderson on Hub Innovation social.os.uk/HWWMm 4.01M Tweets Cookies Ads info Brand Blog Status Apps 43 #mondaymotivation Started trending in the last hou #AcademicValentines | Courtesy of @redpenblackper #CleanUn.INU #AddINGtoAMovi Scalia

Who to follow · Refresh · View all

Twitter







Grid System


 "A typographic grid is a two-dimensional structure made up of a series of intersecting vertical and horizontal axes used to structure content. The grid serves as a framework on which a designer can organize text and images in a rational, easy to absorb manner."




Grid System













Bootstrap Responsive Grid System


- CSS 12 column layout
- Various sizes for extra small, small medium, and large resolutions
- CSS classes for 12 column container and elements spanning 1-12 columns

.col-md-12							
.col- md-1		.col-md-11					
.col-md-2				.col-md-10			
.col-md-3			.col-md-9				
.col-md-4				.col-md-8			
.col-md-5			.col-md-7				
.col-md-6					.col-md-6		
.col- md-1 .col- md-1 .col- md-1 .col- md-1 .col- md-1							



Extracts


```
.container
 width: 970px;
 margin-left: auto;
 margin-right: auto
.col-md-1,
.col-md-2,
 ,.col-me-3
 position: relative;
 float: left;
 padding-left: 15px;
 padding-right: 15px;
```





960.gs 12 Column

```
.col-md-1 {
 width: 8.3333%; }
\cdotcol-md-2 {
 width: 16.66667%; }
.col-md-3 {
 width: 25%; }
.col-md-10{
 width: 83.3333% }
.col-md-11{
 width: 91.66667%;}
.col-md-12 {
 width: 100%; }
```






Enough already...

... lets get started



Let's create our pages





A new index.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width, initial-scale=1">
   <!-- The above 3 meta tags *must* come first in the head; any other head content must come *after* these
tags -->
    <title>Twitter</title>
   <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media queries -->
   <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
   <!--[if lt IE 9]>
     <script src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
     <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
   <![endif]-->
  </head>
 <body>
 </body>
</html>
```



Import bootstrap




A new style.css

```
body {
  background-color: #f5f8fa;
}
```




The navigation bar






The navigation bar






The navigation bar









Content Structure

```
<div class="container">
</div>
```




Content Structure

```
<div class="container">
<div class="row"
 <div class="col-md-3">
    Test 1
 </div>
 <div class="col-md-6">
   Test 2
 </div>
 <div class="col-md-3">
    Test 3
 </div>
</div>
</div>
```

```
.col-md-6 {
    left: 50%;
}
.col-md-3 {
    left: 25%;
}
```








Content Structure


```
<div class="container">
 <div class="row">
 <div class="col-md-3">
   <div class="content-box">Tweeting Person
   </div>
   <div class="content-box">Trends</div>
 </div>
 <div class="col-md-6">
   <div class="content-box">Tweets</div>
 </div>
 <div class="col-md-3">
   <div class="content-box">Recommendations
   </div>
 </div>
 </div>
</div>
```

```
.contentBox {
    background-color: #fffffff;
    margin-bottom 10px;
    border-radius: 10px;
}
```











The What's Happening

```
.whats-happening {
    background-color: #e5f2f7;
    padding-top: 10px;
    padding-bottom: 10px;
    border-top-left-radius: 10px;
    border-top-right-radius: 10px;
}

.whats-happening-form {
    padding-right: 10px;
}
```

</form> </div> </div></div>



What's happening?



The tweets





```
<div class="tweet">
  <div class="row">
```

```
.tweet {
    background-color: #ffffff;
border-top: 1px solid #a19999;
padding-top: 10px;
padding-right: 10px;}
```



```
<div class="tweet">
  <div class="row">
    <div class="col-md-2">
        <img src="img/twitterUserBigger.jpg"
        class="img-rounded pull-right" />
        </div>
```

```
.tweet {
    background-color: #ffffff;
border-top: 1px solid #a19999;
padding-top: 10px;
padding-right: 10px;}
```



```
<div class="tweet">
  <div class="row">
    <div class="col-md-2">
        <img src="img/twitterUserBigger.jpg"
            class="img-rounded pull-right" />
        </div>
        <div class="col-md-10">
        <div class="tweet-row">
```

```
.tweet {
    background-color: #ffffff;
    border-top: 1px solid #a19999;
    padding-top: 10px;
    padding-right: 10px;}
.tweet-row {
    width: 100%;
    position: relative;
    float: left;}
```



```
.tweet {
    background-color: #ffffff;
   border-top: 1px solid #a19999;
   padding-top: 10px;
   padding-right: 10px;}
.tweet-row {
    width: 100%;
    position: relative;
    float: left;}
.tweet-username{
    font-weight: bold;}
```



```
styles.css
.tweet {
background-color: #ffffff;
border-top: 1px solid #a19999;
padding-top: 10px;
padding-right: 10px;}
.tweet-row {
width: 100%;
position: relative;
float: left;}
.tweet-username{
font-weight: bold;}
.tweet-username, .tweet-usertag, .tweet-
age {
position: relative;
float: left;
margin-right: 5px;}
.grey-text {color: #a19999;}
```



```
<div class="tweet">
<div class="row">
  <div class="col-md-2">
  <imq src="imq/twitterUserBigger.jpg"</pre>
     class="img-rounded pull-right" />
  </div>
  <div class="col-md-10">
  <div class="tweet-row">
   <div class="tweet-username">Hamster News
   </div>
   <div class="tweet-usertag grey-text">
      @hamsternews</div>
   <div class="tweet-age grey-text">1d</div>
  </div>
  <div>
   Hamsters are nocturnal, which means they like to
keep you up all night when they are running around on their
wheel making noise!!
   </div>
```

```
styles.css
.tweet {
background-color: #ffffff;
border-top: 1px solid #a19999;
padding-top: 10px;
padding-right: 10px;}
.tweet-row {
width: 100%;
position: relative;
float: left;}
.tweet-username{
font-weight: bold;}
.tweet-username, .tweet-usertag, .tweet-
age {
position: relative;
float: left;
margin-right: 5px;}
.grey-text {color: #a19999;}
```



Tweet Content continued

```
<div class="row">
    <div class="col-md-2">
      <span class="glyphicon glyphicon-menu-left" aria-</pre>
hidden="true"></span>
    </div>
    <div class="col-md-2">
      <span class="glyphicon glyphicon-share-alt" aria-</pre>
hidden="true"></span>
    </div>
    <div class="col-md-2">
      <span class="glyphicon glyphicon-heart" aria-</pre>
hidden="true"></span>
    </div>
    <div class="col-md-2">
      <span class="glyphicon glyphicon-option-horizontal"</pre>
aria-hidden="true"></span>
    </div>
   </div>
```

```
styles.css
.tweet {
background-color: #ffffff;
border-top: 1px solid #a19999;
padding-top: 10px;
padding-right: 10px;}
.tweet-row {
width: 100%;
position: relative;
float: left;}
.tweet-username{
font-weight: bold;}
.tweet-username, .tweet-usertag, .tweet-
age {
position: relative;
float: left;
margin-right: 5px;}
.grey-text {color: #a19999;}
```



Tweet Content continued

```
<div class="row">
   <div class="col-md-2">
      <span class="glyphicon glyphicon-menu-left" aria-</pre>
hidden="true"></span>
    </div>
    <div class="col-md-2">
      <span class="glyphicon glyphicon-share-alt" aria-</pre>
hidden="true"></span>
    </div>
    <div class="col-md-2">
      <span class="glyphicon glyphicon-heart" aria-</pre>
hidden="true"></span>
    </div>
    <div class="col-md-2">
      <span class="glyphicon glyphicon-option-horizontal"</pre>
aria-hidden="true"></span>
    </div>
  </div>
  </div> <!- end Tweet content column -->
 </div> <!- end row -->
</div> <!- end Tweet -->
```

```
styles.css
.tweet {
background-color: #ffffff;
border-top: 1px solid #a19999;
padding-top: 10px;
padding-right: 10px;}
.tweet-row {
width: 100%;
position: relative;
float: left;}
.tweet-username{
font-weight: bold;}
.tweet-username, .tweet-usertag, .tweet-
age {
position: relative;
float: left;
margin-right: 5px;}
.grey-text {color: #a19999;}
```



Tweets



Hamster News @hamsternews 1d

Hamsters are nocturnal, which means they like to keep you up all night when they are running around on their wheel making noise!!












Multiple Tweets







UNIVERSITY OF ABERDEEN





Summary

- Building a website
 - bootstrap

- Thursday
 - More Javascript
- Practical
 - Forms

